The bidi *Package*

Documentation for version 20.0

to my Master, ***Ferdowsi The Great***

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

https://github.com/vafa/bidi/issues

In doing so, please always explain your issue well enough, always include a minimal working example showing the issue, and always choose the appropriate label for your query (i.e. if you are reporting any bugs, choose 'Bug' label).

Copyright (c) 2007–2016 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The bidi *Package*

Bidirectional typesetting in plain TEX and LATEX, using XeTEX engine

Documentation for version 20.0

Vafa Khalighi
persian-tex@tug.org

September 14, 2016

Contents

I LATEX Manual 4

1 Basics 4
- 1.1 Loading The Package 4
- 1.2 bidi's Symbol 5
- 1.3 Commands for Version number, and Date of The Package . . . 6
- 1.4 Turning TeX--XeT features on and off 6
- 1.5 Options of The Package 6
- 1.6 Paragraph Switching Commands 7
- 1.7 Pargraph Switching Environments 8
- 1.8 Typesetting Short LTR and RTL Texts 8
- 1.9 Footnotes 9
  - 1.9.1 Footnote Rule 10
- 1.10 Two Column Typesetting 10
- 1.11 RTL cases 11
- 1.12 Typesetting Logos 11
- 1.13 Separation Mark 11
- 1.14 `\raggedright`, `\raggedleft` commands, `flushleft` and `flushright` Environments . . . 12
- 1.15 Primitive-like commands 12
- 1.16 Something To know about `\hbox` 12
- 1.17 `\bidillap` and `\bidirlap` Commands 13
- 1.18 LTRitems and RTLitems Environments 13
- 1.19 LTRbibitems and RTLbibitems Environments 15
- 1.20 `\setLTRbibitems`, `\setRTLbibitems`, and `\setdefaultbibitems` commands 15
- 1.21 Typesetting margin par 16
- 1.22 Typesetting of Headers and Footers 16
- 1.23 Tabular Typesetting 16
- 1.24 Equation Numbers 16

2 Support For Various Packages and Classes 16
- 2.1 Color 17
- 2.2 The dblfnote package 17
- 2.3 Hyperref 17
- 2.4 The listings package 18
- 2.5 flowfram Package 18
- 2.6 Multicolumn Typesetting 18

3 Extra bidi Packages and Classes 18
- 3.1 bidi-longtable package 19
- 3.2 bidituftе bundle 19
- 3.3 Typesetting TEX and LATEX Codes 19
- 3.4 Typesetting Poems 20
- 3.5 Typesetting Resumé 20

3.6 Print Two Pages On A Single Page . . . 20
3.7 Producing Presentations 21

4 Some Useful Internal Macros and Programming Tips 21
4.1 Equating Conditionals 21
4.2 RTL Conditional 21
4.3 Main RTL Conditional 21
4.4 Latin Conditional 21
4.5 Tags Internal Macro 22
4.6 Definition File Loaded Internal Macro 22
4.7 Tabular Conditional 22
4.8 Footnote Conditional 22
4.9 Direction Ensuring Macros . . 22
4.10 Reset Direction Macro 23

II Plain TEX Manual 23

5 Basics 23
5.1 Loading The Package 23
5.2 Commands for Version number, and Date of The Package . . . 23
5.3 Turning TeX--XeT features on and off 24
5.4 Paragraph Switching Commands 24
5.5 Pargraph Switching Environments 24
5.6 Typesetting Short LTR and RTL Texts 25
5.7 Primitive-like commands 26
5.8 Something To know about \hbox 26
5.9 Typesetting Logos 26

6 Some Useful Internal Macros and Programming Tips 26
6.1 RTL Conditional 27
6.2 Main RTL Conditional 27
6.3 Direction Ensuring Macros . . 27
6.4 Reset Direction Macro 27

7 bidi implementation 27
7.1 amsart-xetex-bidi.def 27
7.2 adjmulticol-xetex-bidi.def . . . 30
7.3 algorithm2e-xetex-bidi.def . . . 31
7.4 amsbook-xetex-bidi.def 32
7.5 amsmath-xetex-bidi.def 34
7.6 amstext-xetex-bidi.def 34
7.7 amsthm-xetex-bidi.def 35
7.8 animate-xetex-bidi.def 35
7.9 array-xetex-bidi.def 39
7.10 article-xetex-bidi.def 40
7.11 artikel1-xetex-bidi.def 44
7.12 artikel2-xetex-bidi.def 49
7.13 artikel3-xetex-bidi.def 54
7.14 arydshln-xetex-bidi.def 60
7.15 bidi.sty 62
7.16 bidi.tex 65
7.17 bidi2in1.sty 66
7.18 bidicode.sty 68
7.19 bidiftnxtra.sty 70
7.20 bidi-longtable.sty 74
7.21 bidimoderncv.cls 76
7.22 biditools.sty 81
7.23 bidituftefloat.sty 104
7.24 bidituftesidenote.sty 115
7.25 bidituftetoc.sty 126
7.26 bidituftegeneralstructure.sty . . 129
7.27 bidituftehyperref.sty 131
7.28 bidituftetitle.sty 132
7.29 biditufte-handout.cls 135
7.30 biditufte-book.cls 136
7.31 bidipoem.sty 137
7.32 boek3-xetex-bidi.def 144
7.33 boek-xetex-bidi.def 148
7.34 bookest-xetex-bidi.def 151
7.35 book-xetex-bidi.def 152
7.36 breqn-xetex-bidi.def 156
7.37 cals-xetex-bidi.def 158
7.38 caption-xetex-bidi.def 158
7.39 caption3-xetex-bidi.def 158
7.40 colortbl-xetex-bidi.def 158
7.41 color-xetex-bidi.def 159
7.42 combine-xetex-bidi.def 160
7.43 crop-xetex-bidi.def 161
7.44 cutwin-xetex-bidi.def 163
7.45 cuted-xetex-bidi.def 163
7.46 cvthemebidicasual.sty 172
7.47 cvthemebidiclassic.sty 174
7.48 dblfnote-xetex-bidi.def 176
7.49 draftwatermark-xetex-bidi.def . 179
7.50 eso-pic-xetex-bidi.def 179
7.51 empheq-xetex-bidi.def 180
7.52 extarticle-xetex-bidi.def 183
7.53 extbook-xetex-bidi.def 187
7.54 extletter-xetex-bidi.def 190
7.55 extrafootnotefeatures-xetex-bidi.def 191

7.56 extreport-xetex-bidi.def 229
7.57 fancybox-xetex-bidi.def 232
7.58 fancyhdr-xetex-bidi.def 233
7.59 fix2col-xetex-bidi.def 233
7.60 fleqn-xetex-bidi.def 235
7.61 float-xetex-bidi.def 235
7.62 floatrow-xetex-bidi.def 235
7.63 flowfram-xetex-bidi.def 236
7.64 footnote-xetex-bidi.def 238
7.65 framed-xetex-bidi.def 245
7.66 ftnright-xetex-bidi.def 249
7.67 graphicx-xetex-bidi.def 251
7.68 geometry-xetex-bidi.def 253
7.69 hvfloat-xetex-bidi.def 254
7.70 hyperref-xetex-bidi.def 260
7.71 leqno-xetex-bidi.def 271
7.72 letter-xetex-bidi.def 271
7.73 lettrine-xetex-bidi.def 272
7.74 listings-xetex-bidi.def 274
7.75 loadingorder-xetex-bidi.def . . . 276
7.76 longtable-xetex-bidi.def 282
7.77 mdframed-xetex-bidi.def 284
7.78 bidi-media9.sty 285
7.79 memoir-xetex-bidi.def 297
7.80 midfloat-xetex-bidi.def 300
7.81 minitoc-xetex-bidi.def 305
7.82 multicol-xetex-bidi.def 306
7.83 multienum-xetex-bidi.def 309
7.84 natbib-xetex-bidi.def 310
7.85 newfloat-xetex-bidi.def 311
7.86 ntheorem-xetex-bidi.def 311
7.87 ntheorem-hyper-xetex-bidi.def . 312
7.88 overpic-xetex-bidi.def 312
7.89 pdfpages-xetex-bidi.def 313
7.90 pgfcorescopes.code-xetex-bidi.def 314
7.91 picinpar-xetex-bidi.def 315
7.92 plain-xetex-bidi.def 318
7.93 pstricks-xetex-bidi.def 320
7.94 quotchap-xetex-bidi.def 321
7.95 ragged2e-xetex-bidi.def 321
7.96 rapport1-xetex-bidi.def 323
7.97 rapport3-xetex-bidi.def 328
7.98 refrep-xetex-bidi.def 333
7.99 report-xetex-bidi.def 337
7.100 rotating-xetex-bidi.def 341
7.101 scrartcl-xetex-bidi.def 344
7.102 scrbook-xetex-bidi.def 355
7.103 scrlettr-xetex-bidi.def 367
7.104 scrreprt-xetex-bidi.def 369
7.105 sidecap-xetex-bidi.def 381
7.106 soul-xetex-bidi.def 381
7.107 stabular-xetex-bidi.def 382
7.108 subfigure-xetex-bidi.def 383
7.109 tabls-xetex-bidi.def 383
7.110 tabularx-xetex-bidi.def 383
7.111 tabulary-xetex-bidi.def 385
7.112 tc-xetex-bidi.def 386
7.113 titlesec-xetex-bidi.def 386
7.114 titletoc-xetex-bidi.def 387
7.115 tocbibind-xetex-bidi.def 388
7.116 tocloft-xetex-bidi.def 389
7.117 tocbasic-xetex-bidi.def 396
7.118 tocstyle-xetex-bidi.def 409
7.119 todonotes-xetex-bidi.def 414
7.120 wrapfig-xetex-bidi.def 416
7.121 xcolor-xetex-bidi.def 418
7.122 latex-xetex-bidi.def 420
7.123 xltxtra-xetex-bidi.def 436

8 Index **436**

9 Change History **579**

Introduction

bidi provides a convenient interface for typesetting bidirectional texts in plain TEX and LATEX, using the XeTEX engine.

bidi Info On The Terminal and In The Log File

If you use bidi package to write any input TEX document, and then run `xelatex` on your document, bidi writes some information about itself to the terminal and to the log file. The information is something like:

```
**************************************************
*
* bidi package (Bidirectional typesetting in
* plain TeX and LaTeX, using XeTeX engine)
*
* Description: A convenient interface for
* typesetting bidirectional texts in plain TeX
* and LaTeX. The package includes adaptations
* for use with many other commonly-used packages.
*
* Copyright (c) 2009--2016 Vafa Khalighi
*
* 2016/09/14, v20.0
*
* License: LaTeX Project Public License, version
* 1.3c or higher (your choice)
*
* Location on CTAN: /macros/xetex/latex/bidi
*
* Issue tracker: https://github.com/vafa/bidi/issues
*
* Support: persian-tex@tug.org
**************************************************
```

Part I
LATEX Manual

1 Basics

1.1 Loading The Package

You can load the package in the ordinary way;

```
\usepackage [Options] {bidi}
```

Where options of the package are explained later in subsection 1.5.
When loading the package, it is important to know that:

❶ bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.

❷ In fact, bidi makes sure that some specific packages are loaded before bidi; these are those packages that bidi modifies them for bidirectional typesetting.

If you load bidi before any of these packages, then you will get an error saying that you should load bidi as your last package.

For instance, consider the following minimal example:

```
\documentclass{minimal}
\usepackage{bidi}
\usepackage{graphicx}
\begin{document}
This is just a test.
\end{document}
```

Where graphicx is loaded after bidi. If you run xelatex on this document, you will get an error which looks like this:

```
! Package bidi Error: Oops! you have loaded package graphicx after
bidi package. Please load package graphicx before bidi package, and
 then try to run xelatex on your document again.

See the bidi package documentation for explanation.
Type H <return> for immediate help.
 ...

l.4 \begin{document}

?
```

1.2 bidi's Symbol

As you may know lion symbolizes TEX but lion does not symbolizes bidi. **Simorgh**[1] (shown on the first page of this documentation) symbolizes bidi.

[1] **Simorgh** is an Iranian benevolent, mythical flying creature which has been shown on the titlepage of this documentation. For more details see http://en.wikipedia.org/wiki/Simurgh

1.3 Commands for Version number, and Date of The Package

`\bidiversion` `\bididate`

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
\documentclass{article}
\usepackage{bidi}
\begin{document}
This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
\end{document}
```

1.4 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTEX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TEX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TEX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TEX. Two commands are provided for this purpose:

`\TeXXeTOn` `\TeXXeTOff`

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

1.5 Options of The Package

There are three options, namely `RTLdocument` and `rldocument`, which are essentialy equivalent. If you pass any of these options to the package, you will be typesetting a document containing mainly RTL texts with some LTR texts. These options activate `\setRTL` (explained in subsection 5.4), `\RTLdblcol` (explained in subsection 1.10) and `\autofootnoterule` (explained in subsubsection 1.9.1).
It is clear that if you do not pass any of these options to the package, you will be typesetting a document containing mainly LTR texts with some RTL texts.
There is also `extrafootnotefeatures` option that allows footnotes to be typeset in different formats:

```
\normalfootnotes
\twocolumnfootnotes  \threecolumnfootnotes  \fourcolumnfootnotes
\fivecolumnfootnotes  \sixcolumnfootnotes  \sevencolumnfootnotes
\eightcolumnfootnotes  \ninecolumnfootnotes  \tencolumnfootnotes
\RTLcolumnfootnotes  \LTRcolumnfootnotes
\paragraphfootnotes
\setLTRparagraphfootnotes  \setRTLparagraphfootnotes
```

☞ `\normalfootnotes` typesets footnotes in Standard LaTeX format.

☞ `\twocolumnfootnotes` to `\tencolumnfootnotes`, typeset footnotes in two-columns to ten-columns, respectively.

☞ `\RTLcolumnfootnotes` typesets footnotes columns RTL (first column on the RHS and each next column to the left of the previous column) and `\LTRcolumnfootnotes` typesets footnotes columns LTR (first column on the LHS and each next column to the right of the previous column). `\LTRcolumnfootnotes` is active by default.

☞ `\paragraphfootnotes` typesets footnotes in paragraph format.

☞ `\setLTRparagraphfootnotes` makes footnotes run from left to right. This comand is active by default.

☞ `\setRTLparagraphfootnotes` makes footnotes run from right to left.

Please note that when using `extrafootnotefeatures` option, the footnote rule will be as wide as the text width and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commands have no effects. Please also note that if you redefine `\baselinestretch` command or change the value of `\baselineskip` primitive before `\paragraphfootnotes` command, then you may get Arithmetic Overflow error. You should change these after using `\paragraphfootnotes` command.

1.6 Paragraph Switching Commands

```
\setLTR  \setLR  \unsetRL  \unsetRTL
\setRTL  \setRL  \unsetLTR
```

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
1 \documentclass{article}
2 \usepackage{bidi}
3 \begin{document}
4 \setRTL%
```

```
Anyone who reads Old and Middle English literary texts will be
 familiar with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.

\setLTR% Notice the blank line before \setLTR
Anyone who reads Old and Middle English literary texts will be
 familiar with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\end{document}
```

1.7 Pargraph Switching Environments

\begin{LTR}	⟨*text*⟩	\end{LTR}
\begin{RTL}	⟨*text*⟩	\end{RTL}

☞ With LTR environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```
\documentclass{article}
\usepackage{bidi}
\begin{document}
\begin{RTL}
Anyone who reads Old and Middle English literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\begin{LTR}
Anyone who reads Old and Middle English literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\end{LTR}
And we are still typesetting RTL.
\end{RTL}
\end{document}
```

1.8 Typesetting Short LTR and RTL Texts

\LRE{⟨*text*⟩}	\LR{⟨*text*⟩}
\RLE{⟨*text*⟩}	\RL{⟨*text*⟩}

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
\begin{document}
\begin{RTL}
Anyone who reads Old and Middle English \LRE{Short LTR text} literary
texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\begin{LTR}
Anyone who reads Old and Middle English \RLE{Short RTL text} literary
texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\end{LTR}
\end{RTL}
\end{document}
```

1.9 Footnotes

`\footnote` `[num]` {⟨*text*⟩} `\LTRfootnote` `[num]` {⟨*text*⟩} `\RTLfootnote` `[num]` {⟨*text*⟩}
`\setfootnoteRL` `\setfootnoteLR` `\unsetfootnoteRL`
`\thanks`{⟨*text*⟩} `\LTRthanks`{⟨*text*⟩} `\RTLthanks`{⟨*text*⟩}

- ☞ `\footnote` in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRfootnote` will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLfootnote` will always produce an RTL footnote, independent on the current mode.
- ☞ Specifying a `\setfootnoteRL` command anywhere will make `\footnote` produce an RTL footnote.
- ☞ Specifying either a `\setfootnoteLR` or an `\unsetfootnoteRL` command anywhere will make `\footnote` produce an LTR footnote.
- ☞ `\thanks` (to be used only inside `\author` or `\title` argument) in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.
- ☞ `\LTRthanks` (to be used only inside `\author` or `\title` argument) will always produce an LTR footnote, independent on the current mode.
- ☞ `\RTLthanks` (to be used only inside `\author` or `\title` argument) will always produce an RTL footnote, independent on the current mode.

```
\footnotetext [num] {⟨text⟩}  \LTRfootnotetext [num] {⟨text⟩}
\RTLfootnotetext [num] {⟨text⟩}
```

☞ `\footnotetext` used in conjunction with `\footnotemark`, in RTL mode produces an RTL footnote while in LTR mode it produces an LTR footnote.

☞ `\LTRfootnotetext` used in conjunction with `\footnotemark`, will always produce an LTR footnote, independent on the current mode.

☞ `\RTLfootnotetext` used in conjunction with `\footnotemark`, will always produce an RTL footnote, independent on the current mode.

1.9.1 Footnote Rule

The behavior of footnote rules can also be controlled.

```
\autofootnoterule  \rightfootnoterule  \leftfootnoterule
\LRfootnoterule  \textwidthfootnoterule  \SplitFootnoteRule
\debugfootnotedirection
```

☞ `\autofootnoterule` will draw the footnote rule right or left aligned based on the direction of the first footnote following the rule (i.e., put in the current page).

☞ `\rightfootnoterule` will put footnote rule on the right-hand side.

☞ `\leftfootnoterule` or `\LRfootnoterule` will put footnote rule on the left-hand side.

☞ `\textwidthfootnoterule` will draw the footnote rule with a width equal to `\textwidth`.

☞ `\SplitFootnoteRule` puts a full-width rule above the split-off part of a split footnote.

☞ `\debugfootnotedirection` writes the direction of the first footnote on each page, in the log file.

1.10 Two Column Typesetting

```
\RTLdblcol  \LTRdblcol
```

If you pass the `twocolumn` option to the class file and if the main direction of the document is RTL, then you get RTL two column and if the main direction of the document is LTR, then you get LTR two column. In addition, `\RTLdblcol` allows you to have RTL two column typesetting and `\LTRdblcol` allows you to have LTR two column typesetting as the options of the class file.

Also please note that in twocolumn documents, the width of the \footnoterule will be equal to \columnwidth no matter which footnote-rule commands you use; indeed, in twocolumn documents only \textwidthfootnoterule is active and other footnote-rule commands will not be effective.

1.11 RTL cases

\RTLcases command was previously known as \rcases command but since there was a clash with mathtools package (mathtools defines rcases environment), we had to rename \rcases command to \RTLcases command.

```
\RTLcases{\text{⟨brach1⟩}\cr\text{⟨brach2⟩}\cr \text{⟨brach3⟩}...}
\text{⟨main⟩}
```

\RTLcases is defined in bidi for typesetting RTL cases. \text is defined in amsmath package, so this means that you need to load amsmath package too.

```
\documentclass{article}
\usepackage{amsmath}
\usepackage{bidi}
\begin{document}
\setRTL
\[\RTLcases{\text{men}\cr\text{women}}
\text{Humans Beings}
\]
\end{document}
```

1.12 Typesetting Logos

```
\XeTeX  \XeLaTeX
```

bidi defines XeTEX and XeLATEX logos and in addition, it makes sure that logos, TEX, LATEX, LATEX 2ε are typeset LTR.

1.13 Separation Mark

```
\SepMark{⟨mark⟩}  \@SepMark
```

Generally in Standard LATEX, dot is used for separation between section numbers, equation numbers any anything else which needs to be seperated. You can use \SepMark to use any other mark as the seperation mark instead a dot.

```
\documentclass{article}
\usepackage{bidi}
\SepMark{-}
\begin{document}
\section{First}
\subsection{Second}
\subsubsection{Third}
\end{document}
```

If you decide to change the numbering of chapters, sections, subsections, equations, figures and ..., you should either load amsmath package and use \numberwithin macro to do this or do the ordinary way, but instead dot write \@SepMark. Using dot instead \@SepMark will certainly make trouble.

```
\documentclass{article}
\usepackage{bidi}
\SepMark{-}
\makeatletter
\renewcommand\theequation{\thesection\@SepMark\@arabic\c@equation}
\makeatother
\begin{document}
\section{First}
\begin{equation}
x^2+y^2=z^2
\end{equation}
\end{document}
```

1.14 \raggedright, \raggedleft commands, flushleft and flushright Environments

\raggedright command and flushleft environment put the text on the left hand side and \raggedleft command and flushright environment put the text on the right hand side, independent on the current mode.

1.15 Primitive-like commands

\hboxR	\hboxL	\vboxR	\vboxL

- ☞ The syntax of \hboxR is exatly the same as the syntax of \hbox, but its contents is always typeset RTL.
- ☞ The syntax of \hboxL is exatly the same as the syntax of \hbox, but its contents is always typeset LTR.
- ☞ The syntax of \vboxR is exatly the same as the syntax of \vbox, but its contents is always typeset RTL.
- ☞ The syntax of \vboxL is exatly the same as the syntax of \vbox, but its contents is always typeset LTR.

1.16 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```
\documentclass{article}
\usepackage{bidi}
\setRTL
\begin{document}
\hbox{This is a Test}
\end{document}
```

You see that even you have used \setRTL, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TEX starts, it is in the vertical mode so if you need to have that \hbox appear RTL, then write \leavevmode before \hbox:

```
\documentclass{article}
\usepackage{bidi}
\setRTL
\begin{document}
\leavevmode\hbox{This is a Test}
\end{document}
```

1.17 \bidillap and \bidirlap Commands

In RTL mode, \llap and \rlap do oposite things. Since these two macros are used in a lot of classes and packages, instead modifying these two macros, we have created two new macros \bidillap and \bidirlap which give logical results.

1.18 LTRitems and RTLitems Environments

If you typeset an itemize, or an enumerate, or a description environment where all \items are one directional, you have no problem at all as shown below:

```
\documentclass{article}
\begin{document}
Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
\begin{enumerate}
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\end{enumerate}
\end{document}
```

However if the above example becomes bidirectional, as shown below:

```
\documentclass{article}
\usepackage{bidi}
```

```
\begin{document}
Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
\begin{enumerate}
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\setRTL
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\end{enumerate}
\end{document}
```

Then some people may argue that this typographically does not look promising. For this purpose, RTLitems environment is provided which has the following syntax:

```
\begin{RTLitems}
  \item ⟨text⟩
  ...
\end{RTLitems}
```

By using the RTLitems environment, the previous example will look like the following:

```
\documentclass{article}
\usepackage{bidi}
\begin{document}
Anyone who reads Old and Middle English literary texts will be familiar
with the mid-brown volumes of the EETS, with the symbol of Alfred's
\begin{enumerate}
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\begin{RTLitems}
\item Anyone who reads Old and Middle English literary texts will be
familiar with the mid-brown volumes of the EETS, with the symbol of
Alfred's
\end{RTLitems}
\end{enumerate}
\end{document}
```

Similarly, LTRitems environment is defined which has the following syntax:

```
\begin{LTRitems}
  \item ⟨text⟩
  ...
\end{LTRitems}
```

1.19 LTRbibitems and RTLbibitems Environments

The syntax of LTRbibitems and RTLbibitems environments is exactly like the syntax of LTRitems and RTLitems environments but there are few differences:

☞ LTRitems and RTLitems environments should only be used for list-like environments (such as itemize, enumerate and description environments) but LTRbibitems and RTLbibitems environments should only be used for thebibliography environment.

☞ Clearly instead of `\item`, you have `\bibitem` inside LTRbibitems and RTLbibitems environments.

1.20 `\setLTRbibitems`, `\setRTLbibitems`, and `\setdefaultbibitems` commands

`\setLTRbibitems` `\setRTLbibitems` `\setdefaultbibitems`

☞ If your whole thebibliography environment is inside RTL mode, but all your `\bibitems` are LTR and you actually want to have `\bibname` to appear on the RHS, you can use `\setLTRbibitems` command before thebibliography environment.

☞ If your whole thebibliography environment is inside LTR mode, but all your `\bibitems` are RTL and you actually want to have `\bibname` to appear on the LHS, you can use `\setRTLbibitems` command before thebibliography environment.

☞ `\setdefaultbibitems` is the default, when your `\bibitems` are a mixture of LTR and RTL and it does not matter what mode (LTR or RTL) your thebibliography environment is in. Please note that you do not have to use `\setdefaultbibitems` command in this case at all.

Consider an example that your thebibliography environment is inside LTR mode and you have, say two `\bibitems`. The first `\bibitem` is LTR and the second `\bibitem` is RTL. One could typeset this senario as shown below:

```
\documentclass{article}
\usepackage{bidi}
\begin{document}
\begin{thebibliography}{99}
\bibitem This is the first bibitem which is LTR.
\begin{RTLbibitems}
\bibitem This is the second bibitem which is RTL.
\end{RTLbibitems}
\end{thebibliography}
\end{document}
```

1.21 Typesetting margin par

By default, in RTL mode, \marginpar appears on LHS and its content is typeset RTL and in LTR mode, \marginpar appears on RHS and its content is typeset LTR. In addition, the following commands are provided:

```
\setRTLmarginpar  \setLTRmarginpar  \setdefaultmarginpar
\LTRmarginpar[⟨left-text⟩]{⟨right-text⟩}
\RTLmarginpar[⟨left-text⟩]{⟨right-text⟩}
```

- ☞ \setRTLmarginpar always makes \marginpar to appear on LHS and the content of \marginpar is typeset RTL (this is independent of the current mode).
- ☞ \setLTRmarginpar always makes \marginpar to appear on RHS and the content of \marginpar is typeset LTR (this is independent of the current mode).
- ☞ \setdefaultmarginpar gives the default behaviour of \marginpar as described above.
- ☞ \LTRmarginpar typesets ⟨*left-text*⟩ and ⟨*right-text*⟩ always LTR.
- ☞ \RTLmarginpar typesets ⟨*left-text*⟩ and ⟨*right-text*⟩ always RTL.
- ☞ in RTL mode, places of ⟨*left-text*⟩ and ⟨*right-text*⟩ swaps.

1.22 Typesetting of Headers and Footers

If the main direction of the document is RTL, then headers and footers are typeset RTL and if the main direction of the document is LTR, then headers and footers are typeset LTR.

1.23 Tabular Typesetting

In RTL mode, tabular are typeset RTL and in LTR mode, tabular are typeset LTR.

1.24 Equation Numbers

For `reqno`, equation numbers are on the right hand side and for `leqno`, equation numbers are on the left hand side, independent on the current mode.

2 Support For Various Packages and Classes

The bidi package supports amsmath, amstext, amsthm, array, arydshln, breqn, cals, caption, color, colortbl, crop, cuted, cutwin, dblfnote draftwatermark, empheq, fancyhdr, fancybox, fix2col, float, floatrow, flowfram, framed, ftnright, geometry, graphicx, hvfloat, hyperref, lettrine, listings, mdframed, midfloat, minitoc, multicol, multienum, newfloat, pdfpages, pstricks, quotchap, picinpar, ragged2e, rotating, sidecap, stabular,

subfig, subfigure, supertabular, xtab, tabls, tabulary, PGF & TIKZ, tocbibind, tocloft, tocstyle, wrapfig, xcolor, xltxtra packages, amsart, amsbook, artikel1, artikel2, artikel3, extarticle, flashcards, standrad article, boek, boek3, standard book, bookest, extbook, extletter, scrlettr,standard letter, memoir, extreport, rapport1, rapport3, refrep, standard report, scrartcl, scrbook, scrreprt classes and any other packages and classes that relies on these packages and classes. This means, you can use all these packages and classes in addition to other packages and classes that rely on these packages and classes and use their functionality fully for your bidirectional documents.
We now give some details that you should know about the supported packages or classes.

2.1 Color

You can use color and xcolor packages to typeset texts in colours and colour boxes produced by `\colorbox` and `\fcolorbox` commands. Please note that your Coloured text should not span more than a line, if your text spans more than a line, you will be in trouble which means your whole document, page or paragraph may be coloured. If your texts spans more than a line, then you should use xecolor package.
Also if you are going to use `\color` command to colour the text at the beginning of a paragraph, then you should have `\leavevmode` before `\color` command.
For having coloured tabular, you can use colortbl package.

2.2 The dblfnote package

The dblfnote package makes footnotes double-columned. In addition bidi package adds bidirectional support for the dblfnote package by providing the following commands:

`\RTLdfnmakecol`	`\LTRdfnmakecol`

- ☞ `\RTLdfnmakecol` makes footnotes double-columned RTL.
- ☞ `\LTRdfnmakecol` makes footnotes double-columned LTR.
- ☞ If the main direction of the document is RTL, `\RTLdfnmakecol` is active and if the main direction of the document is LTR, `\LTRdfnmakecol` is active.

Please note that when using dblfnote package, the footnote rule will be as wide as the footnote column and `\autofootnoterule`, `\rightfootnoterule`, `\leftfootnoterule`, and `\textwidthfootnoterule` commonds have no effects.

2.3 Hyperref

The hyperref package works fine with bidirectional documents if and only if, your link will not span more than a line. If your link spans more than a line, then your whole document, or page or paragraph may be linked.

2.4 The listings package

Suppose that the main direction of the document is RTL, and you want to typeset a piece of C code in LTR mode but you also have the requirement that the caption of that particular code should be RTL. Since the direction of the code is LTR, then the direction of the caption also will be LTR and this is not something you want; sadly there is no easy way to do this. For this very reason, the bidi package adds a key to the listings package, namely `captiondirection`. This key can have the following values:

- ☞ `textdirection` follows the direction of the text (default).
- ☞ `RTL` sets the direction of the caption to RTL.
- ☞ `LTR` sets the direction of the caption to LTR.

Giving any other values gives you an error.

2.5 flowfram Package

You can use flowfram package for your bidirectional documents. Please note that flowfram package provides support for bidirectional column typesetting, for details, see its manual.

2.6 Multicolumn Typesetting

In the previous versions of bidi package, it was recommended that you need to use fmultico package instead the original multicol package for RTL multicolumn typesetting. This is not the case any more and you should not use buggy fmultico package any more. Simply load the original multicol package before loading bidi. bidi now supports multicol package and you can typeset bidirectional multi columns. When using multicol package, the following two additional commands are proveded:

```
\RTLmulticolcolumns  \LTRmulticolcolumns
```

If the main direction of the document is RTL, then you get RTL multi columns and if the main direction of the document is LTR, then you get LTR multi columns. In addition, `\RTLmulticolcolumns` allows you to have RTL multi columns and `\LTRmulticolcolumns` allows you to have LTR multi columns.
In addition, you also can use vwcol package for variable width bidirectional column typesetting.

3 Extra bidi Packages and Classes

3.1 bidi-longtable package

For typesetting RTL tables with longtable package, an experimental package, bidi-longtable package, is provided. bidi-longtable package should be loaded after longtable package.

3.2 biditufte bundle

A modified version of tufte-latex, biditufte bundle, mainly for RTL typesetting, is provided. If you never used biditufte bundle or tufte-latex package and you want to use biditufte bundle, then you need to look at tufte-latex package's manual and examples. In addition, for using biditufte bundle, you need to know the following notes:

- ☞ You need to use biditufte-book class instead tufte-book class and biditufte-handout class instead tufte-handout class.
- ☞ biditufte bundle provides the following extra commands:

```
\LTRsidenote  \RTLsidenote  \LTRmarginnote  \RTLmarginnote
```

- ☞ biditufte-book and biditufte-handout classes provide two extra options; RTLgeometry (active when loading either of classes) and LTRgeometry.
- ☞ biditufte bundle unlike tufts-latex package, only provides justified lines.
- ☞ Some features of tufte-latex that does not make any sense in RTL, do not exist in biditufte bundle (no need for soul, letterspace and macrotype packages).
- ☞ If you want to configure biditufte-book class for your own needs, then you can create a file with the name `biditufte-book.cfg` and put your LaTeX macros in that file; similarly, if you want to configure biditufte-handout class for your own needs, then you can create a file with the name `biditufte-handout.cfg` and put your LaTeX macros in that file.

3.3 Typesetting TeX and LaTeX Codes

The LaTeX codes in this manual are typeset using the bidicode package. In standard LaTeX you can not use footnotes inside `\chapter`, `\part`, `\section`, `\subsection`, `\subsection` and any other section-like commands, `\caption` and tabular environment.
bidi package provides bidiftnxtra package that solves the issue of footnote in standard LaTeX. bidiftnxtra package should be loaded after bidi package.

3.4 Typesetting Poems

The bidi package provides bidipoem package for typesetting Persian poems. It provides four environments, `traditionalpoem`, `modernpoem` and starred version of these. In the starred version of these environments you do not need to type \\ and that is the only difference with the normal version of the environments. The `traditionalpoem` environment and its starred version are also useful for typesetting Classic Arabic poetry, in fact this package may also be useful for other RTL languages.
When using bidipoem package, at least you need to run `xelatex` twice on your document. In fact, if you run `xelatex` just once on your document, you get a message saying "Unjustified poem. Rerun XeLaTeX to get poem right".
When you typeset your poems, you might get underfull `\hbox` messages. This is absolutely normal and if you want to get rid of these underfull `\hbox` messages, then you would need to use Kashida.
If you need to change the default distance between two verses, you can do just that by:

```
\renewcommand\poemcolsepskip{⟨length⟩}
```

```
\begin{traditionalpoem}
⟨verse1⟩&⟨verse2⟩\\
⟨verse3⟩&⟨verse4⟩\\
...
\end{traditionalpoem}
```

```
\begin{traditionalpoem*}
⟨verse1⟩&⟨verse2⟩
⟨verse3⟩&⟨verse4⟩
...
\end{traditionalpoem*}
```

3.5 Typesetting Resumé

The bidi package provides bidimoderncv[2] class for typesetting resumés. There are two examples, namely `test-casualcv.tex` and `test-classiccv.tex`, in the doc folder than you can look and learn how you can use it.

3.6 Print Two Pages On A Single Page

bidi package provides bidi2in1 package for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape 'container' page.

[2] This class is the modified version of moderncv class.

3.7 Producing Presentations

At the moment, there is only one class that you can prepare your presentations with.

4 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

4.1 Equating Conditionals

`\eqnewif{⟨\newconditional1⟩}{⟨\newconditional2⟩}`

In standard LaTeX, `\newif` command is provided that you can define a new conditional with it. `\eqnewif` command is similar to `\newif` command but:

- ☞ With `\eqnewif` command, you can define two new conditionals instead one, so clearly it has two mandatory arguments.
- ☞ `\newconditional1` will be identical to `\newconditional2`, so that whenever `\newconditional1` is true, then `\newconditional2` is also true and whenever `\newconditional1` is false, then `\newconditional2` is also false and vice versa.

4.2 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

4.3 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

4.4 Latin Conditional

`\if@Latin`

`\if@Latin` inside any environment that uses Latin font is true and inside any environment that uses RTL font is false.

4.5 Tags Internal Macro

\@iftagsloaded{⟨*tags name*⟩}{⟨*do thing(s) if the tag is loaded*⟩}
{⟨*do thing(s) if the tag is not loaded*⟩}

As you can see, the syntax of \@iftagsloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By tags, we mean things like leqno or reqno. Please note that in the argument ⟨*tags name*⟩, the extension clo should not be given.

4.6 Definition File Loaded Internal Macro

\@ifdefinitionfileloaded{⟨*definition file name*⟩}
{⟨*do thing(s) if the definition file is loaded*⟩}
{⟨*do thing(s) if the definition file is not loaded*⟩}

As you can see, the syntax of \@ifdefinitionfileloaded is exactly the same as the syntax of \@ifpackageloaded and \@ifclassloaded. By definition file, we mean things like hyperref-bidi.def or wrapfig-bidi.def. Please note that in the argument ⟨*definition file name*⟩, the extension def should not be given.

4.7 Tabular Conditional

\if@RTLtab

If the tabular is typeset RTL, \if@RTLtab is true and if the tabular is typeset LTR, \if@RTLtab is false.

4.8 Footnote Conditional

\if@RTL@footnote

When footnotes are typeset RTL, \if@RTL@footnote is true and when footnotes are typeset LTR, \if@RTL@footnote is false.

4.9 Direction Ensuring Macros

\@ensure@RTL{⟨*text*⟩} \@ensure@RL{⟨*text*⟩} \@ensure@LTR{⟨*text*⟩}
\@ensure@LR{⟨*text*⟩} \@ensure@dir{⟨*text*⟩} \@ensure@maindir{⟨*text*⟩}

☞ \@ensure@RTL and \@ensure@RL internals make sure that ⟨*text*⟩ is always typeset RTL, independent on the current mode.

☞ \@ensure@LTR and \@ensure@LR internals make sure that ⟨*text*⟩ is always typeset LTR, independent on the current mode.

☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put ⟨*text*⟩ inside `\RLE` and if used in LTR mode, they put the text as it is.

4.10 Reset Direction Macro

`\save@dir` `\saved@@dir` `\reset@dir`

☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.

☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

Part II
Plain TEX Manual

5 Basics

5.1 Loading The Package

You can load the package in the ordinary way;

`\input` *bidi*

When loading the package, it is important to know that: bidi should be the last package that you load, because otherwise you are certainly going to overwrite bidi's definitions and consequently, you will not get the expected output.

5.2 Commands for Version number, and Date of The Package

`\bidiversion` `\bididate`

☞ `\bidiversion` gives the current version of the package.

☞ `\bididate` gives the current date of the package.

```
1 \input bidi
2 This is typeset by \textsf{bidi} package, \bidiversion, \bididate.
3 \end
```

5.3 Turning TeX--XeT features on and off

The bidirectional typesetting in XeTEX is based on TeX--XeT algorithm and bidi package automatically turns the feature on for typesetting bidirectional texts. As the internal data structures built by TeX--XeT differ from those built by TEX, the typesetting of a document by TeX--XeT may therefore differ from that performed by TEX. So you may notice that some packages behave differently when TeX--XeT feature is on and you may want to turn the feature off for a part of the text so that you get the default behaviour of original TEX. Two commands are provided for this purpose:

\TeXXeTOn	\TeXXeTOff

☞ `\TeXXeTOn` turns TeX--XeT feature on, which is active by default when bidi package is loaded.

☞ `\TeXXeTOff` turns TeX--XeT feature off.

5.4 Paragraph Switching Commands

\setLTR	\setLR	\unsetRL	\unsetRTL
\setRTL	\setRL	\unsetLTR	

☞ With any of the commands in the first row, you can typeset LTR paragraphs.

☞ With any of the commands in the second row, you can typeset RTL paragraphs.

```
\input bidi
\setRTL%
Anyone who reads Old and Middle English literary texts will be
 familiar with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.

\setLTR% Notice the blank line before \setLTR
Anyone who reads Old and Middle English literary texts will be
 familiar with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\end
```

5.5 Pargraph Switching Environments

\LTR	⟨*text*⟩	\endLTR
\RTL	⟨*text*⟩	\endRTL

☞ With `LTR` environment, you can typeset LTR paragraphs.

☞ With RTL environment, you can typeset RTL paragraphs.

```
\input bidi
\RTL
Anyone who reads Old and Middle English literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\LTR
Anyone who reads Old and Middle English literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\endLTR
And we are still typesetting right to left.
\endRTL
\end
```

5.6 Typesetting Short LTR and RTL Texts

\LRE{⟨*text*⟩}	\LR{⟨*text*⟩}
\RLE{⟨*text*⟩}	\RL{⟨*text*⟩}

☞ With any of the commands in the first row, you can typeset short LTR text inside RTL paragraphs.

☞ With any of the commands in the second row, you can typeset short RTL text inside LTR paragraphs.

```
\input bidi
\RTL
Anyone who reads Old and Middle English \LRE{Short left to right text}
literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\LTR
Anyone who reads Old and Middle English \RLE{Short right to left text}
literary texts will be familiar
 with the mid-brown volumes of the EETS, with the symbol
 of Alfred's jewel embossed on the front cover.
\endLTR
\endRTL
\end
```

5.7 Primitive-like commands

\hboxR	\hboxL	\vboxR	\vboxL

- ☞ The syntax of \hboxR is exatly the same as the syntax of \hbox, but its contents is always typeset RTL.
- ☞ The syntax of \hboxL is exatly the same as the syntax of \hbox, but its contents is always typeset LTR.
- ☞ The syntax of \vboxR is exatly the same as the syntax of \vbox, but its contents is always typeset RTL.
- ☞ The syntax of \vboxL is exatly the same as the syntax of \vbox, but its contents is always typeset LTR.

5.8 Something To know about \hbox

If you enable RTL typesetting and typeset an horizontal box at the beginning of the document:

```
\input bidi
\setRTL
\hbox{This is a Test}
\end
```

You see that even you have used \setRTL, the horizontal box appears LTR (It appears on the left hand side and its content is typeset left to right). This is because when TEX starts, it is in the vertical mode so if you need to have that \hbox appear RTL, then write \leavevmode before \hbox:

```
\input bidi
\setRTL
\leavevmode\hbox{This is a Test}
\end
```

5.9 Typesetting Logos

\XeTeX

bidi defines XeTEX logo and in addition, it makes sure that the logo, TEX is typeset LTR.

6 Some Useful Internal Macros and Programming Tips

There are some useful internal macros and programming tips that might be helpful for you. This section, explains all these useful internals and programming tips.

6.1 RTL Conditional

`\if@RTL`

`\if@RTL` conditional is true inside RTL mode and it is false in LTR mode.

6.2 Main RTL Conditional

`\if@RTLmain`

If the main direction of the document is RTL, `\if@RTLmain` is true and if the main direction of the document is LTR, `\if@RTLmain` is false.

6.3 Direction Ensuring Macros

`\@ensure@RTL{`⟨*text*⟩`}` `\@ensure@RL{`⟨*text*⟩`}` `\@ensure@LTR{`⟨*text*⟩`}`
`\@ensure@LR{`⟨*text*⟩`}` `\@ensure@dir{`⟨*text*⟩`}` `\@ensure@maindir{`⟨*text*⟩`}`

☞ `\@ensure@RTL` and `\@ensure@RL` internals make sure that ⟨*text*⟩ is always typeset RTL, independent on the current mode.

☞ `\@ensure@LTR` and `\@ensure@LR` internals make sure that ⟨*text*⟩ is always typeset LTR, independent on the current mode.

☞ `\@ensure@dir` and `\@ensure@maindir` if used in RTL mode, they put ⟨*text*⟩ inside `\RLE` and if used in LTR mode, they put the text as it is.

6.4 Reset Direction Macro

`\save@dir` `\saved@@dir` `\reset@dir`

☞ `\save@dir`, if the direction of typesetting is RTL, defines `\saved@@dir` to be RTL and if the direction of typesetting is LTR, defines `\saved@@dir` to be LTR.

☞ `\reset@dir`, if `\saved@@dir` is defined as RTL, inserts `\setRTL` otherwise, if `\saved@@dir` is defined as LTR, inserts `\setLTR`, otherwise does nothing.

7 bidi implementation

7.1 amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2015/11/14 v0.9 bidi adaptations for amsart class for XeTeX
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
```

```
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
   \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\lef
   \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection   {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}


\long\def\@footnotetext#1{%
  \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
    \@RTLtrue%
    \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
```

```
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
    \@RTLfalse%
    \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\maketitle{\par
```

```
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

7.2 adjmulticol-xetex-bidi.def

```
\ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pack
\def\adjmulticols#1#2#3{\col@number#1\relax
  \def\@tempa{#2}%
  \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
  \def\@tempa{#3}%
  \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
  \ifnum\col@number<\@ne
     \PackageWarning{adjmulticol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use one columns instead}%
     \col@number\@ne\fi
  \ifnum\col@number>10
     \PackageError{adjmulticol}%
      {Too many columns}%
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
     \fi
     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
       \let\orig@LTRfootnotetext\@LTRfootnotetext
       \let\@LTRfootnotetext\mult@LTRfootnotetext
```

```
    \fi
    \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
      \let\orig@RTLfootnotetext\@RTLfootnotetext
      \let\@RTLfootnotetext\mult@RTLfootnotetext
    \fi
  \@ifnextchar[\adjmult@cols{\adjmult@cols[]}}
\let\adjmc@page@sofar@orig=\page@sofar
```

7.3 algorithm2e-xetex-bidi.def

```
\ProvidesFile{algorithm2e-xetex-bidi.def}[2015/02/01 v0.1 bidi adaptations for algorithm2e pack
\expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
\else%                                          else
\renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
\fi%

\def\@algocf@pre@boxed{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}
\def\@algocf@post@boxed{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
\def\@algocf@pre@boxruled{\noindent\begin{bidi@lrbox}{\algocf@algoframe}}%
\def\@algocf@post@boxruled{\end{bidi@lrbox}\framebox[\hsize]{\box\algocf@algoframe}\par}%
\renewcommand{\@algocf@start}{%
  \@algoskip%
  \begin{bidi@lrbox}{\algocf@algobox}%
  \setlength{\algowidth}{\hsize}%
  \vbox\bgroup% save all the algo in a box
  \hbox to\algowidth\bgroup\hbox to \algomargin{\hfill}\vtop\bgroup%
  \ifthenelse{\boolean{algocf@slide}}{\parskip 0.5ex\color{black}}{}%
  % initialization
  \addtolength{\hsize}{-1.5\algomargin}%
 \let\@mathsemicolon=\;\def\;{\ifmmode\@mathsemicolon\else\@endalgoln\fi}%
  \raggedright\AlFnt{}%
  \ifthenelse{\boolean{algocf@slide}}{\IncMargin{\skipalgocfslide}}{}%
  \@algoinsideskip%
%   \let\@emathdisplay=\]\def\]{\algocf@endline\@emathdisplay\nl}%
}%
\renewcommand{\@algocf@finish}{%
  \@algoinsideskip%
  \egroup%end of vtop which contain all the text
  \hfill\egroup%end of hbox wich contains [margin][vtop]
  \ifthenelse{\boolean{algocf@slide}}{\DecMargin{\skipalgocfslide}}{}%
  %
  \egroup%end of main vbox
  \end{bidi@lrbox}%
  \algocf@makethealgo% print the algo
  \@algoskip%
  % restore dimension and macros
  \setlength{\hsize}{\algowidth}%
  \lineskip\normallineskip\setlength{\skiptotal}{\@defaultskiptotal}%
  \let\;=\@mathsemicolon%
  \let\]=\@emathdisplay%
```

```
}%
```

7.4 amsbook-xetex-bidi.def

```
\ProvidesFile{amsbook-xetex-bidi.def}[2015/11/14 v1.0 bidi adaptations for amsbook class for XeT
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
   \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\lef
   \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection   {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\right@footnoterule{%
  \kern-.4\p@
 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}

\long\def\@footnotetext#1{%
  \insert\footins{%
   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
```

```
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
   \@RTLtrue%
    \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
   \@RTLfalse%
    \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}



\footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
```

```
  \sfcode`\.=\@m
}{%
 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
 \endlist
}
\def\@makechapterhead#1{\global\topskip 7.5pc\relax
  \begingroup
  \fontsize{\@xivpt}{18}\bfseries\centering
    \ifnum\c@secnumdepth>\m@ne
      \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
      \rlap{\vbox to\z@{\vss
          \centerline{\normalsize\mdseries
              \uppercase\@xp{\chaptername}\enspace\thechapter}
          \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
     #1\par \endgroup
  \skip@34\p@ \advance\skip@-\normalbaselineskip
  \vskip\skip@ }
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \begingroup
  \@maketitle
  \endgroup
  \c@footnote\z@
  \def\do##1{\let##1\relax}%
  \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
  \do\author \do\@xauthor \do\address \do\@xaddress
  \do\email \do\@xemail \do\curraddr \do\@xcurraddr
  \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
  \do\keywords \do\@keywords \do\subjclass \do\@subjclass
}
```

7.5 amsmath-xetex-bidi.def

```
\ProvidesFile{amsmath-xetex-bidi.def}[2016/09/12 v1.0 bidi adaptations for amsmath package for X
\let\veqno=\eqno
\iftagsleft@ \let\veqno=\leqno \fi
\renewcommand{\numberwithin}[3][\arabic]{%
  \@ifundefined{c@#2}{\@nocounterr{#2}}{%
    \@ifundefined{c@#3}{\@nocnterr{#3}}{%
      \@addtoreset{#2}{#3}%
      \@xp\xdef\csname the#2\endcsname{%
        \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}}%
}
\def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\ignorespaces#1\unskip\@@italiccorr)\if@no
```

7.6 amstext-xetex-bidi.def

```
\ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package for X
\def\textdef@#1#2#3{\hbox{{%
                    \everymath{#1}%
                    \let\f@size#2\selectfont
```

```
                    \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7.7 amsthm-xetex-bidi.def

```
\ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for XeT
\def\@thmcountersep{\@SepMark}
```

7.8 animate-xetex-bidi.def

```
\ProvidesFile{animate-xetex-bidi.def}[2016/05/03 v0.2 bidi adaptations for animate package for X


%user command for embedding animation sequence
% #1: options
% #2: frame rate (fps)
% #3: basename of graphics file sequence (without frame number and extension)
% #4: first frame (integer)
% #5: last frame (integer)
\renewcommand{\animategraphics}[5][]{%
  \@anim@endsanitize%
  \leavevmode%
  \ifpdf\else%
    \if@anim@grxloaded%
      \if@anim@xetex%
        \DeclareGraphicsRule{.mps}{eps}{*}{}%
      \fi%
    \else%
      \if@anim@xetex%
        \@anim@missing[xetex]{graphicx}%
      \else%
        \if@anim@dvipdfmx%
          \@anim@missing[dvipdfmx]{graphicx}%
        \else%
          \@anim@missing{graphicx}%
        \fi%
      \fi%
    \fi%
  \fi%
  \@anim@reset% to default settings
  \begingroup% make use of graphic[xs] search path
  \beginL%
  \ifcsname Ginput@path\endcsname%
    \let\input@path\Ginput@path%
  \fi%
  %
  \setkeys{anim@user}{#1}%
  \ifthenelse{\boolean{@anim@autoplay}\OR\boolean{@anim@autoresume}}{%
    \setboolean{@anim@autoplayorresume}{true}%
  }{}%
  \ifthenelse{\boolean{@anim@controls}\OR\boolean{@anim@palindrome}}{%
    \setboolean{@anim@morejs}{true}%
```

```
  }{}%
  \ifx\empty\@anim@label\empty\else%
    \setboolean{@anim@morejs}{true}%
  \fi%
  \ifthenelse{\NOT\boolean{@anim@controls}\AND\boolean{@anim@step}}{%
    \setboolean{@anim@loop}{true}%
  }{}%
  \def\@anim@base{#3}%
  \def\@anim@first{#4}%
  \def\@anim@last{#5}%
  %
 \@anim@checkmultipage{\@anim@base}{\@anim@ftype}%test for multipage file
  \if@anim@multipage\else% cope with wrong user input
    \ifthenelse{\equal{#4}{}\OR\equal{#5}{}}{%
      \PackageError{animate}{%
        Missing frame number in \protect\animategraphics\space command%
      }{}%
    }{}%
    \ifthenelse{\@anim@first<\z@\OR\@anim@last<\z@}{%
      \PackageError{animate}{%
        Negative frame numbers not allowed%
      }{}%
    }{}%
  \fi%
  \def\@anim@relop{>}%
  \edef\@anim@numtemplate{\@anim@first}%
  \ifnum\@anim@first>\@anim@last\relax%
    \edef\@anim@every{-\@anim@every}%
    \def\@anim@relop{<}%
    \edef\@anim@numtemplate{\@anim@last}%
  \fi%
  \global\@anim@curframe=\@anim@first%
  \global\@anim@curframe@zb=\z@%
  %
  \if@anim@draft%
    \if@anim@multipage%
      %store file in a box
      \@anim@filebox{\@anim@pathtofile}{\@anim@first}%
    \else%
      %get file name extension
      \@anim@getpath{\@anim@base\@anim@first}{\@anim@ftype}%
      \@anim@filebox{\@anim@pathtofile}{1}%
    \fi%
    \@anim@scale{\@anim@box}%
    %draw draftbox according to dimensions of the first frame
    \@anim@draftbox%
  \else%
    \if@anim@controls%
      %create button faces only once in the current colour combination
      \ifcsname
```

```
      btncol:\@anim@bgcolour:\@anim@fgcolour\endcsname\else%
      \@anim@makebuttons{\the\@anim@num}%
    \@anim@newkey{btncol:\@anim@bgcolour:\@anim@fgcolour}{\the\@anim@num}%
    \fi%
  \fi%
  \xdef\@anim@nfps{#2\space}% current frame rate
  \xdef\@anim@nfps{\expandafter\zap@space\@anim@nfps\@empty}%
  \ifdim\@anim@nfps\p@<\z@%
    \PackageError{animate}{%
      Negative frame rate `\@anim@nfps' is not allowed%
    }{}%
  \fi%
  \xdef\@anim@fps{\@anim@nfps}%
  %
  %read all frames of the sequence
  \loop\ifnum\@anim@curframe\@anim@relop\@anim@last\relax\else%
    \if@anim@multipage%
      %embed graphics
      \@anim@ximage{\the\@anim@num}{\the\@anim@curframe@zb}{%
        \@anim@pathtofile}{\the\@anim@curframe}%
    \else%
      %get path to current file end its extension
      \@anim@getpath{%
      \@anim@base\@anim@pad{\@anim@numtemplate}{\the\@anim@curframe}%
      }{\@anim@ftype}%
      %embed graphics
      \@anim@ximage{\the\@anim@num}{\the\@anim@curframe@zb}{%
        \@anim@pathtofile}{1}%
    \fi%
    \global\advance\@anim@curframe by \@anim@every%
    \global\advance\@anim@curframe@zb by \@ne%
  \repeat%
  \xdef\@anim@frames{\the\@anim@curframe@zb}% total number
  \global\@anim@tmpcnt=\@anim@frames%
  \global\advance\@anim@tmpcnt by -\@ne%
  \xdef\@anim@maxframe{\the\@anim@tmpcnt}% highest frame index
  %build timeline from optional timeline file
  \@anim@sanitizeJS%
  \if@anim@timeline\@anim@buildtmln{\the\@anim@num}\fi%
  % if last frame used as poster, write frame num to aux file
  \ifnum\@anim@poster=\@anim@mone\relax%
    \@anim@keytoaux{a\the\@anim@num.poster}{\@anim@maxframe}%
  \fi%
  %insert animation widget & controls
  \@anim@insertwidgets{\the\@anim@num}{%
    \@anim@getkeyval{btncol:\@anim@bgcolour:\@anim@fgcolour}}%
  \@anim@endsanitize%
\fi%
\endL%
\endgroup%
```

```
  \global\advance\@anim@num by \@ne%
}%
%adjust catcode of `:' character within \animategraphics
\let\@anim@animategraphics\animategraphics
\def\animategraphics{\@anim@sanitizeColon\@anim@animategraphics}


%user environment for animating inline graphics
% #1: options
% #2: frame rate (fps)
\renewenvironment{animateinline}[2][]{%
  \@anim@endsanitize%
  \leavevmode%
  \@anim@reset% to default settings
  \begingroup%
  \beginL%
  % make use of graphic[xs] search path
  \ifcsname Ginput@path\endcsname%
    \let\input@path\Ginput@path%
  \fi%
  \setkeys{anim@user}{#1}%
  \ifthenelse{\boolean{@anim@autoplay}\OR\boolean{@anim@autoresume}}{%
    \setboolean{@anim@autoplayorresume}{true}%
  }{}%
  \ifthenelse{\boolean{@anim@controls}\OR\boolean{@anim@palindrome}}{%
    \setboolean{@anim@morejs}{true}%
  }{}%
  \ifx\empty\@anim@label\empty\else%
    \setboolean{@anim@morejs}{true}%
  \fi%
  \ifthenelse{\NOT\boolean{@anim@controls}\AND\boolean{@anim@step}}{%
    \setboolean{@anim@loop}{true}%
  }{}%
  \global\@anim@curframe@zb=\z@%
  \global\@anim@skipfram=\z@%
  \if@anim@draft\else%
    %create button faces if necessary
    \if@anim@controls%
      \ifcsname
        btncol:\@anim@bgcolour:\@anim@fgcolour\endcsname\else%
        \@anim@makebuttons{\the\@anim@num}%
     \@anim@newkey{btncol:\@anim@bgcolour:\@anim@fgcolour}{\the\@anim@num}%
      \fi%
    \fi%
    \if@anim@step\else%
      \xdef\@anim@nfps{-1}%
      \@anim@processfpsarg{#2}%
    \fi%
  \fi%
```

```
 \ifdefined\NoHyper\NoHyper\fi% silently suppress any hyperref specials
 \let\newframe\@anim@@newframe%
 \let\multiframe\@anim@multiframe%
 \@anim@beginframe%
 \ignorespaces%
}{%
 \unskip%
 \@anim@endframe{\the\@anim@num}{\the\@anim@curframe@zb}%
 \ifdefined\endNoHyper\endNoHyper\fi%
 \global\advance\@anim@curframe@zb by \@ne%
 \if@anim@draft\else%
   \xdef\@anim@frames{\the\@anim@curframe@zb}% total number
   \global\@anim@tmpcnt=\@anim@frames%
   \global\advance\@anim@tmpcnt by -\@ne%
   \xdef\@anim@maxframe{\the\@anim@tmpcnt}% highest frame index
   %build timeline from optional timeline file
   \@anim@sanitizeJS%
   \if@anim@timeline\@anim@buildtmln{\the\@anim@num}\fi%
   %insert animation widget & controls
   \@anim@insertwidgets{\the\@anim@num}{%
     \@anim@getkeyval{btncol:\@anim@bgcolour:\@anim@fgcolour}}%
   \@anim@endsanitize%
   % if last frame used as poster, write frame num to aux file
   \ifnum\@anim@poster=\@anim@mone\relax%
     \@anim@keytoaux{a\the\@anim@num.poster}{\@anim@maxframe}%
   \fi%
 \fi%
 \endL%
 \endgroup%
 \global\advance\@anim@num by \@ne%
}
\let\@anim@animateinline\animateinline
\def\animateinline{\@anim@sanitizeColon\@anim@animateinline}
```

7.9 array-xetex-bidi.def

```
\ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for XeTeX
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
```

```
  \if\@nextchar |\@ne \else
   \if \@nextchar !6 \else
    \if \@nextchar @7 \else
     \if \@nextchar <8 \else
      \if \@nextchar >9 \else
 10
 \@chnum
 \if \@nextchar m\thr@@\else
  \if \@nextchar p4 \else
   \if \@nextchar b5 \else
  \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
  \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi \fi}
\def\@tabular{\if@RTL\@RTLtabtrue\fi%
 \leavevmode
 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                    \let\d@llarend\endgroup
 \@tabarray}
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
\expandafter\let\csname endtabular*\endcsname=\endtabular
\def\@array[#1]#2{%
  \@tempdima \ht \strutbox
  \advance \@tempdima by\extrarowheight
  \setbox \@arstrutbox \hbox{\vrule
             \@height \arraystretch \@tempdima
             \@depth \arraystretch \dp \strutbox
             \@width \z@}%
  \begingroup
  \@mkpream{#2}%
  \xdef\@preamble{\noexpand \ialign \@halignto
                  \bgroup \@arstrut \@preamble
                          \tabskip \z@ \cr}%
  \endgroup
  \@arrayleft
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
  \bgroup
  \let \@sharp ##\let \protect \relax
  \lineskip \z@
  \baselineskip \z@
  \m@th
 \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\if #1t\vto
\def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
\def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@preambl
\def\array{\col@sep\arraycolsep
  \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}%
  \@RTLtabfalse\@tabarray}
```

7.10 article-xetex-bidi.def

```
\ProvidesFile{article-xetex-bidi.def}[2015/11/14 v0.5 bidi adaptations for standard article clas
\if@titlepage
```

```
\renewcommand\maketitle{\begin{titlepage}%
\let\footnotesize\small
\let\right@footnoterule\relax
\let\left@footnoterule\relax
\let\textwidth@footnoterule\relax
\let \footnote \thanks
\let \LTRfootnote \LTRthanks
\let \RTLfootnote \RTLthanks
\null\vfil
\vskip 60\p@
\begin{center}%
  {\LARGE \@title \par}%
  \vskip 3em%
  {\large
   \lineskip .75em%
    \begin{tabular}[t]{c}%
      \@author
    \end{tabular}\par}%
    \vskip 1.5em%
  {\large \@date \par}%       % Set date in \large size.
\end{center}\par
\@thanks
\vfil\null
\end{titlepage}%
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\LTRthanks\relax
\global\let\RTLthanks\relax
\global\let\maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
```

```
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
```

```
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
       \if@compatibility
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname\nobreakspace\thepart
```

```
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
      \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\section*{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
```

7.11 artikel1-xetex-bidi.def

```
\ProvidesFile{artikel1-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for artikel1 class for X
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
```

```
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
```

```
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
```

```
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
```

```
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
```

```
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

7.12 artikel2-xetex-bidi.def

```
\ProvidesFile{artikel2-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for artikel2 class for X
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
```

```
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \advance\@tempdima by \othermargin
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
```

```
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \section*{\hskip\unitindent\small\SectFont\abstractname}%
        \list{}{\setlength\listparindent{\unitindent}%
                \setlength\parindent    {\z@}%
                \setlength\leftmargin   {\unitindent}%
                \setlength\rightmargin  {\unitindent}%
                \setlength\parsep       {\z@}}%
        \item[]%
      \fi}
      {\if@twocolumn\else\par\endlist\fi}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
```

```
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \hrule\@width 3\unitindent
  \kern 2.6\p@
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
  \kern 2.6\p@}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
       \list{\@biblabel{\@arabic\c@enumiv}}%
            {\settowidth\labelwidth{\@biblabel{#1}}%
             \leftmargin\labelwidth
             \advance\leftmargin\labelsep
             \@openbib@code
             \usecounter{enumiv}%
             \let\p@enumiv\@empty
             \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
```

```
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \long\def\@makefntext##1{\parindent\z@
      \def\labelitemi{\textendash}%
```

```
      \leavevmode\hb@xt@.5\unitindent{%
        \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

7.13 artikel3-xetex-bidi.def

```
\ProvidesFile{artikel3-xetex-bidi.def}[2015/11/14 v0.4 bidi adaptations for artikel3 class for X
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
```

```
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi

\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
```

```
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
```

```
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
```

```
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
\else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
```

```
            \def\and{%%% \begin{tabular} has already started
                    \end{tabular}\hskip 1em plus .17fil
              \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabular} will
        \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
    \vskip 1em {\large \TitleFont \@date}
\fi
 \par
 \vskip 1.5em}
\fi
```

7.14 arydshln-xetex-bidi.def

```
\ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package fo
\def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup\@RTLtabfalse}
\expandafter\let\csname endtabular*\endcsname\endtabular
\let\adl@array\@array
\def\@array{\adl@everyvbox\everyvbox
     \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
       \ifadl@inactive \adl@inactivate \else \adl@activate \fi
       \let\adl@noalign\noalign
       \adl@array}
\ifadl@usingarypkg
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
   \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
   \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
```

```
\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
   \@addtopreamble{\ifcase \@chnum
      \hfil
      \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
    \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
    \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
   \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
        \adl@endmbox\or
  \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi}\prepnext@tok}
\def\adl@class@start{4}
\def\adl@class@iiiorvii{7}

\else
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
        \ifnum \@lastchclass=\thr@@ 5\relax \else
                \z@ \if #1c\@chnum \z@ \else
                    \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                    \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
                \@chclass
                    \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
                   \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
                  \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
                    \if #1@\tw@ \else
                    \if #1p\thr@@ \else \z@ \@preamerr 0\fi
        \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi}

\def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
                \ifcase \@chnum
                    \hfil\adl@putlrc{$\relax\@sharp$}\hfil
                \or \adl@putlrc{$\relax\@sharp$}\hfil
                \or \hfil\adl@putlrc{$\relax\@sharp$}\fi}}
\def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
        \ifcase \@chnum
                    \hfil\adl@putlrc{\@sharp\unskip}\hfil
                \or \adl@putlrc{\@sharp\unskip}\hfil
                \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
\def\adl@class@start{6}
\def\adl@class@iiiorvii{3}
\fi
```

```
\@ifpackageloaded{colortbl}{%
\def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
\def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
        \let\@endpbox\adl@org@endpbox}
\let\adl@CT@setup\CT@setup
\def\CT@setup{\adl@CT@setup
        \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
        \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
        \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
\let\adl@act@CT@setup\CT@setup
\def\@classz{\@classx
        \@tempcnta\count@ \prepnext@tok
        \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
     \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
        \expandafter\adl@extract@drsc
                \the\toks\@tempcnta\doublerulesepcolor!\@nil
     \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
        \@addtopreamble{\if@RTL\beginL\fi%
                \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
                \ifcase \@chnum
                        \hskip\stretch{.5}\kern\z@
                        \d@llarbegin
                        \insert@column
                        \d@llarend\hskip\stretch{.5}%
                \or \d@llarbegin \insert@column \d@llarend \hfill
              \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
                \or  $\vcenter
                     \@startpbox{\@nextchar}\insert@column \@endpbox $%
              \or  \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
              \or  \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
                \fi
                \if@RTL\endR\fi\egroup\egroup
                \begingroup
                        \CT@setup
                        \CT@column@color
                        \CT@row@color
                        \CT@cell@color
                        \CT@do@color
                \endgroup
                \@tempdima\ht\z@
                \advance\@tempdima\minrowclearance
                \vrule\@height\@tempdima\@width\z@
                \unhbox\z@\if@RTL\endL\fi}%
        \prepnext@tok}
\let\adl@act@classz\@classz
\let\adl@org@classz\@classz
}{}
```

7.15 bidi.sty

```
\NeedsTeXFormat{LaTeX2e}
\def\bididate{2016/09/14}
\def\bidiversion{v20.0}
\ProvidesPackage{bidi}[\bididate\space \bidiversion\space
Bidirectional typesetting in plain TeX and LaTeX]
\edef\@bidi@info{**************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2009--2016 Vafa Khalighi^^J%
* ^^J%
* \bididate, \bidiversion^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://github.com/vafa/bidi/issues^^J%
* ^^J%
* Support: persian-tex@tug.org^^J%
**************************************************}
\typeout{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\typeout{\@bidi@info}}
\RequirePackage{iftex}
\RequireXeTeX
\RequirePackage{biditools}
\RequirePackage{zref-abspage}
\RequirePackage{auxhook}
\RequirePackage{ltxcmds}
\RequirePackage{xkeyval}
\eqnewif{\if@RTLmain}{\if@rlmain}
\eqnewif{\if@RTL}{\if@rl}
\newif\if@nonlatin
\eqnewif{\if@RTLtab}{\if@tab@rl}
\newif\if@RTLmarginpar
\newif\if@LTRmarginpar
\newif\if@LTRbibitems
\newif\if@RTLbibitems
\newif\if@extrafootnotefeatures
\newif\if@parafootRTL
\newif\if@RTLcolumnfootnotes
\eqnewif{\if@RTL@footnote}{\if@rl@footnote}
```

```
\newif\if@bidi@list@minipage@parbox
\newif\if@bidi@list@minipage@parbox@not@nob
\@RTLmainfalse
\AtBeginDocument{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\bidi@newrobustcmd*{\RLE}{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\input{latex-xetex-bidi.def}
\input{loadingorder-xetex-bidi.def}
\define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
  \ifcase\bidi@tempb\relax
    \@nonlatinfalse
  \or
    \@nonlatintrue
  \fi}
\define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,
  \ifcase\bidi@tempb\relax
    \autofootnoterule
  \or
    \leftfootnoterule
  \or
    \rightfootnoterule
  \or
    \SplitFootnoteRule
  \or
    \textwidthfootnoterule
  \fi}
\define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttorigh
```

```
  \ifcase\bidi@tempb\relax
    \@RTL@footnotetrue
  \or
    \@RTL@footnotefalse
  \fi}
\define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \footdir@debugtrue
  \or
    \footdir@debugfalse
  \fi}
\define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@extrafootnotefeaturestrue
  \or
    \@extrafootnotefeaturesfalse
  \fi}

\ProcessOptionsX

\if@extrafootnotefeatures
  \input{extrafootnotefeatures-xetex-bidi.def}
\fi
\newcount\bidi@digits
\XeTeXinterchartokenstate=\@ne
\newXeTeXintercharclass\bidi@digits@charclass
\newXeTeXintercharclass\bidi@dot@charclass
\XeTeXcharclass `\. \bidi@dot@charclass
\bidi@digits=`\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<`
\bidi@digits=`\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<`
\XeTeXinterchartoks \bidi@digits@charclass  \bidi@dot@charclass = {\DigitsDotInterCharToks}
\XeTeXinterchartoks \bidi@dot@charclass  \bidi@digits@charclass = {\DigitsDotInterCharToks}
\newcommand*{\DigitsDotInterCharToks}{\if@nonlatin\char"200F \fi}
```

7.16 bidi.tex

```
\def\bididate{2015/10/16}
\def\bidiversion{v0.3}
\catcode`@=11
\let \protect \relax
\newlinechar`\^^J
\edef\@bidi@info{**************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
```

```
* ^^J%
* Copyright (c) 2009--2015 Vafa Khalighi^^J%
* ^^J%
* \bididate, \bidiversion^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://github.com/vafa/bidi/issues^^J%
* ^^J%
* Support: persian-tex@tug.org^^J%
**************************************************}
\message{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\message{\@bidi@info}}
\input iftex.sty
\RequireXeTeX
\newif\if@RTLmain
\newif\if@RTL
\newif\if@sentdir
\newif\if@RTL@footnote
\@RTLmainfalse
\def\setRTLmain{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\protected\def\LRE{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\protected\def\RLE{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\input plain-xetex-bidi.def
\catcode`@=12
```

7.17 bidi2in1.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidi2in1}
\pagestyle{plain}
\newcount\evenpage
\newcount\oddpage
\twocolumn
\def\@oddfoot{\evenpage=\thepage%
```

```
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
\def\@evenfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
\textwidth 9.49in
\textheight 6.7in
\columnsep 0.9in
\columnseprule 0.125pt
\headheight 0cm
\topmargin 0in
\marginparwidth 0in
\marginparsep 0in
\hoffset 0.05in % Corrected
\voffset -0.5in %top margin space is 1.0in by default
\oddsidemargin 0in
\evensidemargin 0in
\headsep 0cm
\topskip 0cm
\parskip 0.15in       %
\headsep 0pt
\special{papersize=11.69in,8.26in}
\renewcommand\maketitle{\par
\begingroup
\renewcommand\thefootnote{\@fnsymbol\c@footnote}%
\def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
\long\def\@makefntext##1{\parindent 1em\noindent
\hb@xt@1.8em{%
\hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
\@maketitle
\@thanks
\endgroup
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\maketitle\relax
\global\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
```

7.18 bidicode.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidicode}
\RequirePackage{xcolor}
\RequirePackage{showexpl}
\definecolor{hellgelb}{rgb}{1,1,0.85}
\definecolor{colKeys}{rgb}{0,0,1}
\definecolor{colIdentifier}{rgb}{0,0,0}
\definecolor{colComments}{rgb}{1,0,0}
\definecolor{colString}{rgb}{0,0.5,0}
\lstset{
    language=[LaTeX]TEX,
    float=hbp,
    basicstyle=\ttfamily\small,
    identifierstyle=\color{colIdentifier},
    keywordstyle=\color{colKeys},
    stringstyle=\color{colString},
    commentstyle=\color{colComments},
    columns=flexible,
    tabsize=4,
    gobble =1,
    extendedchars=true,
    showspaces=false,
    showstringspaces=false,
    numbers=left,
    numbersep=0.9em,
    numberstyle=\tiny, %
    frame=single,
    captionpos=b,
    xleftmargin=1em,
    breaklines=true,
    breakautoindent=false,
    breakindent=0pt,
    escapeinside=**,
    pos=r,
    explpreset={%
    xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
   morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
}
\newcommand\HLON{%
  \gdef\lst@alloverstyle##1{%
    \fboxrule=0pt
    \fboxsep=0pt
    \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
}}
\newcommand\HLOFF{%
  \xdef\lst@alloverstyle##1{##1}%
}
\newcommand\Larg [1]{{\normalfont\itshape#1\/}}
```

```
\newcommand\Larga[1]{$\langle$\Larg{#1}$\rangle$}
\newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
\newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
\newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
\newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
\newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}

\DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
\DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\{}}
\DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\}}}
\DeclareRobustCommand\lsb{{\normalfont\ttfamily[}}
\DeclareRobustCommand\rsb{{\normalfont\ttfamily]}}
\DeclareRobustCommand\lrb{{\normalfont\ttfamily(}}
\DeclareRobustCommand\rrb{{\normalfont\ttfamily)}}

\def\Lcs#1{\nxLcs{#1}}
\def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
\def\nxLcs#1{\texttt{\symbol{92}#1}}

\def\Coordx#1{$x_{#1}$}
\def\Coordy#1{$y_{#1}$}
\def\Coordz#1{$z_{#1}$}
\def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
\def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
\def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
\def\CAny{\Coordx{},\kern 1pt\Coordy{}}
\def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
\def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
\def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
\def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
\def\coordx#1{($x_{#1}$)}
\def\coordy#1{($y_{#1}$)}
\def\coordz#1{($z_{#1}$)}
\def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
\def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}

\newsavebox{\boxdef}
\newenvironment{BDef}
  {\begin{lrbox}\boxdef
       \def\arraystretch{1.0}
       \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}

   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }

\newenvironment{BDef*}
  {\begin{lrbox}\boxdef
```

```
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}
   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }
\newenvironment{BCmd}{
  \@beginparpenalty-\@lowpenalty
  \topsep\BDefaboveskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty\@M
  \@topsepadd\BDefbelowskip
  \endflushleft}

\newenvironment{BCmd*}{
  \@beginparpenalty\@M
  \topsep\BDefinlineskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty5000
  \endflushleft}

\newskip\BDefaboveskip
\newskip\BDefbelowskip
\newskip\BDefinlineskip
\setlength\BDefaboveskip{10pt plus 4pt}
\setlength\BDefbelowskip{6pt}
\setlength\BDefinlineskip{6pt}

\def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
\def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
\def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
\def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}
```

7.19 bidiftnxtra.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidiftnxtra}
\newtoks\bidi@p@ftn
\let\FN@sf@@footnote\footnote
\let\FN@sf@@LTRfootnote\LTRfootnote
\let\FN@sf@@RTLfootnote\RTLfootnote
\def\footnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
```

```
\def\LTRfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@LTRfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\RTLfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@RTLfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\edef\FN@sf@gobble@opt{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
\expandafter\def\csname FN@sf@gobble@opt \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@twobracket
    \@gobble
}
\def\FN@sf@gobble@twobracket[#1]#2{}
\let\FN@sf@@footnotemark\footnotemark
\def\footnotemark{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnotemark
  \else
    \expandafter\FN@sf@gobble@optonly
  \fi
}
\edef\FN@sf@gobble@optonly{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
\expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@bracket
    {}%
}
\def\FN@sf@gobble@bracket[#1]{}
\def\@tabular{\if@RTL\global\@RTLtabtrue\fi
   \leavevmode \hbox \bgroup
   \let\@footnotetext\bidi@p@ftntext
   \let\@LTRfootnotetext\bidi@p@LTRftntext
   \let\@RTLfootnotetext\bidi@p@RTLftntext
   \let\@xfootnotenext\bidi@p@xftntext
   \let\@xfootnote\bidi@p@xfootnote
   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
   \let\@xLTRfootnote\bidi@p@xLTRfootnote
    \let\@xRTLfootnotenext\bidi@p@xRTLftntext
   \let\@xRTLfootnote\bidi@p@xRTLfootnote
   \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
```

```
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup $\if@RTLtab\endR\fi\egroup
                   \ifx\@captype\@undefined
             \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi%
                  \global\@RTLtabfalse}
\long\def\bidi@p@ftntext#1{%
 \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
 \global\bidi@p@ftn\expandafter{\@tempy{#1}}}%
\long\def\bidi@p@LTRftntext#1{%
 \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
 \global\bidi@p@ftn\expandafter{\@tempyi{#1}}}%
\long\def\bidi@p@RTLftntext#1{%
 \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
 \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}%


\long\def\bidi@p@xftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidi@p@xLTRftntext[#1]#2{%
 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidi@p@xRTLftntext[#1]#2{%
 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}


\def\bidi@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xftntext[#1]}


\def\bidi@p@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xLTRftntext[#1]}


\def\bidi@p@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xRTLftntext[#1]}

\def\@xfloat #1[#2]{%
```

```
\@nodocument
\def \@captype {#1}%
 \def \@fps {#2}%
 \@onelevel@sanitize \@fps
 \def \reserved@b {!}%
 \ifx \reserved@b \@fps
   \@fpsadddefault
 \else
   \ifx \@fps \@empty
     \@fpsadddefault
   \fi
 \fi
 \ifhmode
   \@bsphack
   \@floatpenalty -\@Mii
 \else
   \@floatpenalty-\@Miii
 \fi
\ifinner
   \@parmoderr\@floatpenalty\z@
\else
  \@next\@currbox\@freelist
    {%
     \@tempcnta \sixt@@n
     \expandafter \@tfor \expandafter \reserved@a
       \expandafter :\expandafter =\@fps
       \do
        {%
         \if \reserved@a h%
           \ifodd \@tempcnta
           \else
             \advance \@tempcnta \@ne
           \fi
         \fi
         \if \reserved@a t%
           \@setfpsbit \tw@
         \fi
         \if \reserved@a b%
           \@setfpsbit 4%
         \fi
         \if \reserved@a p%
           \@setfpsbit 8%
         \fi
         \if \reserved@a !%
           \ifnum \@tempcnta>15
             \advance\@tempcnta -\sixt@@n\relax
           \fi
         \fi
         }%
     \@tempcntb \csname ftype@\@captype \endcsname
```

```
      \multiply \@tempcntb \@xxxii
      \advance \@tempcnta \@tempcntb
      \global \count\@currbox \@tempcnta
      }%
    \@fltovf
  \fi
  \global \setbox\@currbox
    \color@vbox
      \normalcolor
      \vbox \bgroup
       \let\@footnotetext\bidi@p@ftntext
       \let\@LTRfootnotetext\bidi@p@LTRftntext
       \let\@RTLfootnotetext\bidi@p@RTLftntext
       \let\@xfootnotenext\bidi@p@xftntext
        \let\@xfootnote\bidi@p@xfootnote
        \let\@xLTRfootnotenext\bidi@p@xLTRftntext
        \let\@xLTRfootnote\bidi@p@xLTRfootnote
        \let\@xRTLfootnotenext\bidi@p@xRTLftntext
        \let\@xRTLfootnote\bidi@p@xRTLfootnote
        \hsize\columnwidth
        \@parboxrestore
        \@floatboxreset
}
\def \@endfloatbox{%
      \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
      \@minipagefalse
      \outer@nobreak
    \egroup                  %% end of vbox
    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
  \color@endbox
}
```

7.20 bidi-longtable.sty

```
\ProvidesPackage{bidi-longtable}[2012/12/12 v0.1 typesetting bidi longtables in XeTeX engine (ex
\def\longtable{\if@RTL\@RTLtabtrue\fi%
  \par
  \ifx\multicols\@undefined
  \else
     \ifnum\col@number>\@ne
       \@twocolumntrue
     \fi
  \fi
  \if@twocolumn
    \LT@err{longtable not in 1-column mode}\@ehc
  \fi
  \begingroup
  \@ifnextchar[\LT@array{\LT@array[x]}}
\def\endlongtable{%
  \crcr
```

```
  \noalign{%
    \let\LT@entry\LT@entry@chop
    \xdef\LT@save@row{\LT@save@row}}%
  \LT@echunk
  \LT@start
  \unvbox\z@
  \LT@get@widths
  \if@filesw
    {\let\LT@entry\LT@entry@write\immediate\write\@auxout{%
      \gdef\expandafter\noexpand
        \csname LT@\romannumeral\c@LT@tables\endcsname
          {\LT@save@row}}}%
  \fi
  \ifx\LT@save@row\LT@@save@row
  \else
    \LT@warn{Column \@width s have changed\MessageBreak
             in table \thetable}%
    \LT@final@warn
  \fi
  \endgraf\penalty -\LT@end@pen
  \endgroup
  \global\@mparbottom\z@
  \pagegoal\vsize
  \endgraf\penalty\z@\addvspace\LTpost
  \ifvoid\footins\else\insert\footins{}\fi\@RTLtabfalse}
\def\LT@output{%
  \ifnum\outputpenalty <-\@Mi
    \ifnum\outputpenalty > -\LT@end@pen
      \LT@err{floats and marginpars not allowed in a longtable}\@ehc
    \else
      \setbox\z@\vbox{\unvbox\@cclv}%
      \ifdim \ht\LT@lastfoot>\ht\LT@foot
        \dimen@\pagegoal
        \advance\dimen@-\ht\LT@lastfoot
        \ifdim\dimen@<\ht\z@
          \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
          \@makecol
          \@outputpage
          \setbox\z@\vbox{\box\LT@head}%
        \fi
      \fi
      \global\@colroom\@colht
      \global\vsize\@colht
      \vbox
     {\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot\else\LT@lastf
    \fi
  \else
   \setbox\@cclv\vbox{\hbox{\if@RTLtab\beginR\fi\vbox{\unvbox\@cclv\copy\LT@foot\vss}\if@RTLta
    \@makecol
    \@outputpage
```

```
      \global\vsize\@colroom
    \copy\LT@head\nobreak
  \fi}
```

7.21 bidimoderncv.cls

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesClass{bidimoderncv}
\newif\if@DEBUG\@DEBUGfalse
\DeclareOption{a4paper}{
  \setlength\paperheight{297mm}
  \setlength\paperwidth{210mm}}
\DeclareOption{a5paper}{
  \setlength\paperheight{210mm}
  \setlength\paperwidth{148mm}}
\DeclareOption{b5paper}{
  \setlength\paperheight{250mm}
  \setlength\paperwidth{176mm}}
\DeclareOption{letterpaper}{
  \setlength\paperheight{11in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{legalpaper}{
  \setlength\paperheight{14in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{executivepaper}{
  \setlength\paperheight{10.5in}
  \setlength\paperwidth{7.25in}}
\DeclareOption{landscape}{
  \setlength\@tempdima{\paperheight}
  \setlength\paperheight{\paperwidth}
  \setlength\paperwidth{\@tempdima}}
\newcommand\@ptsize{}
\DeclareOption{10pt}{\renewcommand\@ptsize{0}}
\DeclareOption{11pt}{\renewcommand\@ptsize{1}}
\DeclareOption{12pt}{\renewcommand\@ptsize{2}}
\DeclareOption{draft}{\setlength\overfullrule{5pt}}
\DeclareOption{final}{\setlength\overfullrule{0pt}}
\newif\if@colour\@colourtrue
\DeclareOption{nocolour}{\@colourfalse}
\ExecuteOptions{a4paper,11pt,colour,final}
\ProcessOptions\relax
\input{size1\@ptsize.clo}
\RequirePackage{color}
\RequirePackage{graphicx}
\RequirePackage{ifthen}
\RequirePackage{marvosym}
\addtolength{\oddsidemargin}{-54pt}
\addtolength{\textwidth}{109pt}
\addtolength{\topmargin}{-70pt}
\addtolength{\textheight}{122pt}
```

```
\addtolength{\marginparsep}{-5pt}
\addtolength{\marginparwidth}{-10pt}
\RequirePackage{url}
\RequirePackage{hyperref}
\hypersetup{%
  breaklinks,
  baseurl       = http://,%
  pdfborder     = 0 0 0,%
  pdfpagemode   = UseNone,%
  pdfstartpage  = 1}
\AtEndOfClass{%
  \AtBeginDocument{%
    \hypersetup{%
      pdfauthor     = \@firstname~\@familyname,%
      pdftitle      = \@title,%
      pdfsubject    = \@firstname~\@familyname,%
      pdfkeywords   = \@resumename~\@firstname~\@familyname}}}
\urlstyle{tt}
\RequirePackage{fancyhdr}
\fancypagestyle{plain}{%
  \renewcommand{\headrulewidth}{0pt}
  \renewcommand{\footrulewidth}{0pt}
  \fancyhf{}}
\pagestyle{plain}
\setlength\lineskip{1\p@}
\setlength\normallineskip{1\p@}
\renewcommand\baselinestretch{}
\setlength{\parindent}{0pt}
\setlength{\parskip}{0pt}
\setlength\columnsep{10\p@}
\setlength\columnseprule{0\p@}
\pagestyle{empty}
\pagenumbering{arabic}
\raggedbottom
\onecolumn
\providecommand*{\listitemsymbol}{\textbullet}
\providecommand*{\addresssymbol}{}
\providecommand*{\mobilesymbol}{\Mobilefone}
\providecommand*{\phonesymbol}{\Telefon}
\providecommand*{\faxsymbol}{\FAX}
\providecommand*{\emailsymbol}{\Letter}
\definecolor{firstnamecolor}{rgb}{0,0,0}
\def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
\def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
\def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
\def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
\def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
\def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
\definecolor{sectionrectanglecolor}{rgb}{0,0,0}
\def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
```

```
\def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
\providecommand*{\firstnamefont}{}
\providecommand*{\familynamefont}{}
\providecommand*{\titlefont}{}
\providecommand*{\addressfont}{}
\providecommand*{\quotefont}{}
\providecommand*{\sectionfont}{}
\providecommand*{\subsectionfont}{}
\providecommand*{\hintfont}{\small}
\providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
\providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
\providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
\providecommand*{\addressstyle}[1]{{\addressfont\@addresscolour#1}}
\providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
\providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
\providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
\providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
\newcommand*{\cvtheme}[2][]{
  \def\@cvtheme{#2}
  \def\@cvthemeoptions{#1}}
\cvtheme{bidi-casual}
\AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
\newcommand*{\resumename}[1]{\def\@resumename{#1}}
\newcommand*{\firstname}[1]{\def\@firstname{#1}}
\newcommand*{\familyname}[1]{\def\@familyname{#1}}
\renewcommand*{\title}[1]{\def\@title{#1}}
\newcommand*{\address}[1]{\def\@address{#1}}
\newcommand*{\mobile}[1]{\def\@mobile{#1}}
\newcommand*{\phone}[1]{\def\@phone{#1}}
\renewcommand*{\fax}[1]{\def\@fax{#1}}
\newcommand*{\email}[1]{\def\@email{#1}}
\newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
\def\@photowidth{0pt}
\newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
\newcommand*{\quote}[1]{\def\@quote{#1}}
\newlength{\quotewidth}
\newlength{\hintscolumnwidth}
\newlength{\separatorcolumnwidth}
\setlength{\separatorcolumnwidth}{0.025\textwidth}
\newlength{\maincolumnwidth}
\newlength{\doubleitemmaincolumnwidth}
\newlength{\listitemsymbolwidth}
\settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
\newlength{\listitemmaincolumnwidth}
\newlength{\listdoubleitemmaincolumnwidth}
\newcommand*{\recomputethemelengths}{}
\newcommand*{\recomputelengths}{%
\setlength{\quotewidth}{0.65\textwidth}%
\setlength{\maincolumnwidth}{\textwidth}%
\addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
```

```
\addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
\setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
\setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
\renewcommand{\headwidth}{\textwidth}%
\recomputethemelengths}
\setlength{\hintscolumnwidth}{0.15\textwidth}
\recomputelengths
\title{}
\renewcommand*{\maketitle}{}
\newcommand*{\section}[1]{%
\vspace*{2.5ex \@plus 1ex \@minus .2ex}%
  \phantomsection{}%
  \addcontentsline{toc}{part}{#1}%
 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecc
  \hspace{\separatorcolumnwidth}%
  \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\\[1ex]}
\newcommand*{\subsection}[1]{%
  \cvline[0.45em]{}{\subsectionstyle{#1}}}
\newcommand*{\cvline}[3][.25em]{%
 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@
    \bidi@raggedleft\hintfont{#2} &{#3}%
  \end{tabular}\\[#1]}
\newcommand*{\cvdoubleitem}[4]{%
 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}%
 \hfill%
 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\s
\newcommand*{\cvlistitem}[2][\listitemsymbol{}]{%
 \cvline[0pt]{}{#1~\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}
\newcommand*{\cvlistdoubleitem}[3][\listitemsymbol{}]{%
 \cvline[0pt]{}{#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}%
  \hfill%
  \ifthenelse{\equal{#3}{}}%
    {}%
   {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
\newcommand*{\cventry}[6]{%
  \cvline{#1}{%
    {\bfseries#2}%
    \ifx#3\else{, {\slshape#3}}\fi%
    \ifx#4\else{, #4}\fi%
    \ifx#5\else{, #5}\fi%
    .%
   \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
    }}%
```

```
\newcommand*{\cvlanguage}[3]{%
 \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{m
\newcommand*{\cvcomputer}[4]{%
  \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
\newcommand*{\link}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{#2}{#2}}%
    {\href{#2}{#1}}}
\newcommand*{\httplink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{http://#2}{#2}}%
    {\href{http://#2}{#1}}}
\newcommand*{\emaillink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{mailto:#2}{#2}}%
    {\href{mailto:#2}{#1}}}
\newif\if@displaypagenumbers\@displaypagenumberstrue
\newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
\AtBeginDocument{%
  \if@displaypagenumbers%
    \@ifundefined{r@lastpage}{}{%
      \ifthenelse{\pageref{lastpage} > 1}{%
      \fancypagestyle{plain}{%
     \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pageref
      \pagestyle{plain}}{}}%
  \AtEndDocument{\label{lastpage}}%
  \fi}
\newlength{\bibindent}
\setlength{\bibindent}{1.5em}
\newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
\newenvironment{thebibliography}[1]%
  {%
    \section{\refname}%
    \small%
   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \begin{list}{\bibliographyitemlabel}%
      {%
        \setlength{\topsep}{0pt}%
        \setlength{\labelwidth}{\hintscolumnwidth}%
        \setlength{\labelsep}{\separatorcolumnwidth}%
        \leftmargin\labelwidth%
        \advance\leftmargin\labelsep%
        \@openbib@code%
        \usecounter{enumiv}%
        \let\p@enumiv\@empty%
        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
        \sloppy\clubpenalty4000\widowpenalty4000%
  }%
  {%
   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
```

```
    \end{list}%
  }
\newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
\let\@openbib@code\@empty
```

7.22 biditools.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{biditools}[2015/11/14 v0.8 Programming tools for bidi package]
\providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\relax
  \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
  \ifx\@tempa\@tempb \global\let#2#1%
  \else
    \edef\@tempb{\meaning#2}%
    \ifx\@tempa\@tempb
    \else
      \@latex@error{Unable to properly define \string#2; primitive
      \noexpand#1no longer primitive}\@eha
    \fi
  \fi
  \endgroup}
\newtoks\@bidi@envbody
\newtoks\@bidi@emptytoks
\def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\def\bidi@collect@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
 \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
 \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\def\bidi@push@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@begins\fi
}
\def\bidi@collect@@body#1\end#2{%
 \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@envbody{#1}%
  \else
    \bidi@addto@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\long\def\bidi@collect@long@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
```

```
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\long\def\bidi@push@long@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
}
\long\def\bidi@collect@long@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@st
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@long@envbody{#1}%
  \else
    \bidi@addto@long@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@new@ifnextchar#1#2#3{%
  \let\reserved@d= #1%
  \def\reserved@a{#2}\def\reserved@b{#3}%
  \futurelet\@let@token\bidi@new@ifnch
}
\def\bidi@new@ifnch{%
  \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
  \reserved@b
}
\def\bidi@matrix@check#1{%
  \expandafter\ifx\csname\@currenvir\endcsname#1%
  \else\bidi@matrix@error#1%
    \expandafter\@gobble
  \fi
}
\def\bidi@matrix@error#1{%
  \PackageError{biditools}{%
Old form `\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
  }{%
`\string#1{...}' is old bidi package syntax whose use is
ill-advised in the old versions of bidi package.%
  }%
}
\def\@tagsextension{clo}
\def\@definitionfileextension{def}
\def\@texfileextension{tex}
\def\@iftagsloaded{\@ifl@aded\@tagsextension}
\def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
\def\@iftexfileloaded{\@ifl@aded\@texfileextension}
```

```
\def\eqnewif#1#2{%
  \count@\escapechar \escapechar\m@ne
    \let#1\iffalse
    \let#2\iffalse
    \eq@if#1#2\iftrue
    \eq@if#1#2\iffalse
  \escapechar\count@}
\def\eq@if#1#2#3{%
  \expandafter\def\csname\expandafter\@gobbletwo\string#1%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#1#3%
                         \let#2#3}%
  \expandafter\def\csname\expandafter\@gobbletwo\string#2%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#2#3%
                         \let#1#3}}
\def\@bidi@removefromreset#1#2{{%
  \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
  \def\@elt##1{%
    \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
    \else
      \noexpand\@elt{##1}%
    \fi}%
  \expandafter\xdef\csname cl@#2\endcsname{%
    \csname cl@#2\endcsname}}}
\newcommand*{\if@bidi@csdef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\if@bidi@csundef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\ifx\csname#1\endcsname\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@def}[1]{%
  \ifdefined#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@undef}[1]{%
```

```
  \ifdefined#1%
    \ifx#1\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@blank}[1]{% from url.sty
  \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
\long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
\newcommand{\bidi@notblank}[1]{%
  \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
\newcommand{\if@bidi@defmacro}{}
\long\edef\if@bidi@defmacro#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefmacro
  \noexpand\meaning#1\detokenize{macro}:&}
\edef\bidi@ifdefmacro{%
  \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
\bidi@ifdefmacro{\bidi@notblank{#2}}
\newcommand*{\if@bidi@csmacro}[1]{%
  \if@bidi@csdef{#1}
    {\expandafter\if@bidi@defmacro\csname#1\endcsname}
    {\@secondoftwo}}
\newcommand{\if@bidi@defprimitive}[1]{%
  \ifprimitive#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@csprimitive}[1]{%
 \begingroup\expandafter\expandafter\expandafter\endgroup%
  \expandafter\ifprimitive\csname#1\endcsname%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\bidi@csdefcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
\newcommand*{\bidi@csletcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
\newcommand*{\bidi@cslet}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\endcsname#2}}
\newcommand{\bidi@namelongdef}[1]{%
```

```
  \long\expandafter\def\csname #1\endcsname}
\def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
\def\bidi@ensure@new@command#1{%
  \begingroup \escapechar\m@ne\xdef\@gtempa{{\string#1}}\endgroup
  \expandafter\if@bidi@csundef\@gtempa
     {\new@command#1}{\relax%
  \let\@ifdefinable\@rc@ifdefinable%
  \new@command#1}}
\def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}

\protected\def\bidi@error{\PackageError{bidi}}
\protected\def\bidi@warning{\PackageWarning{bidi}}
\protected\def\bidi@info{\PackageInfo{bidi}}

\newcommand*{\bidi@newrobustcmd}{}
\protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}

\def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}

\def\bidi@newcommand#1[#2]{%
  \@ifnextchar[%]
    {\bidi@xargdef#1[#2]}
    {\ifx\l@ngrel@x\relax
       \let\l@ngrel@x\protected
     \else
       \protected\def\l@ngrel@x{\protected\long}%
     \fi
     \@argdef#1[#2]}}

\long\def\bidi@xargdef#1[#2][#3]#4{%
  \@ifdefinable#1{%
    \expandafter\protected
    \expandafter\def
    \expandafter#1%
    \expandafter{%
      \expandafter\@testopt
      \csname\string#1\endcsname{#3}}%
    \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}

\bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}

\def\bidi@renew@command#1{%
  \if@bidi@undef{#1}
     {\bidi@error{\string#1 undefined}\@ehc}
     {}%
  \let\@ifdefinable\@rc@ifdefinable
  \bidi@new@command#1}
```

```
\bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}

\def\bidi@provide@command#1{%
  \if@bidi@undef{#1}
    {\def\reserved@a{\bidi@new@command#1}}
    {\def\reserved@a{\bidi@renew@command\reserved@a}}%
  \reserved@a}

\newcommand*{\bidi@csuse}[1]{%
  \ifcsname#1\endcsname
    \csname#1\expandafter\endcsname
  \fi}

\newcommand{\bidi@expandonce}[1]{%
  \unexpanded\expandafter{#1}}

\def\bidi@protected{%
  \let\@@protect\protect
  \let\protect\@unexpandable@protect
  \afterassignment\restore@protect}

\bidi@newrobustcmd{\bidi@appto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@eappto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{\bidi@expandonce#1#2}}}
\bidi@newrobustcmd{\bidi@gappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@xappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{\bidi@expandonce#1#2}}}

\bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
\bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}



\bidi@newrobustcmd{\bidi@preto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@epreto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
```

```
    {\edef#1{#2\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@gpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@xpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{#2\bidi@expandonce#1}}}

\bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
\bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}



\bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
\bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}



\bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
\bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}



\bidi@newrobustcmd{\if@bidi@patchable}{%
  \bidi@dbg@trce\if@bidi@patchable
  \begingroup
  \@makeother\#%
  \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}

\long\def\bidi@ifpatchable#1#2{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \bidi@ifscanable{#1}
          {\bidi@ifhashcheck{#2}
             {\bidi@dbg@info{tok}%
```

```
              \bidi@ifpattern#1{#2}
                 {\bidi@dbg@info{pat}%
                  \bidi@dbg@info{pos}\@firstoftwo}
                 {\bidi@dbg@fail{pat}\@secondoftwo}}
            {\bidi@dbg@fail{hsh}\@secondoftwo}}
          {\bidi@dbg@fail{tok}\@secondoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@ifpatchable@i#1{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#1}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#1}
             {\bidi@dbg@info{tok}%
              \bidi@dbg@info{pos}\@firstoftwo}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#1}
             {\bidi@dbg@info{pro}}
             {}%
           \bidi@dbg@info{pos}\@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\bidi@newrobustcmd*{\bidi@patchcmd}{%
  \bidi@dbg@trce\bidi@patchcmd
  \begingroup
  \@makeother\#%
  \bidi@@patchcmd}

\newcommand{\bidi@@patchcmd}[4][########1]{%
  \bidi@ifpatchable#2{#3}
    {\bidi@dbg@succ{ret}%
     \begingroup
     \edef\bidi@resrvda{%
      \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
      #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
       \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
         ####1\detokenize{#4}####2}%
       \edef\noexpand\bidi@resrvda{%
         \noexpand\bidi@resrvda\meaning#2&}}%
     \bidi@resrvda
     \bidi@patchcmd@scantoks\bidi@resrvda
     \let#2\bidi@resrvda
     \bidi@undef\bidi@resrvda
```

```
     \@firstoftwo}
    {\@secondoftwo}}

\def\bidi@patchcmd@scantoks#1{%
  \edef\bidi@resrvda{\endgroup
    \unexpanded{\makeatletter\scantokens}{#1}%
    \catcode\number`\@=\the\catcode`\@\relax}%
  \bidi@resrvda}

\newcommand\bidi@isloaded[2][]{
  \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
    \expandafter\newif\csname if@bidi@#2loaded@\endcsname
  \fi
  \@ifpackageloaded{#2}
    {\csname @bidi@#2loaded@true\endcsname #1}
    {\csname @bidi@#2loaded@false\endcsname}}

\protected\def\bidi@ifscanable#1{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda####2{####3}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
  \bidi@resrvda
  \makeatletter
  \scantokens\expandafter{\bidi@resrvda}%
  \expandafter\endgroup\ifx#1\bidi@resrvda
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}


\protected\long\def\bidi@ifhashcheck#1{%
  \begingroup
  \edef\bidi@resrvda{\detokenize{#1}}%
  \expandafter\endgroup
  \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}

\edef\bidi@ifhashcheck@i#1&{%
  \noexpand\expandafter
  \noexpand\bidi@ifhashcheck@ii
  \noexpand\strip@prefix#1\string#\string#&}

\edef\bidi@ifhashcheck@ii{%
  \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
\bidi@ifhashcheck@ii{\if@bidi@blank{#2}}


\protected\long\def\bidi@ifpattern#1#2{%
```

```
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
      \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
      \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
    \noexpand\bidi@resrvda}
  \bidi@resrvda\@secondoftwo\@firstoftwo}


\newcommand{\if@bidi@defparam}{}
\long\edef\if@bidi@defparam#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefparam
  \noexpand\meaning#1\detokenize{macro}:->&}
\edef\bidi@ifdefparam{%
  \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
\bidi@ifdefparam{\bidi@notblank{#2}}


\newcommand{\if@bidi@defprotected}{}
\long\edef\if@bidi@defprotected#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefprotected
  \noexpand\meaning#1\string\protected&}
\edef\bidi@ifdefprotected{%
  \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
\bidi@ifdefprotected{\bidi@notblank{#2}}


\bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}

\let\bidi@dbg@trce\@gobble
\let\bidi@dbg@init\@gobble
\let\bidi@dbg@info\@gobble
\let\bidi@dbg@succ\@gobble
\let\bidi@dbg@fail\@gobble


\bidi@newrobustcmd*{\bidi@apptocmd}{%
  \bidi@dbg@trce\bidi@apptocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@append}


\bidi@newrobustcmd*{\bidi@pretocmd}{%
  \bidi@dbg@trce\bidi@pretocmd
  \begingroup
  \@makeother\#%
```

```
  \bidi@hooktocmd\bidi@prepend}

\long\def\bidi@hooktocmd#1#2#3{%
  \endgroup
  \bidi@dbg@init#2%
  \if@bidi@undef{#2}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#2}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#2}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#2}
             {\bidi@ifhashcheck{#3}
                {\bidi@dbg@info{tok}%
                 \bidi@dbg@succ{ret}%
                 \bidi@hooktocmd@i#1#2{#3}%
                 \@firstoftwo}
                {\bidi@dbg@fail{hsh}\@secondoftwo}}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#2}
             {\bidi@dbg@info{pro}%
              \bidi@dbg@succ{red}%
              \protected}
             {\bidi@dbg@succ{red}}%
           \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
           \@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@hooktocmd@i#1#2#3{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
    ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
    \edef\noexpand\bidi@resrvda{%
      \noexpand\bidi@resrvda\meaning#2&}}%
  \bidi@resrvda
  \bidi@patchcmd@scantoks\bidi@resrvda
  \let#2\bidi@resrvda
  \bidi@undef\bidi@resrvda}

\long\def\bidi@append#1#2{#1#2}
\long\def\bidi@prepend#1#2{#2#1}

\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
\newcommand*{\bidi@endpreamblehook}{}

\bidi@preto\document{%
  \endgroup
```

```
  \let\bidi@AtEndPreamble\@firstofone
  \bidi@endpreamblehook
  \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@endpreamblehook
  \begingroup}

\bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
\bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}

\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
\newcommand*{\bidi@afterendpreamblehook}{}

\bidi@appto\document{%
  \let\bidi@AfterEndPreamble\@firstofone
  \bidi@afterendpreamblehook
  \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@afterendpreamblehook
  \ignorespaces}

\AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}

\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
\newcommand*{\bidi@afterenddocumenthook}{}

\bidi@patchcmd\enddocument
  {\deadcycles}
  {\let\bidi@AfterEndDocument\@firstofone
   \bidi@afterenddocumenthook
   \deadcycles}
  {}
  {\let\bidi@@end\@@end
   \def\@@end{%
     \let\bidi@AfterEndDocument\@firstofone
     \bidi@afterenddocumenthook
     \bidi@@end}}

\bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@begin@#1@hook}}

\bidi@patchcmd\begin
  {\csname #1\endcsname}
  {\bidi@csuse{@bidi@begin@#1@hook}%
   \csname #1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}
```

```
\bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@end@#1@hook}}

\bidi@patchcmd\end
  {\csname end#1\endcsname}
  {\bidi@csuse{@bidi@end@#1@hook}%
   \csname end#1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AtEndEnvironment' will not work\@gobble}}



\bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@beforebegin@#1@hook}}

\bidi@pretocmd\begin
  {\bidi@csuse{@bidi@beforebegin@#1@hook}}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}



\bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@afterend@#1@hook}}

\bidi@patchcmd\end
  {\if@ignore}
  {\bidi@csuse{@bidi@afterend@#1@hook}%
   \if@ignore}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}

\CheckCommand{\InputIfFileExists}[2]{%
  \IfFileExists{#1}%
    {#2\@addtofilelist{#1}\@@input \@filef@und}}

\renewcommand{\InputIfFileExists}[2]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
    \expandafter\@secondoftwo
  \else
    \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
    \expandafter\@firstoftwo
  \fi
```

```
  {%
    \expandafter\InputIfFileExists\expandafter{\csname
      #1-@bidi@alias\endcsname}{#2}%
  }%
  {\IfFileExists{#1}{%
      \bidi@load@hook{before}{#1}%
      #2\@addtofilelist{#1}%
      \@@input \@filef@und
      \bidi@load@hook{after}{#1}%
    }}%
}

\newcommand*{\bidi@@loadwithoptions}{}
\newcommand*{\bidi@loadwithoptions}{}
\let\bidi@loadwithoptions\@loadwithoptions

\renewcommand*{\@loadwithoptions}[3]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
    \def\bidi@@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
  \else
   \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
    \def\bidi@@loadwithoptions{%
    \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
    }%
  \fi
  \bidi@@loadwithoptions
}

\newcommand*{\bidi@onefilewithoptions}{}
\let\bidi@onefilewithoptions\@onefilewithoptions
\def\@onefilewithoptions#1[#2][#3]#4{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
    \def\bidi@@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
  \else
   \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
    \edef\bidi@@onefilewithoptions{%
    \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
  \fi
  \bidi@@onefilewithoptions[{#2}][{#3}]{#4}%
  \bidi@load@hook{lateafter}{#1.#4}%
}

\newcommand*{\bidi@ReplaceInput}[2]{%
  \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
}

\newcommand*{\bidi@UnReplaceInput}[1]{%
  \ifcsname #1-@bidi@alias\endcsname
```

```
    \expandafter\let\csname #1-@bidi@alias\endcsname\relax
  \fi
}

\newcommand*{\@bidi@replacefilewithext}[3]{%
  \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
 }
\newcommand*{\bidi@ReplacePackage}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@pkgextension
}
\newcommand*{\bidi@ReplaceClass}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@clsextension
}
\newcommand*{\@bidi@unreplacefilewithext}[2]{%
  \ifcsname #1.#2-@bidi@aliasname\endcsname
    \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
  \fi
}
\newcommand*{\bidi@UnReplacePackage}[1]{%
  \@bidi@unreplacefilewithext{#1}\@pkgextension
}
\newcommand*{\bidi@UnReplaceClass}[1]{%
  \@bidi@unreplacefilewithext{#1}\@clsextension
}
\newcommand*{\bidi@replacefile@msg}[2]{%
  \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
}

\newcommand*{\bidi@load@hook}[2]{%
  \@ifundefined{#2-@#1}{}{%
    \@nameuse{#2-@#1}%
    \expandafter\let\csname #2-@#1\endcsname=\relax}}
\newcommand*{\bidi@set@load@hook}[2]{%
  \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}{}%
  \expandafter\g@addto@macro\csname #2-@#1\endcsname}
\newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
\newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
\newcommand*{\bidi@BeforeClass}[1]{%
  \bidi@set@load@hook{before}{#1.\@clsextension}}
\newcommand*{\bidi@AfterClass}{%
  \@ifstar {\@s@bidi@AfterClass}{%
    \@ifnextchar +\@@bidi@AfterClass{%
      \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
    }%
  }%
}

\newcommand*{\@@@bidi@AfterClass}[2]{%
  \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterClass
```

```
  \else
    \aftergroup\bidi@AfterAtEndOfClass
  \fi
  \endgroup{#2}%
}

\newcommand*{\bidi@AfterAtEndOfClass}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
\newcommand*{\@@bidi@AfterClass}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterClass
    \else
      \aftergroup\@bidi@AfterClass
    \fi
  \endgroup{#2}%
}

\newcommand*{\@bidi@AfterClass}[1]{%
  \bidi@set@load@hook{after}{#1.\@clsextension}}
\newcommand*{\@s@bidi@AfterClass}[1]{%
  \begingroup
    \@ifclassloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterClass
    }%
  \endgroup
  {#1}%
}


\newcommand*{\bidi@BeforePackage}[1]{%
  \bidi@set@load@hook{before}{#1.\@pkgextension}}
\newcommand*{\bidi@AfterPackage}{%
  \@ifstar {\@s@bidi@AfterPackage}{%
    \@ifnextchar +\@@bidi@AfterPackage{%
      \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
    }%
  }%
}
\newcommand*{\@@@bidi@AfterPackage}[2]{%
  \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterPackage
  \else
    \aftergroup\bidi@AfterAtEndOfPackage
  \fi
  \endgroup{#2}%
}
\newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
```

```
  \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
\newcommand*{\@@bidi@AfterPackage}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterPackage
    \else
      \aftergroup\@bidi@AfterPackage
    \fi
  \endgroup{#2}%
}
\newcommand*{\@bidi@AfterPackage}[1]{%
  \bidi@set@load@hook{after}{#1.\@pkgextension}}
\newcommand*{\@s@bidi@AfterPackage}[1]{%
  \begingroup
    \@ifpackageloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterPackage
    }%
  \endgroup
  {#1}%
}

\newcommand*{\bidi@excludedpackages}{}
\let\bidi@excludedpackages\@empty
\newcommand*{\bidi@saved@RequirePackage}{}
\newcommand*{\bidi@PreventPackageFromLoading}{%
  \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
          {\@bidi@PreventPackageFromLoading\PackageWarning}%
}
\newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
  \@ifnextchar [%]
   {\@@bidi@PreventPackageFromLoading#1}{\@@bidi@PreventPackageFromLoading#1[]}%
}
\newcommand*{\@@bidi@PreventPackageFromLoading}{}

\def\@@bidi@PreventPackageFromLoading#1[#2]#3{%
  \edef\reserved@b{\zap@space#3 \@empty}%
  \ifx \reserved@b\@empty
    #1{biditools}{%
    \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
      argument ignored%
    }%
  \else
    \ifx\bidi@excludedpackages\@empty
      \let\bidi@saved@RequirePackage\RequirePackage
      \let\RequirePackage\bidi@RequirePackage
      \def\reserved@a##1##{%
        \@latex@error
        {\noexpand \usepackage before \string\documentclass}%
```

```
      {\noexpand \usepackage may only appear in the document
        preamble, i.e.,\MessageBreak
        between \noexpand\documentclass and
        \string\begin{document}.}%
      \@gobble}%
    \ifx\reserved@a\usepackage\else
      \ifx\usepackage\bidi@saved@RequirePackage\else
        \PackageWarning{biditools}{%
         Maybe serious problem: unexpected definition of\MessageBreak
          \string\usepackage
        }%
      \fi
      \let\usepackage\RequirePackage
    \fi
  \fi
\expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
 \reserved@b\do {%
    \ifx\reserved@a\@empty
      #1{biditools}{%
        empty package argument for
        \string\bidi@PreventPackageFromLoading\MessageBreak
        ignored%
      }%
    \else
      \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
        #1{biditools}{%
          package `\reserved@a' already loaded.\MessageBreak
          Cannot prevent it from beeing loaded%
        }%
      }{%
        \edef\bidi@excludedpackages{\bidi@excludedpackages,%
          \reserved@a}%
        \if\relax\detokenize{#2}\relax\else
          \@ifundefined{bidi@exclude@package@\reserved@a @do}{%
            \@namedef{bidi@exclude@package@\reserved@a @do}{}%
          }{}%
          \expandafter\def
          \csname bidi@exclude@package@\reserved@a
                  @do\expandafter\expandafter\expandafter\endcsname
          \expandafter\expandafter\expandafter{%
            \csname bidi@exclude@package@\reserved@a @do\endcsname
            #2%
          }%
        \fi
      }%
    \fi
  }%
  \ifx\bidi@excludedpackages\@empty
    \bidi@ResetPreventPackageFromLoading
  \fi
```

```
  \fi
}

\@onlypreamble\bidi@PreventPackageFromLoading
\newcommand*{\bidi@ResetPreventPackageFromLoading}{%
  \let\bidi@excludedpackages\@empty
  \ifx\RequirePackage\bidi@RequirePackage
    \ifx\usepackage\RequirePackage
      \let\usepackage\bidi@saved@RequirePackage
    \fi
    \let\RequirePackage\bidi@saved@RequirePackage
  \fi
}
\@onlypreamble\bidi@ResetPreventPackageFromLoading
\newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
  \let#1\bidi@excludedpackages
}
\@onlypreamble\bidi@StorePreventPackageFromLoading
\newcommand*{\bidi@UnPreventPackageFromLoading}{%
  \@ifstar {\@tempswatrue\@bidi@UnPreventPackageFromLoading}%
           {\@tempswafalse\@bidi@UnPreventPackageFromLoading}%
}

\newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
  \edef\reserved@b{\zap@space#1 \@empty}%
  \if@tempswa
    \@for\reserved@a:=\reserved@b\do {%
      \ifx\reserved@a\@empty \else
        \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
          \expandafter\let
          \csname bidi@exclude@package@\reserved@a @do\endcsname
          \undefined
        \fi
      \fi
    }%
  \fi
  \ifcsname bidi@excludedpackages\endcsname
    \let\reserved@a\bidi@excludedpackages
    \let\bidi@excludedpackages\@empty
    \expandafter\@for\expandafter\reserved@c
    \expandafter:\expandafter=\reserved@a
    \do{%
      \ifx\reserved@c\@empty\else
        \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,}%
        \ifin@
        \else
          \edef\bidi@excludedpackages{%
            \bidi@excludedpackages,\reserved@c
          }%
        \fi
```

```
      \fi
    }%
   \ifx\bidi@excludedpackages\@empty\bidi@ResetPreventPackageFromLoading\fi
  \fi
}


\newcommand*{\bidi@RequirePackage}[2][]{%
  \let\reserved@c\@empty
  \let\reserved@d\@empty
  \edef\reserved@b{\zap@space#2 \@empty}%
 \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
  \do {%
    \begingroup
      \@tempswatrue
      \@for\reserved@a:=\bidi@excludedpackages\do {%
        \ifx\reserved@a\reserved@b
          \@tempswafalse
        \fi
      }%
      \if@tempswa
        \xdef\reserved@c{\reserved@c,\reserved@b}%
      \else
        \ifx\reserved@b\@empty\else
       \PackageInfo{biditools}{Excluding package `\reserved@b'\MessageBreak
            from loading}%
          \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
          }{%
            \expandafter\g@addto@macro\expandafter\reserved@d
            \csname bidi@exclude@package@\reserved@b @do\endcsname
          }%
        \fi
      \fi
    \endgroup
  }%
  \ifx\reserved@c\@empty
    \let\reserved@a\bidi@gobbleopt
  \else
    \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
        \expandafter\@gobble\reserved@c\@empty}}%
  \fi
  \expandafter\reserved@d
  \reserved@a
}

\newcommand{\bidi@gobbleopt}[1][]{}
\AtEndDocument{%
  \let\bidi@saved@checkend=\@checkend
  \renewcommand*{\@checkend}[1]{%
    \def\reserved@a{#1}\def\reserved@b{document}%
```

```
    \bidi@saved@checkend{#1}%
    \ifx\reserved@a\reserved@b
      \let\bidi@saved@clearpage=\clearpage
      \renewcommand*{\clearpage}{\bidi@saved@clearpage
        \bidi@hook@bcma
        \bidi@restore@newpage
        \let\clearpage=\bidi@saved@clearpage}%
    \fi%
    \let\bidi@saved@dofilelist\@dofilelist
    \def\@dofilelist{%
      \bidi@hook@acma
      \let\@dofilelist\bidi@saved@dofilelist
      \bidi@saved@dofilelist
    }%
  }%
}


\newcommand*{\bidi@saved@checkend}{}
\newcommand*{\bidi@saved@dofilelist}{}
\newcommand*{\bidi@redefine@newpage}{%
  \let\bidi@saved@newpage\newpage
  \def\bidi@restore@newpage{%
    \renewcommand*{\newpage}{%
      \PackageWarningNoLine{%
        biditools%
      }{%
        \string\newpage\space at main aux file!\MessageBreak
        You have output material at the main aux file.\MessageBreak
       Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
        are processed before the output from aux file%
      }%
      \let\newpage\bidi@saved@newpage
      \newpage
    }%
  }%
  \renewcommand*{\newpage}{%
    \PackageError{%
      biditools%
    }{%
      \string\newpage\space at \string\bidi@BeforeClosingMainAux
    }{%
      You should never use \string\newpage\space or
    \string\clear(double)page or other output material at the\MessageBreak
      argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
      If you'll continue, the \string\newpage\space will be ignored to
      avoid corruption of\MessageBreak
      every prior use of \string\bidi@BeforeClosingMainAux.
    }%
  }%
```

```
}

\newcommand*{\bidi@restore@newpage}{}
\newcommand*{\bidi@hook@bcma}{}
\newcommand*{\bidi@hook@acma}{}
\newcommand*{\bidi@BeforeClosingMainAux}{%
  \ifx\bidi@hook@bcma\@empty
    \gdef\bidi@hook@bcma{%
      \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
      \bidi@redefine@newpage
    }%
  \fi
  \g@addto@macro\bidi@hook@bcma%
}

\newcommand*{\bidi@AfterReadingMainAux}{%
  \ifx\bidi@hook@acma\@empty
    \gdef\bidi@hook@acma{%
      \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
    }%
  \fi
  \g@addto@macro\bidi@hook@acma%
}

\long\def\bidi@protected@immediate@write#1#2#3{%
  \begingroup
    #2%
    \let\protect\@unexpandable@protect
    \edef\reserved@a{\immediate\write#1{#3}}%
    \reserved@a
  \endgroup
  \if@nobreak\ifvmode\nobreak\fi\fi
}

\def\bidi@patch@counter{0}%
\if@bidi@csundef{numexpr}{%
  \def\bidi@patch@stepcounter{%
    \begingroup
      \count@\bidi@patch@counter\relax
      \advance\count@\@ne\relax
    \edef\x{\endgroup
      \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
    }%
    \x
  }%
}{%
  \def\bidi@patch@stepcounter{%
    \edef\bidi@patch@counter{%
```

```
      \the\numexpr\bidi@patch@counter+\@ne\relax
    }%
  }%
}
\def\bidi@patch@list{}
\def\bidi@patch@Add{%
  \bidi@appto\bidi@patch@list
}
\def\bidi@patch@AfterPackage#1{%
  \@ifpackageloaded{#1}{%
    \@firstofone
  }{%
    \bidi@patch@AfterPackage{#1}%
  }%
}
\def\bidi@patch@AfterPackage#1{%
  \edef\bidi@patch@temp{#1}%
  \bidi@patch@stepcounter
  \expandafter\bidi@patch@@AfterPackage
  \csname bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
    \bidi@patch@temp
  }%
}
\def\bidi@patch@@AfterPackage#1#2#3{%
  \begingroup
    \toks@{#3}%
    \xdef\bidi@patch@gtemp{%
      \noexpand\@ifpackageloaded{#2}{%
        \noexpand\let\noexpand#1\noexpand\relax
        \the\toks@
      }{}%
    }%
  \endgroup
  \let#1\bidi@patch@gtemp
  \bidi@patch@Add#1%
  \bidi@patch@try{bidi@AfterPackage}{#2}#1%
}

\def\bidi@patch@try#1#2#3{%
  \if@bidi@csundef{#1}{}{%
    \csname #1\endcsname{#2}{#3}%
  }%
}

\AtBeginDocument{\bidi@patch@list}

\bidi@AtEndPreamble{\bidi@patch@list}%

\bidi@AfterEndPreamble{%
  \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
```

```
  \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
  \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
  \let\bidi@patch@OrgIfClassLater\@ifclasslater
  \bidi@patch@list
  \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
  \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
  \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
  \let\@ifclasslater\bidi@patch@OrgIfClassLater
}%
```

7.23 bidituftefloat.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftefloat}[2011/06/14 v0.1
bidi implementation of tufte float]
\RequirePackage{xifthen}
\newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
\newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
\newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bidi
\newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1\@gobble}}
\newboolean{@bidituftefloat@RTLgeometry}
\setboolean{@bidituftefloat@RTLgeometry}{true}
\DeclareOption{RTLgeometry}{\setboolean{@bidituftefloat@RTLgeometry}{true}}
\DeclareOption{LTRgeometry}{\setboolean{@bidituftefloat@RTLgeometry}{false}}
\newboolean{@bidituftefloat@afourpaper}
\DeclareOption{a4paper}{\setboolean{@bidituftefloat@afourpaper}{true}}
\newboolean{@bidituftefloat@bfivepaper}
\DeclareOption{b5paper}{\setboolean{@bidituftefloat@bfivepaper}{true}}
\newboolean{@bidituftefloat@symmetric}
\newboolean{@bidituftefloat@twoside}
\DeclareOption{twoside}{%
\@twosidetrue  \@mparswitchtrue%
\setboolean{@bidituftefloat@twoside}{true}%
\setboolean{@bidituftefloat@symmetric}{true}%
}
\DeclareOption{oneside}{%
\@twosidefalse  \@mparswitchfalse%
\setboolean{@bidituftefloat@twoside}{false}%
\setboolean{@bidituftefloat@symmetric}{false}%
}
\@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
\newboolean{@bidituftefloat@debug}
\newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetec
\ProcessOptions
%% Globally sets the length
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}
%% Globally sets a boolean
```

```
\newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
   {\PackageError{ifthen}{You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
      {\global\csname#1\@tempa\endcsname}%
    }%
}
%% Set the font sizes and baselines to match bidituftefloat's books
\renewcommand\normalsize{%
   \@setfontsize\normalsize\@xpt{14}%
   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
   \abovedisplayshortskip \z@ \@plus3\p@
   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
   \belowdisplayskip \abovedisplayskip
   \let\@listi\@listI}
\normalbaselineskip=14pt
\normalsize
\renewcommand\footnotesize{%
   \@setfontsize\footnotesize\@viiipt{10}%
   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus\p@
   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 3\p@ \@plus\p@ \@minus\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
%% Paragraph indentation and separation for marginal text
\newcommand{\@bidituftefloat@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
\RequirePackage{ragged2e}
\ifthenelse{\boolean{@bidituftefloat@RTLgeometry}}{%
\RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
 {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpars
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
 {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,m
  {}}{%
\RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpars
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
 {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
  {}
```

```
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
 {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,ma
  {}}
\ifthenelse{\boolean{@bidituftefloat@symmetric}}
  {}
  {\geometry{asymmetric}}% forces internal LaTeX `twoside'
\setlength\marginparpush{10pt}
%% Font for margin items
\newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
\newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
\newcommand{\@bidituftefloat@justification}{\justifying}%
\setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
\setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
\newboolean{@bidituftefloat@changepage}
\IfFileExists{changepage.sty}{%
  \bidituftefloatDebugInfoNL{Found changepage.sty}
  \RequirePackage[strict]{changepage}
  \setboolean{@bidituftefloat@changepage}{true}
}{%
  \bidituftefloatDebugInfoNL{Found chngpage.sty}
  \RequirePackage[strict]{chngpage}
  \setboolean{@bidituftefloat@changepage}{false}
}
\newboolean{@bidituftefloat@odd@page}
\setboolean{@bidituftefloat@odd@page}{true}
\newcommand*{\@bidituftefloat@checkoddpage}{%
  \checkoddpage%
  \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
    \ifoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }{%
    \ifcpoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }%
}
\newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running heads
\newlength{\@bidituftefloat@fullwidth}
\newlength{\@bidituftefloat@caption@fill}
\newcommand{\bidituftefloatRecalculate}{%
  \setlength{\@bidituftefloat@overhang}{\marginparwidth}
  \addtolength{\@bidituftefloat@overhang}{\marginparsep}

  \setlength{\@bidituftefloat@fullwidth}{\textwidth}
```

```
  \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}

  \setlength{\@bidituftefloat@caption@fill}{\textwidth}
  \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
}
\AtBeginDocument{\bidituftefloatRecalculate}
\RequirePackage{optparams}% provides multiple optional arguments for commands
\RequirePackage{placeins}
\newsavebox{\@bidituftefloat@margin@floatbox}
\newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
 {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order.
  \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
  \begin{minipage}{\marginparwidth}%
    \@bidituftefloat@caption@font%
    \def\@captype{#2}%
    \hbox{}\vspace*{#1}%
    \@bidituftefloat@caption@justification%
    \@bidituftefloat@margin@par%
    \noindent%
  }
  {\end{minipage}%
  \end{lrbox}%
  \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
  }
\newenvironment{marginfigure}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{figure}}
  {\end{@bidituftefloat@margin@float}}
\newenvironment{margintable}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{table}}
  {\end{@bidituftefloat@margin@float}}
\newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%

\newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float is
\newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
  \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}%
    {\def\@bidituftefloat@float@debug@info{#1}}%
    {\g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak#1}}%
}
\newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
\newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug
\newboolean{@bidituftefloat@float@recto}
\newcommand{\forcerectofloat}{\gsetboolean{@bidituftefloat@float@recto}{true}\@bidituftefloat
\newcommand{\forceversofloat}{\gsetboolean{@bidituftefloat@float@recto}{false}\@bidituftefloa
\newsavebox{\@bidituftefloat@figure@box}
\newsavebox{\@bidituftefloat@caption@box}
\let\@bidituftefloat@orig@float\@float
\let\@bidituftefloat@orig@endfloat\end@float
\newlength{\@bidituftefloat@caption@vertical@offset}
\setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
```

```
\newcommand{\@bidituftefloat@stored@shortcaption}{}
\newcommand{\@bidituftefloat@stored@caption}{}
\newcommand{\@bidituftefloat@stored@label}{}
\long\def\@bidituftefloat@caption[#1][#2]#3{%
  \ifthenelse{\isempty{#1}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#3}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#1}}%
  \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}% we want a positive offset to lower
  \gdef\@bidituftefloat@stored@caption{#3}%
}
\newcommand{\@bidituftefloat@label}[1]{%
  \gdef\@bidituftefloat@stored@label{#1}%
}
\newcommand{\@bidituftefloat@fps}{}
\newboolean{@bidituftefloat@float@star}
\newlength{\@bidituftefloat@float@contents@width}
\newenvironment{@bidituftefloat@float}[3][htbp]%
  {% begin @bidituftefloat@float
    % Should this float be full-width or just text-width?
    \ifthenelse{\equal{#3}{star}}%
      {\gsetboolean{@bidituftefloat@float@star}{true}}%
      {\gsetboolean{@bidituftefloat@float@star}{false}}%
   % Check page side (recto/verso) and store detected value -- can be overriden in environment con
    \@bidituftefloat@checkoddpage%
    \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
    {\gsetboolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detected pag
    {\gsetboolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detected pa
   % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages, other
    \renewcommand{\@bidituftefloat@fps}{#1}%
    \@bidituftefloat@float@debug{Allowed positions: [#1]}%
    \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
    {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [bottom]
    {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]}}%
   % Capture the contents of the \caption and \label commands to use later
    \global\let\@bidituftefloat@orig@caption\caption%
    \global\let\@bidituftefloat@orig@label\label%
   \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[][0pt]}}%
    \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
    % Handle subfigure package compatibility
    \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
     % don't move the label while inside a \subfigure or \subtable command
      \global\let\label\@bidituftefloat@orig@label%
    }{}% subfigure package is not loaded
    \@bidituftefloat@orig@float{#2}[#1]%
    \ifthenelse{\boolean{@bidituftefloat@float@star}}%
    {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
      {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
    \begin{lrbox}{\@bidituftefloat@figure@box}%
    \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
  }{% end @bidituftefloat@float
```

```
    \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% align
      \end{minipage}%
    \end{lrbox}%
    % build the caption box
    \begin{lrbox}{\@bidituftefloat@caption@box}%
      \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
      \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}}{\@bidituftefloat@orig@caption
      \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}}{\@bidituftefloat@orig@label{\@b
        \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
      \end{minipage}%
    \end{lrbox}%
    % now typeset the stored boxes
    \begin{fullwidth}%
      \begin{minipage}[\floatalignment]{\linewidth}%
        \ifthenelse{\boolean{@bidituftefloat@float@star}}%
       {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@bidituft
       {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bidituft
      \end{minipage}%
    \end{fullwidth}%
   \@bidituftefloat@orig@endfloat% end original LaTeX float environment
    % output debug info
    \ifthenelse{\boolean{@bidituftefloat@debug}}{%
    \typeout{^^J^^J---------- bidituftefloat package float information ----------}%
      \ifthenelse{\equal{\@bidituftefloat@stored@label}{}}%
        {\typeout{Warning: Float unlabeled!}}%
        {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
      \typeout{Page number: [\thepage]}%
      \def\MessageBreak{^^J}%
      \typeout{\@bidituftefloat@float@debug@info}%
      \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
        {\typeout{Symmetric: [true]}}%
        {\typeout{Symmetric: [false]}}%
    \typeout{--------------------------------------------------^^J^^J}%
    }{}%
    % reset commands and temp boxes and captions
    \gdef\@bidituftefloat@float@debug@info{}%
    \let\caption\@bidituftefloat@orig@caption%
    \let\label\@bidituftefloat@orig@label%
    \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
    \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
    \gdef\@bidituftefloat@stored@shortcaption{}%
    \gdef\@bidituftefloat@stored@caption{}%
    \gdef\@bidituftefloat@stored@label{}%
   \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
  }
\newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
 \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}
    % asymmetric or page is odd, so caption is on the right
    \hbox{%
      \usebox{#2}%
```

```
      \hspace{\marginparsep}%
      \smash{\raisebox{#1}{\usebox{#3}}}%
    }
    \@bidituftefloat@float@debug{Caption position: [right]}%
  }{% symmetric pages and page is even, so caption is on the left
    \hbox{%
      \smash{\raisebox{#1}{\usebox{#3}}}%
      \hspace{\marginparsep}%
      \usebox{#2}%
    }
    \@bidituftefloat@float@debug{Caption position: [left]}%
  }%
}
\newcommand{\@bidituftefloat@float@fullwidth}[3][Opt]{%
  \ifthenelse{\equal{\floatalignment}{b}}%
    {% place caption above figure
    \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@rect
      {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug{Cap
      {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{Cap
    }{% place caption below figure
    \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@rect
      {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug{Cap
      {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug{Cap
    }%
}
\renewenvironment{figure}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table}[1][htbp]
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{figure*}[1][htbp]%
 {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{star}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table*}[1][htbp]%
 {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{star}}
  {\end{@bidituftefloat@float}}
\newenvironment{fullwidth}
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
    {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefloa
      {\begin{adjustwidth}{}{-\@bidituftefloat@overhang}}%
  }%
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
   {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}}
    {\end{adjustwidth}}%
  }
\long\def\@caption#1[#2]#3{%
  \par%
  \addcontentsline{\csname ext@#1\endcsname}{#1}%
    {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
```

```
  \begingroup%
    \@parboxrestore%
    \if@minipage%
      \@setminipage%
    \fi%
   \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
    \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
    %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
  \endgroup}
%%
% Turns newlines into spaces.  Based on code from the `titlesec' package.
\DeclareRobustCommand{\@bidituftefheading@newlinetospace}{%
 \@ifstar{\@bidituftefheading@newlinetospace@i}{\@bidituftefheading@newlinetospace@i}%
}
\def\@bidituftefheading@newlinetospace@i{%
  \ifdim\lastskip>\z@\else\space\fi
  \ignorespaces%
}
\DeclareRobustCommand{\newlinetospace}[1]{%
  \let\@bidituftefheading@orig@cr\\% save the original meaning of \\
  \def\\{\@bidituftefheading@newlinetospace}% turn \\ and \\* into \space
  \let\newline\\% turn \newline into \space
  #1%
  \let\\\@bidituftefheading@orig@cr% revert to original meaning of \\
}
\RequirePackage{fancyhdr}
\pagestyle{fancy}
\AtBeginDocument{%
  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhfoffset[LE,RO]{\@bidituftefloat@overhang}}
    {\fancyhfoffset[RE,RO]{\@bidituftefloat@overhang}}
}
% The running heads/feet don't have rules
\renewcommand{\headrulewidth}{0pt}
\renewcommand{\footrulewidth}{0pt}
% The 'fancy' page style is the default style for all pages.
\fancyhf{} % clear header and footer fields
    \ifthenelse{\boolean{@bidituftefloat@symmetric}}
   {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
    \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
   {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
% The `plain' page style is used on chapter opening pages.
% In Tufte's /Beautiful Evidence/ he never puts page numbers at the
% bottom of pages -- the folios are unexpressed.
\fancypagestyle{plain}{
  \fancyhf{} % clear header and footer fields
  % Uncomment the following five lines of code if you want the opening page
  % of the chapter to express the folio in the lower outside corner.
  %  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
  %  {\fancyfoot[LE,RO]{\thepage}}
```

```
  %  {\fancyfoot[RE,RO]{\thepage}}
}
% The `empty' page style suppresses all headers and footers.
% It's used on title pages and `intentionally blank' pages.
\fancypagestyle{empty}{
  \fancyhf{} % clear header and footer fields
}
\def\morefloats{% provides a total of 52 floats
  \ifthenelse{\isundefined{\bx@S}}{%
    \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
    \newinsert\bx@S
    \newinsert\bx@T
    \newinsert\bx@U
    \newinsert\bx@V
    \newinsert\bx@W
    \newinsert\bx@X
    \newinsert\bx@Y
    \newinsert\bx@Z
    \newinsert\bx@a
    \newinsert\bx@b
    \newinsert\bx@c
    \newinsert\bx@d
    \newinsert\bx@e
    \newinsert\bx@f
    \newinsert\bx@g
    \newinsert\bx@h
    \newinsert\bx@i
    \newinsert\bx@j
    \newinsert\bx@k
    \newinsert\bx@l
    \newinsert\bx@m
    \newinsert\bx@n
    \newinsert\bx@o
    \newinsert\bx@p
    \newinsert\bx@q
    \newinsert\bx@r
    \newinsert\bx@s
    \newinsert\bx@t
    \newinsert\bx@u
    \newinsert\bx@v
    \newinsert\bx@w
    \newinsert\bx@x
    \newinsert\bx@y
    \newinsert\bx@z
    \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                    \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                    \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                    \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                    \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                    \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
```

```
                    \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                    \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                    \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                    \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                    \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                    \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
}{% we've already added another 34 floats, so we'll add 26 more, but that's it!
  \ifthenelse{\isundefined{\bx@AA}}{%
    \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
    \newinsert\bx@AA
    \newinsert\bx@BB
    \newinsert\bx@CC
    \newinsert\bx@DD
    \newinsert\bx@EE
    \newinsert\bx@FF
    \newinsert\bx@GG
    \newinsert\bx@HH
    \newinsert\bx@II
    \newinsert\bx@JJ
    \newinsert\bx@KK
    \newinsert\bx@LL
    \newinsert\bx@MM
    \newinsert\bx@NN
    \newinsert\bx@OO
    \newinsert\bx@PP
    \newinsert\bx@QQ
    \newinsert\bx@RR
    \newinsert\bx@SS
    \newinsert\bx@TT
    \newinsert\bx@UU
    \newinsert\bx@VV
    \newinsert\bx@WW
    \newinsert\bx@XX
    \newinsert\bx@YY
    \newinsert\bx@ZZ
   \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                  \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                   \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                   \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                   \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                   \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                  \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                  \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                   \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                   \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                   \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                   \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
             \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
             \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
                   \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
```

```
                        \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
                        \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
                        \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
    }{%
    \bidituftefloatError{You may only call \string\morefloats\space twice. See the\MessageBreak
      {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\Messag
    }%
  }%
}
\newboolean{@bidituftefloat@packages@subfigure}
\setboolean{@bidituftefloat@packages@subfigure}{false}
\AtBeginDocument{%
  \@ifpackageloaded{subfigure}
    {\gsetboolean{@bidituftefloat@packages@subfigure}{true}}
    {\gsetboolean{@bidituftefloat@packages@subfigure}{false}}%
}
\AtBeginDocument{%
  \@ifpackageloaded{float}{%
   % Save the redefined float environment (instead of the LaTeX float environment)
    \let\@bidituftefloat@orig@float\@float
    \let\@bidituftefloat@orig@endfloat\end@float

    % Define Tuftian float styles (with the caption in the margin)
    \newcommand{\floatc@bidituftefloatplain}[2]{%
      \begin{lrbox}{\@bidituftefloat@caption@box}%
        \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
          \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
        \end{minipage}%
      \end{lrbox}%
    \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
    }
    \newcommand{\fs@bidituftefloatplain}{%
      \def\@fs@cfont{\@bidituftefloat@caption@font}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{}%
      \def\@fs@post{}%
      \def\@fs@mid{}%
      \let\@fs@iftopcapt\iftrue%
    }
    \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
    \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
    \newcommand\floatc@bidituftefloatruled[2]{%
      {\@fs@cfont #1} #2\par%
    }
    \newcommand\fs@bidituftefloatruled{%
      \def\@fs@cfont{\@bidituftefloat@caption@font}%
      \let\@fs@capt\floatc@bidituftefloatplain%
     \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
      \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
      \def\@fs@mid{}%
```

```
      \let\@fs@iftopcapt\iftrue%
    }
    \newcommand\fs@bidituftefloatboxed{%
      \def\@fs@cfont{}%
      \let\@fs@capt\floatc@bidituftefloatplain%
      \def\@fs@pre{%
        \setbox\@currbox\vbox{\hbadness10000
        \moveleft3.4pt\vbox{\advance\hsize by6.8pt
          \hrule \hbox to\hsize{\vrule\kern3pt
            \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
      }%
      \def\@fs@mid{\kern2pt}%
      \def\@fs@post{}%
      \let\@fs@iftopcapt\iftrue%
    }
  }{%
    % Nothing to do
  }
}
\AtBeginDocument{%
  \@ifpackageloaded{algorithm}{%
    % Set the float style to the Tuftian version
   \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@
    \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak to
      \floatstyle{bidituftefloat\ALG@floatstyle}%
      \restylefloat{algorithm}%
    }{}%
  }{%
    % Nothing to do
  }
}
\PassOptionsToPackage{caption=false}{subfig}
```

7.24 bidituftesidenote.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftesidenote}[2015/04/30 v0.3
bidi implementation of tufte sidenote]
\RequirePackage{xifthen}
\RequirePackage{ragged2e}
\RequirePackage{setspace}
\RequirePackage{biditools}
\def\bidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
```

```
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteympar}
\long\def\@bidituftesidenotexmpar[#1]#2{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \@bidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@bidituftesidenoteympar#1{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@bidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@bidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@bidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
     \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
}
\def\LTRbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
```

```
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteympar}
\long\def\@LTRbidituftesidenotexmpar[#1]#2{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRbidituftesidenoteympar#1{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteympar}
\long\def\@RTLbidituftesidenotexmpar[#1]#2{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
```

```
  \@xympar}
\long\def\@RTLbidituftesidenoteympar#1{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\newcommand{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@biditufteLTRsidenote@citation@font}{\@bidituftesidenote@marginfont}
\newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
\newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
\newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
\newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@biditufteLTRsidenote@citation@font}{#1}
\newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@au
\newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@
\newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@au
\newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
\newcommand{\@bidituftesidenote@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
%%
% Globally sets the length
\@ifundefined{gsetlength}{%
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}%
```

```
}{}
%%
% Globally sets a boolean
\@ifundefined{gsetboolean}{%
\newcommand*{\gsetboolean}[2]{% based on code from ifthen pkg
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
   {\PackageError{ifthen}{You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{ifthen}{Boolean #1 undefined}\@ehc}%
      {\global\csname#1\@tempa\endcsname}%
    }%
}%
}{}
%%
% A function that removes leading and trailling spaces from the supplied macro.
% Based on code written by Michael Downes (See ``Around the Bend'', #15.)
% Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
% being trimmed of leading and trailing white space.
\catcode`\Q=3
\def\@bidituftesidenote@trim@spaces#1{%
  % Use grouping to emulate a multi-token afterassignment queue
  \begingroup%
  % Put `\toks 0 {' into the afterassignment queue
  \aftergroup\toks\aftergroup0\aftergroup{%
  % Apply \trimb to the replacement text of #1, adding a leading
  % \noexpand to prevent brace stripping and to serve another purpose
  % later.
  \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
  % Transfer the trimmed text back into #1.
  \edef#1{\the\toks0}%
}
% \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
% clean up any leftover bizarre Qs, and trim a leading space. In
% order for \trimc to work properly we need to put back a Q first.
\def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
% Execute \vfuzz assignment to remove leading space; the \noexpand
% will now prevent unwanted expansion of a macro or other expandable
% token at the beginning of the trimmed text. The \endgroup will feed
% in the \aftergroup tokens after the \vfuzz assignment is completed.
\def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
\catcode`\Q=11
%%
% Citations should go in the margin as sidenotes

\RequirePackage{natbib}
\RequirePackage{bibentry}      % allows bibitems to be typeset outside thebibliography environme
% Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
\renewcommand\BR@b@bibitem[2][]{%
  \ifthenelse{\isempty{#1}}%
```

```
    {\BR@bibitem{#2}}%
    {\BR@bibitem[#1]{#2}}%
  \BR@c@bibitem{#2}%
}
\bidi@AtEndPreamble{\nobibliography*}           % pre-loads the bibliography keys
%%
% Normal \cite behavior
\newcounter{@bidituftesidenote@num@bibkeys}%
\newcommand{\@bidituftesidenote@normal@cite}[2][Opt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \sidenote[][#1]{%
   % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
     {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
      \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
     {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
\newcommand{\@biditufteLTRsidenote@normal@cite}[2][Opt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \LTRsidenote[][#1]{%
   % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@biditufteLTRsidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
     {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
      \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
     {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
\newcommand{\@biditufteRTLsidenote@normal@cite}[2][Opt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
```

```
  \RTLsidenote[][#1]{%
   % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
     {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
      \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
     {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% Macros for holding the list of cite keys until after the \sidenote
\gdef\@bidituftesidenote@citations{}% list of cite keys
\newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite keys
  \ifx\@bidituftesidenote@citations\@empty\else
    \g@addto@macro\@bidituftesidenote@citations{,}% separate by commas
  \fi
  \g@addto@macro\@bidituftesidenote@citations{#1}
}
\newcommand{\@bidituftesidenote@print@citations}[1][0pt]{% puts the citations in a margin note
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \marginpar{%
    \hbox{}\vspace*{#1}%
    \@bidituftesidenote@citation@font%
    \@bidituftesidenote@citation@justification%
   \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}%
   % Loop through all the bibentries, separating them with semicolons and spaces
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
     {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
      \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
     {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% \cite behavior when executed within a sidenote
\newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
```

```
\newcommand{\@bidituftesidenote@infootnote@cite}[1]{%
  \@bidituftesidenote@add@citation{#1}
}
%%
% Set the default \cite style.  This is set and reset by the \sidenote command.
\let\cite\@bidituftesidenote@normal@cite
\let\LTRcite\@bidituftеLTRsidenote@normal@cite
\let\RTLcite\@bidituftеRTLsidenote@normal@cite
%%
% Transform existing \footnotes into \sidenotes
% Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
\RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
\providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenot
\renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@
% Override footmisc's definition to set the sidenote marks (numbers) inside the
% sidenote's text block.
\bidi@patch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidituftesidenote@
% Set the in-text footnote mark in the same typeface as the body text itself.
\bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotes
\providecommand*{\multiplefootnotemarker}{3sp}
\providecommand*{\multfootsep}{,}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\@footnotemark}{%
  \leavevmode%
  \ifhmode%
    \edef\@x@sf{\the\spacefactor}%
    \@bidituftesidenote@check@multiple@sidenotes%
    \nobreak%
  \fi%
  \@makefnmark%
  \ifhmode\spacefactor\@x@sf\fi%
  \relax%
}%
}
\newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
  \ifdim\lastkern=\multiplefootnotemarker\relax%
    \edef\@x@sf{\the\spacefactor}%
    \unkern%
    \textsuperscript{\multfootsep}%
    \spacefactor\@x@sf\relax%
  \fi
}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand\@footnotetext[2][Opt]{%
  \bidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font\footnotesize%
   \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
```

```
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@LTRfootnotetext[2][0pt]{%
  \LTRbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font\footnotesize%
   \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@RTLfootnotetext[2][0pt]{%
  \RTLbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font\footnotesize%
   \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
}
%
% Define \sidenote command.  Can handle \cite.
\newlength{\@bidituftesidenote@sidenote@vertical@offset}
\setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
% #1 = footnote num, #2 = vertical offset, #3 = footnote text
```

```
\long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
 \let\cite\@bidituftesidenote@infootnote@cite%  use the in-sidenote \cite command
 \gdef\@bidituftesidenote@citations{}%        clear out any old citations
 \ifthenelse{\NOT\isempty{#2}}{%
   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
 }{%
   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
 }%
 \ifthenelse{\isempty{#1}}{%
   % no specific footnote number provided
   \stepcounter\@mpfn%
   \protected@xdef\@thefnmark{\thempfn}%
  \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
 }{%
   % specific footnote number provided
   \begingroup%
     \csname c@\@mpfn\endcsname #1\relax%
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup%
  \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
 }%
 \@bidituftesidenote@print@citations%             print any citations
\let\cite\@bidituftesidenote@normal@cite%     go back to using normal in-text \cite command
\let\LTRcite\@biditufteLTRsidenote@normal@cite%     go back to using normal in-text \LTRcite co
\let\RTLcite\@biditufteRTLsidenote@normal@cite%     go back to using normal in-text \RTLcite co
 \unskip\ignorespaces%               remove extra white space
\kern-\multiplefootnotemarker%     remove \kern left behind by sidenote
\kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
 \let\cite\@bidituftesidenote@infootnote@cite%  use the in-sidenote \cite command
 \gdef\@bidituftesidenote@citations{}%        clear out any old citations
 \ifthenelse{\NOT\isempty{#2}}{%
   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
 }{%
   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
 }%
 \ifthenelse{\isempty{#1}}{%
   % no specific footnote number provided
   \stepcounter\@mpfn%
   \protected@xdef\@thefnmark{\thempfn}%
  \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
 }{%
   % specific footnote number provided
   \begingroup%
     \csname c@\@mpfn\endcsname #1\relax%
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup%
  \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
 }%
```

```
  \@bidituftesidenote@print@citations%             print any citations
 \let\cite\@bidituftesidenote@normal@cite%     go back to using normal in-text \cite command
 \let\LTRcite\@bidiufteLTRsidenote@normal@cite%     go back to using normal in-text \LTRcite co
 \let\RTLcite\@bidiufteRTLsidenote@normal@cite%     go back to using normal in-text \RTLcite co
  \unskip\ignorespaces%                remove extra white space
 \kern-\multiplefootnotemarker%     remove \kern left behind by sidenote
 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
 \let\cite\@bidituftesidenote@infootnote@cite%  use the in-sidenote \cite command
 \gdef\@bidituftesidenote@citations{}%        clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
   \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
   \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%             print any citations
 \let\cite\@bidituftesidenote@normal@cite%     go back to using normal in-text \cite command
 \let\LTRcite\@bidiufteLTRsidenote@normal@cite%     go back to using normal in-text \LTRcite co
 \let\RTLcite\@bidiufteRTLsidenote@normal@cite%     go back to using normal in-text \RTLcite co
  \unskip\ignorespaces%                remove extra white space
 \kern-\multiplefootnotemarker%     remove \kern left behind by sidenote
 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}%
}
%%
% Sidenote without the footnote mark
\newcommand\marginnote[2][0pt]{%
 \let\cite\@bidituftesidenote@infootnote@cite%  use the in-sidenote \cite command
 \gdef\@bidituftesidenote@citations{}%        clear out any old citations
```

```
  \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituft
   \@bidituftesidenote@print@citations%             print any citations
  \let\cite\@bidituftesidenote@normal@cite%     go back to using normal in-text \cite command
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%     go back to using normal in-text \LTRcite co
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%     go back to using normal in-text \RTLcite co
}
\newcommand\LTRmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%  use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%        clear out any old citations
  \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidit
   \@bidituftesidenote@print@citations%             print any citations
  \let\cite\@bidituftesidenote@normal@cite%     go back to using normal in-text \cite command
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%     go back to using normal in-text \LTRcite co
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%     go back to using normal in-text \RTLcite co
}
\newcommand\RTLmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%  use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%        clear out any old citations
  \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidit
   \@bidituftesidenote@print@citations%             print any citations
  \let\cite\@bidituftesidenote@normal@cite%     go back to using normal in-text \cite command
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%     go back to using normal in-text \LTRcite co
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%     go back to using normal in-text \RTLcite co
}
```

7.25 bidituftetoc.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
bidi implementation of tufte toc]
\RequirePackage{titlesec,titletoc,xifthen,biditools}
\newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
\newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
%%
% Turn off section numbering
\setcounter{secnumdepth}{-1}
\newboolean{@bidituftetoc@toc}
\setboolean{@bidituftetoc@toc}{true}
\DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
\DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
\ProcessOptions
%%
% Make Tuftian-style section headings and TOC formatting
\bidi@patch@AfterPackage{bidi}{%
\titleformat{\chapter}%
  [display]% shape
 {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}}% format ap
  {\itshape\huge\thechapter}% label
  {0pt}% horizontal separation between label and title body
  {\huge\rmfamily\itshape}% before the title body
```

```
  [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}]% after the title bo
\titleformat{\section}%
  [hang]% shape
  {\normalfont\Large\itshape}% format applied to label+text
  {\thesection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\subsection}%
  [hang]% shape
  {\normalfont\large\itshape}% format applied to label+text
  {\thesubsection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\paragraph}%
  [runin]% shape
  {\normalfont\itshape}% format applied to label+text
  {\theparagraph}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titlespacing*{\chapter}{0pt}{50pt}{40pt}
\titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
\titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
}
% Subsubsection and following section headings shouldn't be used.
% See Bringhurst's _The Elements of Typography_, section 4.2.2.
\renewcommand\subsubsection{%
 \bidituftetocError{\noexpand\subsubsection is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subsubsection was used}
   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
   \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the many
   \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
\renewcommand\subparagraph{%
 \bidituftetocError{\noexpand\subparagraph is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subparagraph was used}
   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
   \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the many
   \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
% Formatting for main TOC (printed in front matter)
% {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
\ifthenelse{\boolean{@bidituftetoc@toc}}{%
 \bidi@patch@AfterPackage{bidi}{%
```

```
\titlecontents{part}% FIXME
    [0em] % distance from left margin
   {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatti
    {\contentslabel{2em}} % before w/label (label = ``II'')
    {} % before w/o label
   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
 \titlecontents{chapter}%
    [0em] % distance from left margin
   {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global formatti
    {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
    {\hspace*{0em}} % before w/o label
   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
 \titlecontents{section}% FIXME
    [0em] % distance from left margin
   {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatting
    {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
    {\hspace*{2em}} % before w/o label
   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
 \titlecontents{subsection}% FIXME
    [0em] % distance from left margin
   {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatting
   {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
    {\hspace*{4em}} % before w/o label
   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
 \titlecontents{paragraph}% FIXME
    [0em] % distance from left margin
   {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global forma
   {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
    {\hspace*{6em}} % before w/o label
   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
}%
}{}
%%
% Format lists of figures/tables
\renewcommand\listoffigures{%
  \@ifundefined{chapter}%
    {\section*{\listfigurename}}%
    {\chapter*{\listfigurename}}%
%  \begin{fullwidth}%
    \@starttoc{lof}%
%  \end{fullwidth}%
}
\renewcommand\listoftables{%
  \@ifundefined{chapter}%
    {\section*{\listtablename}}%
```

```
    {\chapter*{\listtablename}}%
%  \begin{fullwidth}%
    \@starttoc{lot}%
%  \end{fullwidth}%
}
\newcommand{\@bidituftetoc@lof@line}[2]{%
  % #1 is the figure/table number and its caption text
  % #2 is the page number on which the figure/table appears
  \leftskip 0.0em
  \rightskip 0em
  \parfillskip 0em plus 1fil
  \parindent 0.0em
  \@afterindenttrue
  \interlinepenalty\@M
  \leavevmode
  \@tempdima 2.0em
 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
  {#1}\nobreak\qquad\nobreak#2%
  \par%
}
\renewcommand*\l@figure{\@bidituftetoc@lof@line}
\let\l@table\l@figure
```

7.26 bidituftegeneralstructure.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
bidi implementation of tufte general structure]
\renewcommand\small{%
   \@setfontsize\small\@ixpt{12}%
   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus2\p@
   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 4\p@ \@plus2\p@ \@minus2\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
\renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
\renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
\renewcommand\large{\@setfontsize\large\@xipt{15}}
\renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
\renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
\renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
\renewcommand\Huge{\@setfontsize\Huge{24}{36}}
\setlength\leftmargini   {1pc}
\setlength\leftmarginii  {1pc}
\setlength\leftmarginiii {1pc}
```

```
\setlength\leftmarginiv  {1pc}
\setlength\leftmarginv   {1pc}
\setlength\leftmarginvi  {1pc}
\setlength\labelsep      {.5pc}
\setlength\labelwidth    {\leftmargini}
\addtolength\labelwidth{-\labelsep}
\setlength{\parindent}{1.0pc}%
\setlength{\parskip}{0pt}%
\RequirePackage{ragged2e}
\setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
% Paragraph indentation and separation for normal text
\newcommand{\@bidituftegeneralstructure@reset@par}{%
  \setlength{\RaggedRightParindent}{1.0pc}%
  \setlength{\JustifyingParindent}{1.0pc}%
  \setlength{\parindent}{1pc}%
  \setlength{\parskip}{0pt}%
}
\@bidituftegeneralstructure@reset@par
% Require paralist package for tighter lists
\RequirePackage{paralist}
% Add rightmargin to compactenum
\def\@compactenum@{%
  \expandafter\list\csname label\@enumctr\endcsname{%
    \usecounter{\@enumctr}%
    \rightmargin=2em% added this
    \parsep\plparsep
    \itemsep\plitemsep
    \topsep\pltopsep
    \partopsep\plpartopsep
    \def\makelabel##1{\hss\llap{##1}}}}
%%
% An environment for paragraph-style section
\providecommand\newthought[1]{%
   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
   \noindent\textbf{#1}%
}
%%
% Redefine the display environments (quote, quotation, etc.)
\renewenvironment{verse}
               {\let\\\@centercr
                \list{}{\itemsep      \z@
                        \itemindent   -1pc%
                        \listparindent\itemindent
                        \rightmargin  \leftmargin
                        \advance\leftmargin 1pc}%
                \small%
                \item\relax}
               {\endlist}
\renewenvironment{quotation}
               {\list{}{\listparindent 1pc%
```

```
                        \itemindent    \listparindent
                        \rightmargin   \leftmargin
                        \parsep        \z@ \@plus\p@}%
                 \small%
                 \item\relax\noindent\ignorespaces}
                {\endlist}
\renewenvironment{quote}
                {\list{}{\rightmargin\leftmargin}%
                 \small%
                 \item\relax}
                {\endlist}
% Italicize description run-in headings (instead of the default bold)
\renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
%%
% Redefine \bibsection to not mark the running heads.
% (Code modified from natbib.sty.)
\@ifundefined{chapter}%
  {\renewcommand\bibsection{\section*{\refname}}}
  {\@ifundefined{NAT@sectionbib}%
    {\renewcommand\bibsection{\chapter{\bibname}}}
    {\renewcommand\bibsection{\section*{\bibname}}}}
\RequirePackage{multicol}
\renewenvironment{theindex}{%
\@ifundefined{chapter}%
    {\section*{\indexname}}%
    {\chapter{\indexname}}%
  \begin{fullwidth}%
  \small%
  \parskip0pt%
  \parindent0pt%
  \let\item\@idxitem%
  \begin{multicols}{3}%
}{%
  \end{multicols}%
  \end{fullwidth}%
}
\AtBeginDocument{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
\renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
\renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}}
\renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
\newcommand{\lettergroup}[1]{}% swallow the letter heading in the index
```

7.27 bidituftehyperref.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
bidi implementation of tufte hyperref]
%%
% Color
```

```
\RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
\newboolean{@bidituftehyperref@loadhyper}
\setboolean{@bidituftehyperref@loadhyper}{true}
\DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
\DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
\ProcessOptions
%% Loads the hyperref package and sets some default options.
\newcommand{\bidituftehyperrefLoadHyperref}{%
\RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
  \hypersetup{%
    bookmarksdepth = section,
    citecolor = DarkGreen,
    linkcolor = DarkBlue,
%    pagecolor = DarkBlue,
    urlcolor = DarkGreen,
  }%
}
\ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
  \bidituftehyperrefLoadHyperref%
}{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
  \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
}
```

7.28 bidituftetitle.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
bidi implementation of tufte title]
\RequirePackage{biditools}
%%
% `titlepage' option -- creates a full title page with \maketitle
\newboolean{@bidituftetitle@titlepage}
\DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
\DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
% Default `book' and `handout' options
\@ifclassloaded{book}{%
\ExecuteOptions{titlepage}}{%
\@ifclassloaded{article}{%
\ExecuteOptions{notitlepage}}%
{}}
\ProcessOptions
%%
% Modified \title, \author, and \date commands.  These store the
% (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
\newcommand{\plaintitle}{}%     plain-text-only title
\newcommand{\plainauthor}{}%    plain-text-only author
\newcommand{\plainpublisher}{}% plain-text-only publisher
\newcommand{\thanklesstitle}{}%     full title text minus \thanks{}
\newcommand{\thanklessauthor}{}%    full author text minus \thanks{}
\newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
```

```
\newcommand{\@publisher}{}% full publisher with \thanks{}
\newcommand{\thedate}{\today}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\thanks}[1]{\footnote{#1}}
\renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
\renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
}
\renewcommand{\title}[2][]{%
  \gdef\@title{#2}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesstitle{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
    {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
}
\let\@author\@empty% suppress default latex.ltx ``no author'' warning
\renewcommand{\author}[2][]{%
  \ifthenelse{\isempty{#2}}{}{\gdef\@author{#2}}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklessauthor{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
   {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
    {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
   {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
}
\renewcommand{\date}[1]{%
  \gdef\@date{#1}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thedate{#1}%
  \endgroup%
}
```

```
%%
% Provides a \publisher command to set the publisher
\newcommand{\publisher}[2][]{%
  \gdef\@publisher{#2}%
  \begingroup%
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesspublisher{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}
   {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
   {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
}
%%
% Produces a full title page
\newcommand{\maketitlepage}[0]{%
  \cleardoublepage%
  {%
  \bfseries%
  \begin{fullwidth}%
  \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
  \vspace{11.5pc}%
  \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
  \vfill%
  \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
  \end{fullwidth}%
  }
  \thispagestyle{empty}%
  \clearpage%
}
%%
% Title block
\bidi@AfterEndPreamble{%
\renewcommand{\maketitle}{%
  \newpage%
 \global\@topnum\z@% prevent floats from being placed at the top of the page
  \begingroup%
    \setlength{\parindent}{0pt}%
    \setlength{\parskip}{4pt}%
    \let\@@title\@empty%
    \let\@@author\@empty%
    \let\@@date\@empty%
      \gdef\@@title{\LARGE\itshape\@title\par}%
      \gdef\@@author{\Large\itshape\@author\par}%
      \gdef\@@date{\Large\itshape\@date\par}%
    \@@title%
    \@@author%
    \@@date%
  \endgroup%
```

```
  \thispagestyle{plain}% suppress the running head
}%
}
%%
% Title page (if the `titlepage' option was passed to the bidituftetitle-handout
% class.)
\bidi@AfterEndPreamble{%
\ifthenelse{\boolean{@bidituftetitle@titlepage}}
  {\renewcommand{\maketitle}{\maketitlepage}}
  {}
}
%%
% When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
% without headers and footers
\def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
  \hbox{}
  %\vspace*{\fill}
  %\begin{center}
  %  This page intentionally contains only this sentence.
  %\end{center}
  %\vspace{\fill}
  \thispagestyle{empty}
  \newpage
  \if@twocolumn\hbox{}\newpage\fi\fi\fi}
```

7.29 bidituftе-handout.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{bidituftе-handout}[2011/06/18 v0.1 bidituftе-handout class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{article}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
\renewenvironment{abstract}
  {\begin{quotation}}
  {\end{quotation}}
\AtBeginDocument{%
\IfFileExists{bidituftе-handout.cfg}
  {\input{bidituftе-handout.cfg}
  \ClassInfo{bidituftе-handout}{Loading bidituftе-handout configuration file \@gobble}}
  {}%
```

```
}
```

7.30 bidituftе-book.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{bidituftе-book}[2011/06/18 v0.1 bidituftе-book class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{book}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
%%
% Set up any book-specific stuff now
%%
% The front matter in Tufte's /Beautiful Evidence/ contains everything up
% to the opening page of Chapter 1.  The running heads, when they appear,
% contain only the (arabic) page number in the outside corner.
%\newif\if@mainmatter \@mainmattertrue
\renewcommand\frontmatter{%
  \cleardoublepage%
  \@mainmatterfalse%
  \pagenumbering{arabic}%
  %\pagestyle{plain}%
  \fancyhf{}%
    \ifthenelse{\boolean{@bidituftefloat@twoside}}%
    {\fancyhead[LE,RO]{\thepage}}%
    {\fancyhead[RE,RO]{\thepage}}%
}
%%
% The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
% numbering---it continues where it left off in the front matter.
\renewcommand\mainmatter{%
  \cleardoublepage%
  \@mainmattertrue%
  \fancyhf{}%
  \ifthenelse{\boolean{@bidituftefloat@twoside}}%
      {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
    \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
    \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}}% chapter title
    {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
}
%%
```

```
% The back matter contains appendices, indices, glossaries, endnotes,
% biliographies, list of contributors, illustration credits, etc.
\renewcommand\backmatter{%
  \if@openright%
    \cleardoublepage%
  \else%
    \clearpage%
  \fi%
  \@mainmatterfalse%
}
%%
% Only show the chapter titles in the table of contents
\setcounter{tocdepth}{0}
\AtBeginDocument{%
\IfFileExists{biditufte-book.cfg}
  {\input{biditufte-book.cfg}
  \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
  {}%
}
```

7.31 bidipoem.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidipoem}%
[2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]

% Usage:
%
% \Setversedim #1#2  % define the layout (within a group):
% #1 = length of both half-verses
% #2 = separation distance = length of a connection, if present
%  Variant:
% \Setversedim #1[#2]#3  % for half-verses of unequal length
% #1 = length of first (=right) half-verse
% #2 = length of second (=left) half-verse
% #3 = separation distance = length of a connection, if present
%
% \traditionalhalfverses #1#2 % typeset two separated half-verses
% #1 = text of first (=right) half-verse
% #2 = text of second (=left) half-verse
%  Variant:
% \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
% #1 = text of first (=right) half-verse
% #2 = text of connection
% #3 = text of second (=left) half-verse
%
% Alternative (if preferred):
%
% \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3

```

```
\newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}

% define the layout, verses will be centered

\newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
\newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen

\newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
\bidipoem@hvind \textwidth
\bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
\ifx [#2\def \bidipoem@next {\bidipoem@set@verseI [}\else
\bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@n

\def \bidipoem@set@verseI [#1]{% optional parameter
\bidipoem@@hvlen #1\relax \bidipoem@set@@verse }

\newcommand*{\bidipoem@set@@verse}[1]{% separation
\advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
\advance \bidipoem@hvind -\bidipoem@hvsep  \divide \bidipoem@hvind 2 }

\newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
\ifdim 0pt > \bidipoem@hvind %
\bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
\else
\noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
\bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
\bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
\par }

% macro for two half verses
\newcommand*{\traditionalhalfverses}[2]{% optional parameter?
\ifx [#2\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[}%
\else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
\bidipoem@half@verses@next}

\def \bidipoem@half@verses #1[#2]#3{% first[mid]second
\traditionalconnverses {#1}{#2}{#3}}


{\catcode`\^^M=\active % these lines must end with %
  \gdef\traditionalpoem@obeylines{\catcode`\^^M\active \let^^M\traditionalpoem@par}%
  \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
{\catcode`\^^M=\active % these lines must end with %
  \gdef\modernpoem@obeylines{\catcode`\^^M\active \let^^M\modernpoem@par}%
  \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
\def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
\def\poemmarginskip{1em plus 1fil minus 1em}
\def\poemextrabaselineskip{0\baselineskip}
\def\poemskip{\medskip}
```

```
\newcommand{\bidipoem@openbox}{\leavevmode
  \hbox to.77778em{%
  \hfil\vrule
  \vbox to.675em{\hrule width.6em\vfil\hrule}%
  \vrule\hfil}}
\def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
\newdimen\versewidth
\newtoks\bidipoem@p@ftn
\def\poem@verse#1{%
\ifdim\wd#1>\new@poem@width
\xdef\new@poem@width{\the\wd#1}%
\ifdim\new@poem@width>\poem@width
\xdef\poem@width{\new@poem@width}%
\global\let\poem@needrun\relax
\fi
\fi
\hbox to\poem@width{\unhbox#1}%
\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
}
\def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
\def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
\def\poem@lineversesep{%
\nobreak
\hskip\z@ plus 1filll%
\penalty600%
\hskip\poemcolsepskip
\hskip\z@ plus -2filll%
\vadjust{}%
\nobreak
\hskip\z@ plus 1filll%
}
\def\poem@lineparsebegin{%
\halign\bgroup
\global\setbox\verse@i=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}&&
\global\setbox\verse@ii=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
```

```
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}
\cr
}
\def\poem@lineparseend{%
\crcr\egroup
\vskip-\baselineskip
}
\def\traditionalpoem@cr{%
  \cr\poem@line
}
\newbox\verse@i
\newbox\verse@ii
\newif\ifpoem@started

\def\poem@line{%
\poem@lineparseend
\ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
\ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
\ifpoem@started
  \ifdim\wd\verse@ii>\z@\else
  \nopagebreak[3]
  \fi
  \leavevmode
  \poem@linebegin
  \poem@verse\verse@i
  \ifdim\wd\verse@ii>\z@
  \poem@lineversesep
  \poem@verse\verse@ii
  \fi
  \poem@lineend
%  \nopagebreak
  \par
  \vskip\poemextrabaselineskip
\fi
\poem@lineparsebegin
}
\def\@traditionalpoem{%
\stepcounter{poem@no}
        \ifnum\max@poem@no<\number\c@poem@no%
\xdef\poem@width{\z@}%
        \else
\xdef\poem@width{\poem@prop{poem@width}}%
\fi
\xdef\new@poem@width{\z@}%
\global\versewidth=\poem@width
```

```
\poemskip\par
\begingroup
\tabskip=\z@
\parskip=\z@
\parindent=\z@
\parfillskip=\z@
\rightskip=\z@
\leftskip=\z@
\widowpenalty=10000% No break between verses of the same line.
\clubpenalty=10000% Same as above.  Not really needed.
\def\newblock{\hfil\poemblocksep\hfil\null}%
\def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
\def\\{\global\poem@startedtrue\traditionalpoem@cr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\poem@lineparsebegin
}
\def\@endtraditionalpoem{%
\cr
\ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
\noalign{%
\skip0=\poemextrabaselineskip
\vskip-\skip0
\vskip-\baselineskip
}%
\fi\fi
\poem@lineparseend
\endgroup
\par
\vskip\baselineskip
\poemskip
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
\ifdim\new@poem@width<\poem@width
\global\let\poem@needrun\relax
\fi
     \poem@write@aux{poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
\ifx\AtEndDocument\undefined\poem@finish\fi
}


\long\def\bidipoem@p@ftntext#1{%
 \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
```

```
  \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}}%
\long\def\bidipoem@p@LTRftntext#1{%
 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
\long\def\bidipoem@p@RTLftntext#1{%
 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}
 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%

\long\def\bidipoem@p@xftntext[#1]#2{%
 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidipoem@p@xLTRftntext[#1]#2{%
 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidipoem@p@xRTLftntext[#1]#2{%
 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}

\def\bidipoem@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xftntext[#1]}

\def\bidipoem@p@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xLTRftntext[#1]}

\def\bidipoem@p@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xRTLftntext[#1]}



\newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
\expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyli
\expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
\def\poem@finish{%
\poem@write@aux{max@poem@no}{\number\c@poem@no}%
\ifx\poem@needrun\relax
\PackageWarning{bidipoem}{Unjustified poem.  Rerun XeLaTeX to get poem right}%
\global\let\poem@needrun\undefined
\fi
}
```

```
\ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
\newcounter{poem@no}\setcounter{poem@no}{\z@}
\ifx\max@poem@no\undefined
        \def\max@poem@no{0}%
\fi
\newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
\newcommand{\poem@write@aux}[2]{%
     \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
        \@x
}
\def\@modernpoem{%
\par
\begingroup
\parskip=\z@
\parindent=\z@
\def\[{\@settab\@tabplus\ignorespaces}%
\def\]{\@tabminus\ignorespaces}%
\def\newblock{\poemblocksep}%
\let\newpoem@tabcr\@tabcr
\def\modernpoem@par{% Redefine \par for possible \obeylines
  \ifpoem@started\else
    \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
      \@stopfield
      \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
      \@contfield
    \fi
  \fi
  \ifpoem@started\newpoem@tabcr\fi}%
\def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\begin{tabbing}%
}
\def\@endmodernpoem{%
\global\poem@startedfalse
\ifdim\wd\@curline>\z@\global\poem@startedtrue\else
  \@stopfield
  \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
  \@contfield
\fi
\ifpoem@started\else\let\@stopline\@stopfield\fi
\end{tabbing}%
\endgroup
\par
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
```

```
    \fi
    \@endparenv
  \fi
}
\newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
\expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\moder
\expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
\gdef\@startfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup}
\gdef\@stopfield{%
 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
\gdef\@contfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup\unhbox\@curfield}
```

7.32 boek3-xetex-bidi.def

```
\ProvidesFile{boek3-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for boek3 class for XeTeX e
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
```

```
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
```

```
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
```

```
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
```

```
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

7.33 boek-xetex-bidi.def

```
\ProvidesFile{boek-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for boek class for XeTeX eng
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
```

```
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
```

```
 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
```

```
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

7.34 bookest-xetex-bidi.def

```
\ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for XeT
\def\@makechapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
```

```
        {\colorA\huge\scshape \@chapapp\space \thechapter}
        \par\nobreak
        \vskip 10\p@
      \fi
    \fi
    \interlinepenalty\@M
  {\colorB\hrule}
  \vskip 15\p@
   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
     {\colorA\Huge \bfseries #1}\par\nobreak
   \if@RTL\end{flushleft}\else\end{flushright}\fi
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \raggedright \normalfont
  {\colorB\hrule}
  \vskip 15\p@
   \begin{center}
     {\colorA\Huge \bfseries #1}\par\nobreak
   \end{center}
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
```

7.35 book-xetex-bidi.def

```
\ProvidesFile{book-xetex-bidi.def}[2015/11/14 v0.9 bidi adaptations for standard book class for
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
\@ifclassloaded{bookest}{}{%
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
```

```
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
```

```
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi}
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
```

```
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
```

```
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

7.36 breqn-xetex-bidi.def

```
\ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for XeTeX
\def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
  \everydisplay\expandafter{\the\everydisplay \display@setup}%
  \if@noskipsec \leavevmode \fi
  \if@inlabel \leavevmode \global\@inlabelfalse \fi
```

```
  \if\eq@group\else\eq@prelim\fi
  \setkeys{breqn}{#1}%
  \the\eqstyle
  \eq@setnumber
  \begingroup
  \eq@setup@a
  \eq@startup
}
\def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
  \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
  \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
  \global\let\GRP@label\@empty
  \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
  \global\grp@linewidth\z@\global\grp@wdNum\z@
  \global\let\grp@eqs@numbered\@False
  \global\let\grp@aligned\@True
  \global\let\grp@shiftnumber\@False
  \eq@prelim
  \setkeys{breqn}{#1}%
  \if\grp@hasNumber \grp@setnumber \fi
}
\def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
  \let\display@setup\dseries@display@setup
  % Question: should this be the default for dseries???
  \global\eq@wdCond\z@
  \@dmath[layout={M},#1]%
  \mathsurround\z@\@@math \penalty\@Mi
  \let\endmath\ends@math
  \def\premath{%
    \ifdim\lastskip<.3em \unskip
    \else\ifnum\lastpenalty<\@M \dquad\fi\fi
}%
 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
\ignorespaces
}
\def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
\renewenvironment{dsuspend}{%
 \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
    \parshape 1 \displayindent \displaywidth\relax
    \hsize=\columnwidth \noindent\ignorespaces
}{%
  \par\egroup
  \global\setbox\GRP@box\vbox{%
    \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
    \unvbox\GRP@box
  }%
  \global\GRP@queue\@xp{\the\GRP@queue
     \@elt{\let\eq@isIntertext\@True}%
  }%
}
```

7.37 cals-xetex-bidi.def

```
\ProvidesFile{cals-xetex-bidi.def}[2013/05/28 v0.3 bidi adaptations for cals package for XeTeX e
\renewenvironment{calstable}[1][c]{%
\if@RTL\@RTLtabtrue\cals@activate@rtl\fi
  \if l#1%
   \if@RTLtab\leftskip\fill \rightskip\z@\else\leftskip\z@ \rightskip\fill\fi
  \else\if r#1%
   \if@RTLtab\leftskip\z@ \rightskip\fill\else\leftskip\fill \rightskip\z@\fi
  \else\if c#1%
    \leftskip\fill \rightskip\fill
  \fi\fi\fi
\let\cals@thead@tokens=\relax
\let\cals@tfoot@tokens=\relax
\let\cals@tbreak@tokens=\relax
\cals@tfoot@height=0pt \relax
\let\cals@last@context=n%
\let\cals@current@context=b%
\parindent=0pt %
\cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
%% Alignment inside is independent on center/flushright outside
\parfillskip=0pt plus1fil\relax
\let\cals@borderL=\relax
\let\cals@borderR=\relax
\let\cals@borderT=\relax
\let\cals@borderB=\relax
}{% End of the table
\cals@tfoot@tokens\lastrule\@RTLtabfalse}

\renewcommand\alignL{%
\dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0 plus 1fill\else\cals@paddingL=\dimen0\
\dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}

\renewcommand\alignR{%
\dimen0=\cals@paddingL \if@RTLtab\cals@paddingL=\dimen0\else\cals@paddingL=\dimen0 plus 1fill\
\dimen0=\cals@paddingR \cals@paddingR=\dimen0 \relax}
```

7.38 caption-xetex-bidi.def

```
\ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for X
\let\@makecaption\caption@makecaption
```

7.39 caption3-xetex-bidi.def

```
\ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package fo
\renewcommand*\caption@@par{%
 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%
```

7.40 colortbl-xetex-bidi.def

```
\ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package fo
\def\CT@setup{%
```

```
  \@tempdimb\col@sep
  \@tempdimc\col@sep
  \def\CT@color{%
    \global\let\CT@do@color\CT@@do@color
    \bidicolor}}
\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
\expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
   \@addtopreamble{\if@RTLtab\beginL\fi%
    \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
      \ifcase \@chnum
      \hskip\stretch{.5}\kern\z@
      \d@llarbegin
      \insert@column
      \d@llarend\hskip\stretch{.5}\or
      \d@llarbegin \insert@column \d@llarend \hfill \or
      \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
   $\vcenter
   \@startpbox{\@nextchar}\insert@column \@endpbox $\or
   \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi
 \if@RTLtab\endR\fi\egroup\egroup
\begingroup
  \CT@setup
  \CT@column@color
  \CT@row@color
  \CT@cell@color
  \CT@do@color
\endgroup
        \@tempdima\ht\z@
        \advance\@tempdima\minrowclearance
        \vrule\@height\@tempdima\@width\z@
        \unhbox\z@\if@RTLtab\endL\fi}%
  \prepnext@tok}
```

7.41 color-xetex-bidi.def

```
\ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeTeX
\long\def\color@b@x#1#2#3{%
 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
 \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
       \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
\DeclareRobustCommand\color{%
 \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
```

```
\def\@declaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\@undeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor{%
  \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ignorespaces}
\def\@bidideclaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ignorespaces}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3{%
  \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode
```

7.42 combine-xetex-bidi.def

```
\ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeT
\renewcommand{\c@ll@chapsecii}[2]{%
 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
 \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
}
\renewcommand{\c@ll@chapseci}{%
  \setlength\@tempdima{0em}%
  \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode
}
\renewenvironment{tocindent}[1]{%
  \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}
```

7.43 crop-xetex-bidi.def

```
\ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX e
\renewcommand*\CROP@@ulc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@urc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@llc{%
```

```
  \if@RTLmain%
      \begin{picture}(0,0)
       \unitlength\p@\thinlines
       \put(-40,0){\circle{10}}
       \put(-30,-5){\line(0,1){10}}
       \put(-35,0){\line(1,0){30}}
       \put(-10,-30){\circle{10}}
       \put(-5,-30){\line(1,0){10}}
       \put(0,-35){\line(0,1){30}}
   \end{picture}%
  \else%
   \begin{picture}(0,0)
       \unitlength\p@\thinlines
       \put(-30,0){\circle{10}}
       \put(-30,-5){\line(0,1){10}}
       \put(-35,0){\line(1,0){30}}
       \put(0,-30){\circle{10}}
       \put(-5,-30){\line(1,0){10}}
       \put(0,-35){\line(0,1){30}}
   \end{picture}%
   \fi%
}
\renewcommand*\CROP@@lrc{%
   \if@RTLmain%
       \begin{picture}(0,0)
       \unitlength\p@\thinlines
       \put(20,0){\circle{10}}
       \put(30,-5){\line(0,1){10}}
       \put(35,0){\line(-1,0){30}}
       \put(-10,-30){\circle{10}}
       \put(-5,-30){\line(1,0){10}}
       \put(0,-35){\line(0,1){30}}
   \end{picture}%
   \else%
   \begin{picture}(0,0)
       \unitlength\p@\thinlines
       \put(30,0){\circle{10}}
       \put(30,-5){\line(0,1){10}}
       \put(35,0){\line(-1,0){30}}
       \put(0,-30){\circle{10}}
       \put(-5,-30){\line(1,0){10}}
       \put(0,-35){\line(0,1){30}}
   \end{picture}%
   \fi%
}
\@ifpackagewith{crop}{cam}{%
\CROP@execopt{cam}%
}{}
```

7.44 cutwin-xetex-bidi.def

```
\ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for XeT
\renewcommand*{\c@twcompctr}[2]{%
  \def\c@twfirst{1}
  \loop\advance\c@twwinlines\m@ne
  \setbox\c@twslicea=\vsplit#1 to\baselineskip
  \setbox\c@twsliceb=\vsplit#1 to\baselineskip
  \c@twprune{\c@twslicea}{\c@twlftside}%
  \c@twprune{\c@twsliceb}{\c@twrtside}%
  \ifnum\c@twfirst=\@ne
    \setbox#2=\vbox{\unvbox#2\hbox
   to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twsl
  \else
    \setbox#2=\vbox{\unvbox#2\hbox
   to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box
  \fi
  \def\c@twfirst{2}
  \ifnum\c@twwinlines>\z@\repeat}
\renewcommand*{\c@twcompoddctr}[2]{%
  \def\c@twrounds{1}
  \def\c@twfirst{1}
  \@for\c@twlspec:=\c@twb\do{%
    \ifnum\c@twrounds=1
      \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
      \c@twprune{\c@twslicea}{\c@twlspec}%
      \def\c@twrounds{2}
    \else
      \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
      \c@twprune{\c@twsliceb}{\c@twlspec}%
      \ifnum\c@twfirst=1
        \setbox#2=\vbox{\unvbox#2\hbox
     to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\
        \def\c@twfirst{2}
      \else
        \setbox#2=\vbox{\unvbox#2\hbox
     to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\b
      \fi
      \def\c@twrounds{1}
    \fi}}
```

7.45 cuted-xetex-bidi.def

```
\ProvidesFile{cuted-xetex-bidi.def}[2016/05/10 v0.4 bidi adaptations for cuted package for XeTeX

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
```

```
    \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
  \toks@\expandafter{\topmark}%
  \xdef\@firstcoltopmark{\the\toks@}%
  \toks@\expandafter{\splitfirstmark}%
  \xdef\@firstcolfirstmark{\the\toks@}%
  \ifx\@firstcolfirstmark\@empty
    \global\let\@setmarks\relax
  \else
    \gdef\@setmarks{%
      \let\firstmark\@firstcolfirstmark
      \let\topmark\@firstcoltopmark}%
  \fi
\else
  \global\@firstcolumntrue
  \setbox\@outputbox\vbox{%
   \hb@xt@\textwidth{%
     \hskip \columnwidth
     \hfil
     {\normalcolor\vrule \@width\columnseprule}%
     \hfil
      \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
      \hskip -\textwidth
     \hb@xt@\columnwidth{\box\@outputbox \hss}%
     \hskip \columnsep
    \hskip \columnwidth }}%
  \ifvoid\hold@viper
  \else
    \setbox\@outputbox \vbox to\textheight{%
                           \box\hold@viper
                           \box\@outputbox
                           \vss
                           }%
  \fi
\@combinedblfloats
  \@setmarks
  \@outputpage
  \begingroup
    \@dblfloatplacement
    \@startdblcolumn
    \@whilesw\if@fcolmade \fi{\@outputpage
   \@startdblcolumn}%
    \ifvoid\@viper
    \else
      \global\setbox\@viper\vbox{%
                 \vskip-\stripsep
                 \unvbox\@viper
                 }%
      \@viperoutput
    \fi
```

```
    \endgroup
  \fi}%

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
    \ifvoid\hold@viper
    \else
      \setbox\@outputbox \vbox to\textheight{%
                              \box\hold@viper
                              \box\@outputbox
                              \vss
                              }%
    \fi
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
      \ifvoid\@viper
      \else
        \global\setbox\@viper\vbox{%
```

```
                    \vskip-\stripsep
                    \unvbox\@viper
                    }%
          \@viperoutput
        \fi
     \endgroup
  \fi}%


\def \@addviper {%
   \if@firstcolumn
     \@insertfalse
     \@reqcolroom .5\@pageht
     \ht@viper\@reqcolroom
     \advance \@reqcolroom \ht\@viper
     \advance \@reqcolroom \stripsep
     \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
%%
     \@tempdimb \ht@viper
     \loop
     \setbox\v@aaa\copy\@holdpg
     \setbox\v@ccc\vbox to\@tempdimb{%
             \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
     \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
     \loop
     \setbox\v@aaa\copy\@holdpg
     \setbox\v@ccc\vbox to\@tempdimb{%
                \vsplit\v@aaa to\@tempdimb\vss}%
    \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
     \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
    \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
     \setbox\v@ccc\vbox to\@tempdimb{%
                \vsplit\@holdpg to\@tempdimb\vss}%
%%
     \setbox\@tempboxa \vbox {%
        \hb@xt@\textwidth {%
          \if@RTLmain%
          \hskip \columnwidth
           \hfil \vrule width\columnseprule \hfil
            \hb@xt@\columnwidth {%
                    \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
             \hskip -\textwidth
             \hb@xt@\columnwidth {%
                    \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
              \hskip \columnsep
              \hskip \columnwidth
               \else%
                \hb@xt@\columnwidth {%
                    \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
```

```
                  \hfil
                  \vrule \@width\columnseprule
                  \hfil
                  \hb@xt@\columnwidth {%
                  \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
                        \fi}%
                     }%
   \ifvoid\hold@viper
      \global\setbox\hold@viper \vbox {%
               \unvbox\@tempboxa
               \penalty\interlinepenalty
               \vskip\stripsep
               \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
               \outputpenalty \z@
                       }%
   \else
      \global\setbox\hold@viper \vbox {%
               \unvbox\hold@viper
               \unvbox\@tempboxa
               \penalty\interlinepenalty
               \vskip\stripsep
               \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
               \outputpenalty \z@
                       }%
   \fi
   \ifdim \@colroom>\@reqcolroom
      \global\setbox\hold@viper \vbox {%
               \unvbox\hold@viper
               \box\@viper
               \penalty\interlinepenalty
               \vskip\stripsep
               \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
               \outputpenalty \z@
                       }%
      \@inserttrue
      \advance\@tempdima by-\ht\hold@viper
      \global \advance \@colht \@tempdima
      \ifdim \@colht<2.5\baselineskip
     \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
               too tall on page \thepage (1 stulpelis)}%
         \@emptycol
         \if@firstcolumn
         \else
           \@emptycol
         \fi
         \global\@lastvipertrue
      \else
         \global \vsize \@colht
         \global \@colroom \@colht
         \check@floats
```

```
          \ifdim\@tempdima>\z@
                  \global\advance\@colroom by-\@tempdima
          \fi
          \ifdim\@colroom<\z@
                  \global\@colroom 1pt
                  \ifdim\@tempdima>\@colht
                     \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
                                netelpa lape \thepage (1 stulpelis)}%
                  \fi
                  \@emptycol
                  \if@firstcolumn
                  \else
                    \@emptycol
                  \fi
                  \global\@lastvipertrue
          \fi
        \fi
    \fi
  \else
    \@insertfalse
    \@reqcolroom\@colht
    \advance\@reqcolroom \@pageht
    \ht@viper.5\@reqcolroom
    \@reqcolroom\ht@viper
    \advance \@reqcolroom \ht\@viper
    \advance \@reqcolroom \stripsep
     \if@flushend@auto@baselineskip
      \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
        \global\lastskip@d\lastskip
        \global\lastskip@b\lastskip
        \loop
          \global\lastskip@a\lastskip@b
          \unskip\unpenalty
          \global\lastskip@b\lastskip
          \global\advance\lastskip@d by\lastskip
        \ifdim\lastskip@b=-\lastskip@a
          \global\advance\lastskip@d by-\lastskip
        \else
        \repeat
        \ifdim\lastskip@b=-\lastskip@a
          \ifdim\lastskip@b=\z@
            \setbox\lastbox@a\lastbox
            \global\advance\lastskip@d by\ht\lastbox@a
            \global\advance\lastskip@d by\lastskip
            \unskip\unpenalty
            \setbox\lastbox@a\lastbox
            \global\advance\lastskip@d by\dp\lastbox@a
          \else
            \global\lastskip@d\lastskip
            \global\advance\lastskip@d by\topskip
```

```
            \fi
          \fi
          \global\advance\lastskip@d by-\topskip
          }%
      \ifdim\ht\@holdpg>\@colht
      \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
          \par\eject
          \vbox to \@colht{\unvbox\@holdpg\unskip}%
          }%
      \else
        \global\setbox\@holdpg\vbox{%
          \unvbox\@leftcolumn\unskip\unpenalty
          \vskip\lastskip@d
          \the\At@ViperColsBreak
          \unvbox\@holdpg
          \unskip
          }%
      \fi
    \else
      \global\setbox\@holdpg\vbox{%
                \unvbox\@leftcolumn
                \setbox\@tempboxa\lastbox
                \on@stripcols@break
                \the\At@ViperColsBreak
                \unvbox\@holdpg
                }%
    \fi
    \global\At@ViperColsBreak{}%
    \ht@viper .5\ht\@holdpg
    \ifdim \ht@viper>\@colht
       \ht@viper \@colht
    \fi
    \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
%%
    \@tempdimb \ht@viper
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{%
                \vsplit\v@aaa to\@tempdimb
                \vss
                \vsplit\v@aaa to\@tempdimb
                }%
      \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
    \ifvoid\v@aaa
    \else
      \advance\@tempdimb 1\p@
    \repeat
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
```

```
  \wlog{(2)Left:\the\ht\v@ccc\space
          Right:\the\ht\v@aaa\space
         Output:\the\@tempdimb
       }%
\ifdim\ht\v@ccc<\ht\v@aaa
  \@tempdimb \the\ht\v@aaa
\repeat
\wlog{- LAST -^^JLeft:\the\ht\v@ccc
             ^^JRight:\the\ht\v@aaa
            ^^JOutput:\the\@tempdimb
     }%
\setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
\setbox\@tempboxa\vbox{%
   \hb@xt@\textwidth {%
      \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
       \hfil
       \vrule \@width\columnseprule
       \hfil
    \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
      }%
   }%
\ifvoid\hold@viper
   \global\setbox\hold@viper \vbox {%
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\else
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\fi
\ifdim \@colht>\@reqcolroom
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \box\@viper
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
   \@inserttrue
   \global\@firstcolumntrue
```

```
        \advance\@tempdima by-\ht\hold@viper
        \global \advance \@colht \@tempdima
        \ifdim \@colht<2.5\baselineskip
        \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
                                too tall on page \thepage (2 stulpelis)}%
            \@emptycol
            \if@firstcolumn
            \else
                \@emptycol
            \fi
            \global\@lastvipertrue
        \else
            \global \vsize \@colht
            \global \@colroom \@colht
            \check@floats
            \ifdim\@tempdima>\z@
                \global\advance\@colroom by-\@tempdima
            \fi
            \ifdim\@colroom<\z@
                \global\@colroom 1pt
                \ifdim\@tempdima>\@colht
                \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
                                   netelpa lape \thepage (2 stulpelis)}%
                \fi
                \@emptycol
                \if@firstcolumn
                \else
                    \@emptycol
                \fi
                \global\@lastvipertrue
            \fi
        \fi
    \fi
\fi
\if@insert
\else
    \advance\@tempdima by-\ht\hold@viper
    \global \advance \@colht \@tempdima
    \global\setbox\hold@viper \vbox {%
                                      \unvbox\hold@viper
                                     \csname viper@top@hook\endcsname
                                      \vsplit\@viper to \@colht
                                      \vss
                                     }%
    \vbox{}%
    \global\@firstcolumnfalse
    \newpage
\fi
}
```

7.46 cvthemebidicasual.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidicasual}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidicasual}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
\familynamecolour{808080}
\firstnamecolour{A9A9A9}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\definecolor{rulecolour}{gray}{0.6}
\definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
\definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
\if@colourorange
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
\if@colourgreen
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}
  \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
\if@colourred
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
```

```
\if@colourgrey
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}
  \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
  \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\renewcommand*{\maketitle}{%
  {%
    \ifthenelse{\isundefined{\@photo}}%
      {}%
    {{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
    \hfill%
   \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\\[-.35em]}%
   {\color{firstnamecolor}\rule{\textwidth}{.25ex}\\[2.5em]}%
  \ifthenelse{\isundefined{\@quote}}%
    {}%
   {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2
  }%
\newif\if@firstfooterelement\@firstfooterelementtrue
\providecommand*{\footersymbol}{}
\renewcommand*{\footersymbol}{%
  \if@firstfooterelement%
  \else%
    { ~~\color{footersymbolcolor}\textbullet~~~}\fi}
\providecommand*{\makefooter}{}
\renewcommand*{\makefooter}{%
  \fancypagestyle{plain}{%
    \fancyfoot[c]{%
      \parbox{0.8\textwidth}{%
      \centering%
      \addressfont\@addresscolour%
      \ifthenelse{\isundefined{\@address}}{}{%
        \addresssymbol~\@address\\%
        \@firstfooterelementfalse}%
    \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
    \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelemen
    \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse
    \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\@first
    \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfals
  }%
  \pagestyle{plain}}
\AtBeginDocument{\makefooter}
```

7.47 cvthemebidiclassic.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidiclassic}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidiclassic}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\firstnamecolour{}
\familynamecolour{}
\titlecolour{808080}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\if@colourorange
  \addresscolour{FF8C00}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}\fi
\if@colourgreen
  \addresscolour{008000}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}\fi
\if@colourred
  \addresscolour{FF0000}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}\fi
\if@colourgrey
  \addresscolour{808080}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
```

```
  \subsectioncolour{808080}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
\renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\newlength{\maketitlenamemaxwidth}
\setlength{\maketitlenamemaxwidth}{.525\textwidth}
\newlength{\maketitlenamefullwidth}
\settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyna
\newlength{\maketitlenamewidth}
\ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitl
\newlength{\maketitlepicturewidth}
\setlength{\maketitlepicturewidth}{\@photowidth}
\newlength{\maketitledetailswidth}
\renewcommand*{\recomputethemelengths}{%
  \setlength{\maketitledetailswidth}{\textwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
  \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}
\recomputethemelengths
\newif\if@firstdetailselement\@firstdetailselementtrue
\newcommand*{\maketitledetailsnewline}{
  \if@firstdetailselement%
    \@firstdetailselementfalse%
  \else%
    \\[.2em]\fi}
\renewcommand*{\maketitle}{%
  % name and title
  \begin{minipage}[b]{\maketitlenamewidth}%
    \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
    \ifthenelse{\equal{\@title}{}}{}{\\[1.25em]\titlestyle{\@title}}%
  \end{minipage}%
  % optional data
  \begin{minipage}[b]{\maketitledetailswidth}%
    \bidi@raggedleft\addressfont\@addresscolour%
   \ifthenelse{\isundefined{\@address}}{}{%
      \maketitledetailsnewline%
      \addresssymbol~\\\@address}%
   \ifthenelse{\isundefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
   \ifthenelse{\isundefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
   \ifthenelse{\isundefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
   \ifthenelse{\isundefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emaillink{\@ema
   \ifthenelse{\isundefined{\@extrainfo}}{}{\maketitledetailsnewline\@extrainfo}%
  \end{minipage}%
  % optional photo
  \ifthenelse{\isundefined{\@photo}}%
```

```
    {}%
   {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\mal
  % optional quote
  \ifthenelse{\isundefined{\@quote}}%
    {}%
   {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2
  }
```

7.48 dblfnote-xetex-bidi.def

```
\ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package fo
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width  \DFNcolumnwidth \kern 2.6\p@}%
\AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
\let\@footnotetext\dfn@footnotetext}
\long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
           \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
     \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
\let\@LTRfootnotetext\dfn@LTRfootnotetext}
\long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
           \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
```

```
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
      \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
      \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
\let\@RTLfootnotetext\dfn@RTLfootnotetext}
\def\dfn@RTLmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
               \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
          \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                   \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                 \hskip \DFNcolumnwidth
                 \hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}
                 \hskip -\textwidth
                 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                \unvbox\dfn@boxa\vss}\fi\hss}
                                 \hskip \DFNcolumnsep
                                 \hskip \DFNcolumnwidth}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
```

```
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                   \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                      \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                  \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                       \vbox to\number\@tempdimb sp{}}%
                           \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\def\dfn@LTRmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
               \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
          \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
               \advance\@tempdima-\skip\footins
               \advance\@tempdima-\ht\dfn@boxa
               \ifdim\@tempdima<\z@\else \@tempswafalse
                  \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
               \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
               \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
```

```
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                   \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                      \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                  \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                       \vbox to\number\@tempdimb sp{}}%
                           \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
\newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
\newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
\DFNalwaysdouble
```

7.49 draftwatermark-xetex-bidi.def

```
\ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwatermar
\renewcommand\SetWatermarkText[1]{%
  \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}
```

7.50 eso-pic-xetex-bidi.def

```
\ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for X
\renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
  \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}

\ESO@isMEMOIR{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \ifodd\c@page
        \@tempdima=\spinemargin
      \else
        \@tempdima=\paperwidth
        \advance\@tempdima-\textwidth
        \advance\@tempdima-\spinemargin
      \fi
      \@tempdimb=-\uppermargin
      \AtPageUpperLeft{%
      \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
```

```
      }%
    \endgroup
  }
}{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \@tempdima=1in\relax
      \ifodd\c@page
        \advance\@tempdima\oddsidemargin
      \else
        \advance\@tempdima\evensidemargin
      \fi
      \@tempdimb=-1in\relax
      \advance\@tempdimb-\topmargin
      \advance\@tempdimb-\headheight
      \advance\@tempdimb-\headsep
      \AtPageUpperLeft{%
      \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}
```

7.51 empheq-xetex-bidi.def

```
\ProvidesFile{empheq-xetex-bidi.def}[2011/09/07 v0.1 bidi adaptations for empheq package for XeT
\MHInternalSyntaxOn
\def\EQ_tag_plus_endmark:{%
  \iftagsleft@
    \gdef\maketag@@@##1{%
      \hfuzz\displaywidth
      \if@RTL\makebox[\widthof{##1}][r]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}
      \else\makebox[\widthof{##1}][l]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}\fi}%
  \else:
    \gdef\maketag@@@##1{%
      \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
        \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}%
        \MH_addtolength:dn \@tempdima
          {\g_EQ_bottomtag_depth_dim+\mintagvsep}
        \setlength{\@tempdimb}
          {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{}}
            +\depthof{\EQ_innerbox:{}}}
```

```
      \if_dim:w \@tempdima>\@tempdimb
        \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
          -\@tempdima+\g_EQ_bottomrow_depth_dim}
        \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{}}}%
        \def\EQ_next:{\raisebox{\@tempdima}}%
      \else:
        \def\EQ_next:{
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}}%
      \fi:\EQ_next:}}}}%
 \fi:}
\def\EQ_post_process:{%
 \EQ_initialize:
 \EQ_begin_equation:
 \MH_if_boolean:nT {outer_mult}{
   \setkeys{\MT_options_name:}{
     firstline-afterskip=0pt,
     lastline-preskip=0pt,
     multlined-width=0pt,
   }
   \ifodd \l_EQ_alignmentmode_int
     \setkeys{\MT_options_name:}{multlined-pos=b}
   \else:
     \setkeys{\MT_options_name:}{multlined-pos=t}
   \fi:
     \g@addto@macro\EQ_complete_mathdisplay:{
       \begin{MTmultlined}\relax}
 }
 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
 \MH_if_boolean:nT {outer_mult}{
   \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
 }
 \EQ_end_equation:
 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
 \savecounters@
 \EQ_typeset_tags:
 \edef\l_EQ_equation_fint{\number\c@equation}
 \restorecounters@
 \Hy@linkcounter=\EQ_hyperref_link_fint
 \settowidth\l_EQ_totalwidth_dim{%
   $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
 \MH_if_boolean:nTF {outer_mult}
   { \def\EQ_next:{_mult} }
   { \def\EQ_next:{} }
 \@nameuse{EQ_modify_linewidth_
           \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
 \EQ_typeset_display:
 \@nameuse{find_displaywidth_
          \romannumeral\l_EQ_equationtype_int\EQ_next: :}
 \MH_addtolength:dn
```

```
  \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
\savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
  $\EQ_left_side:
  \EQ_innerbox:{%
    \if_case:w \l_EQ_alignmentmode_int\or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \or:
      \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
        \if_num:w \l_EQ_equationtype_int=5 \else:
          \if_num:w \l_EQ_equationtype_int=6 \else:
            \kern-\@mathmargin
          \fi:
        \fi:
        \usebox{\EQ_mathdisplay_box}}%
      \else\makebox[\l_EQ_displaywidth_dim][l]{%
        \if_num:w \l_EQ_equationtype_int=5 \else:
          \if_num:w \l_EQ_equationtype_int=6 \else:
            \kern-\@mathmargin
          \fi:
        \fi:
        \usebox{\EQ_mathdisplay_box}}\fi%
    \or:
      \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
        \if_num:w \l_EQ_equationtype_int=5 \else:
          \if_num:w \l_EQ_equationtype_int=6 \else:
            \kern-\@mathmargin
          \fi:
        \fi:
        \usebox{\EQ_mathdisplay_box}}
      \else\makebox[\l_EQ_displaywidth_dim][l]{%
        \if_num:w \l_EQ_equationtype_int=5 \else:
          \if_num:w \l_EQ_equationtype_int=6 \else:
            \kern-\@mathmargin
          \fi:
        \fi:
        \usebox{\EQ_mathdisplay_box}}\fi%
    \fi:}%
  \EQ_right_side:$}%
\begin{AmSequation*}
\@nameuse{EQ_place_display_
         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
\if_dim:w \g_EQ_widesttag_dim>\z@
\MH_set_boolean_T:n {show_manual_tags}
  \if_case:w \l_EQ_alignmentmode_int
  \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
  \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
```

```
    \or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
    \or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
    \fi:
  \fi:
  \end{AmSequation*}
  \global\c@equation=\l_EQ_equation_fint\relax
}
\AtBeginDocument{%
  \@ifpackageloaded{fancybox}{%
    \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
    {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
    \renewcommand*\shadowbox{%
      \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}
              {\MH_set_boolean_F:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}}
    \def\EQ_shadowbox:n #1{%
      \sbox{\z@}{\fbox{#1}}%
      \MH_if_boolean:nTF {shadowbox_star}{
        \MH_setlength:dn \@tempdima{\z@}%
      }{
        \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
      }
      \raisebox{\@tempdima}{%
        \if@RTL\makebox[\z@][r]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }%
        \else\makebox[\z@][l]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }\fi%
        \usebox\z@\textcolor{shadowcolor}{%
          \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
  }{}%
}
\MHInternalSyntaxOff
```

7.52 extarticle-xetex-bidi.def

```
\ProvidesFile{extarticle-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for extarticle class
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
```

```
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
  \renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
    \endgroup
  \fi}
  \def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname~\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
  \def\@spart#1{%
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \huge \bfseries #1\par}%
     \nobreak
     \vskip 3ex
     \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname
        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
         \list{\@biblabel{\@arabic\c@enumiv}}%
```

```
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
    \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
```

```
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
```

```
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%
```

7.53 extbook-xetex-bidi.def

```
\ProvidesFile{extbook-xetex-bidi.def}[2010/07/25 v0.3 bidi adaptations for extbook class for XeT
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
```

```
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
```

```
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
```

```
    \vskip 40\p@
  }}

\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

7.54 extletter-xetex-bidi.def

```
\ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class fo
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
   {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignorespa
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
```

```
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
  \stopbreaks
  \noindent
  \ifx\@empty\fromaddress\else
  \hspace*{\longindentation}\fi
  \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
       \ignorespaces #1\\[6\medskipamount]%
       \ifx\@empty\fromsig
           \fromname
       \else \fromsig \fi\strut}%
   \par}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

7.55 extrafootnotefeatures-xetex-bidi.def

```
\ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2016/05/10 v1 bidi extra footnote features
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\bidi@ensure@newcommand{\setRTLparagraphfootnotes}{\@parafootRTLtrue}
\bidi@ensure@newcommand{\setLTRparagraphfootnotes}{\@parafootRTLfalse}
\renewcommand{\@footnotetext}[1]{%
    \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \foottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
```

```
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@RTLfootnotetext}[1]{%
    \insert\footins{%
    \@RTLtrue%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \RTLfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@LTRfootnotetext}[1]{%
    \insert\footins{%
    \@RTLfalse%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \LTRfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
        \@finalstrut\strutbox}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@mpfootnotetext}[1]{%
 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \foottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
 \color@begingroup
 \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
      \@finalstrut\strutbox}%
 \color@endgroup}}
\renewcommand{\@mpLTRfootnotetext}[1]{%
 \global\setbox\@mpfootins\vbox{\@RTLfalse%
```

```
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \LTRfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\renewcommand{\@mpRTLfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \RTLfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
  \reset@font%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
      \@finalstrut\strutbox}%
  \color@endgroup}}
\let\m@mold@footnotetext\@footnotetext
\let\m@mold@LTRfootnotetext\@LTRfootnotetext
\let\m@mold@RTLfootnotetext\@RTLfootnotetext
\let\m@mold@mpfootnotetext\@mpfootnotetext
\let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
\let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
\bidi@ensure@newcommand{\normalfootnotes}{%
  \let\@footnotetext\m@mold@footnotetext
  \let\@LTRfootnotetext\m@mold@LTRfootnotetext
  \let\@RTLfootnotetext\m@mold@RTLfootnotetext
  \let\@mpfootnotetext\m@mold@mpfootnotetext
  \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
  \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext}
\@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
\bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
\bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
\bidi@ensure@newcommand*{\setSingleSpace}[1]{%
  \def\m@m@singlespace{#1}%
  \def\m@m@footnote@spacing{#1}%
  \def\m@m@float@spacing{#1} %
}
\setSingleSpace{1}
\bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
\bidi@ensure@newcommand*{\m@mmf@prepare}{%
  \kern-\multiplefootnotemarker
  \kern\multiplefootnotemarker\relax}
```

```
\bidi@ensure@newlength{\footmarkwidth}
\bidi@ensure@newlength{\footmarksep}
\bidi@ensure@newlength{\footparindent}
\bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
\bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
\bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
\bidi@ensure@newcommand{\footfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\footscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\footscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\LTRfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\LTRfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\LTRfootscript{\@thefnmark}}%
    \else
     \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\RTLfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\RTLfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\RTLfootscript{\@thefnmark}}%
    \else
     \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
    \fi
  \fi}
\footmarkstyle{\textsuperscript{#1}}
\LTRfootmarkstyle{\textsuperscript{#1}}
\RTLfootmarkstyle{\textsuperscript{#1}}
\setlength{\footmarkwidth}{1em plus.4em minus.4em}
\setlength{\footparindent}{1em}
\bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
\bidi@ensure@newcommand*{\extrafeetins}{%
  \setbox\@outputbox \vbox{%
```

```
    \boxmaxdepth \@maxdepth
    \unvbox\@outputbox
    \ifvoid\footinsv@r\else\@footstartv@r\@footgroupv@r\fi
    \extrafeetinshook}}
\bidi@ensure@newcommand{\extrafeetinshook}{}
\bidi@ensure@newcommand{\foottextfont}{\footnotesize}
\bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
\bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
\bidi@ensure@newlength{\footinsdim}
  \setlength{\footinsdim}{8in}   % standard for \dimen\footins
\bidi@ensure@newcommand{\@preamfntext}{%
  \interlinepenalty\interfootnotelinepenalty
  \floatingpenalty \@MM
  \splittopskip=\footnotesep
  \splitmaxdepth=\dp\strutbox
  \@parboxrestore}
\bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
  \extrafeetminihook}
\bidi@ensure@newcommand{\extrafeetendmini}{%
  \ifvoid\@mpfootinsv@r\else
    \vskip\skip\@mpfootins
    \normalcolor\footnoterule\mp@footgroupv@r
  \fi
  \extrafeetendminihook}
\bidi@ensure@newcommand{\extrafeetendminihook}{}
\bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
\def\endminipage{%
  \par
  \unskip
  \ifvoid\@mpfootins\else
    \vskip\skip\@mpfootins
    \normalcolor
    \footnoterule
    \unvbox\@mpfootins
  \fi
  \m@mdoextrafeetendmini
  \@minipagefalse
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\bidi@ensure@newcommand{\m@make@footstart}[1]{%
  \@namedef{@footstart#1}{%
   \bidi@mopfn@bottom
    \vskip\bigskipamount
    \leftskip=\z@
    \rightskip=\z@
    \footnoterule}}
\newinsert\footinsv@r
  \skip\footinsv@r\bigskipamount
  \count\footinsv@r=1000 % no magnifcation
```

```
  \dimen\footinsv@r=\footinsdim
\m@make@footstart{v@r}
\bidi@ensure@newcommand{\@footgroupv@r}{}
\newinsert\@mpfootinsv@r
\bidi@ensure@newcommand{\mp@footgroupv@r}{}
\newcount\m@m@k \newdimen\m@m@h
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \hsize\textwidth
 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
 \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}
\bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
  \global\advance\m@m@k-1\cr\m@mdosplits\fi}
\bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
  \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
  \setbox2 \vsplit0 to \dimen0
  \unvbox2 }
\bidi@ensure@newcommand{\twocolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@twocolfootnotetext
  \let\@LTRfootnotetext\@twocolLTRfootnotetext
  \let\@RTLfootnotetext\@twocolRTLfootnotetext
  \dimen\footinsv@r=2\footinsdim
  \count\footinsv@r=500\relax
  \m@make@twocol@footgroup{v@r}%
  \let\@footgroupv@r\@twocol@footgroupv@r
  \let\@mpfootnotetext\@mptwocolfootnotetext
  \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
  \m@make@mptwocol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptwocol@footgroupv@r}
\bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
```

```
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtwofmt}{%
  \hsize .45\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
  \@preamtwofmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
  \@preamtwofmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
  \@preamtwofmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
```

```
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\twocolumnfootstyle}[1]{%
  \m@make@twocolfootnotetext{#1}%
  \m@make@mptwocolfootnotetext{#1}%
  \m@make@twocolfootfmt{#1}%
  \m@make@twocol@footgroup{#1}%
  \m@make@mptwocol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@twocolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mptwocolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@twocol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mptwocol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@twocolfootnotetext}[1]{%
  \bidi@namelongdef{@twocolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@twocolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mptwocolfootnotetext}[1]{%
\bidi@namelongdef{@mptwocolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
```

```
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@twocolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@twocolfootfmt}[1]{%
  \@namedef{@twocolfootfmt#1}##1{%
    \@preamtwofmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
  \@namedef{@twocol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
\@namedef{@mptwocol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\threecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@threecolfootnotetext
  \let\@LTRfootnotetext\@threecolLTRfootnotetext
  \let\@RTLfootnotetext\@threecolRTLfootnotetext
  \dimen\footinsv@r=3\footinsdim
  \count\footinsv@r=333\relax
  \m@make@threecol@footgroup{v@r}%
  \let\@footgroupv@r\@threecol@footgroupv@r
  \let\@mpfootnotetext\@mpthreecolfootnotetext
  \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
  \m@make@mpthreecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpthreecol@footgroupv@r}
\bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
```

```
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@preamthreefmt}{%
  \hsize .3\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
  \@preamthreefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
  \@preamthreefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
  \@preamthreefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
```

```
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\threecolumnfootstyle}[1]{%
  \m@make@threecolfootnotetext{#1}%
  \m@make@mpthreecolfootnotetext{#1}%
  \m@make@threecolfootfmt{#1}%
  \m@make@threecol@footgroup{#1}%
  \m@make@mpthreecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
    \@nameuse{@threecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpthreecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@threecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpthreecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=3\footinsdim
  \expandafter\count\csname footins#1\endcsname=333\relax}
\bidi@ensure@newcommand{\m@make@threecolfootnotetext}[1]{%
\bidi@namelongdef{@threecolfootnotetext#1}##1{%
  \insert\@nameuse{footins#1}{%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\@nameuse{foottextfont#1}%
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@threecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpthreecolfootnotetext}[1]{%
\bidi@namelongdef{@mpthreecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@threecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@threecolfootfmt}[1]{%
\bidi@namelongdef{@threecolfootfmt#1}##1{%
  \@preamthreefmt
```

```
  {\@nameuse{footfootmark#1}\strut
   {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
\@namedef{@threecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
\@namedef{@mpthreecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\fourcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@fourcolfootnotetext
  \let\@LTRfootnotetext\@fourcolLTRfootnotetext
  \let\@RTLfootnotetext\@fourcolRTLfootnotetext
  \dimen\footinsv@r=4\footinsdim
  \count\footinsv@r=250\relax
  \m@make@fourcol@footgroup{v@r}%
  \let\@footgroupv@r\@fourcol@footgroupv@r
  \let\@mpfootnotetext\@mpfourcolfootnotetext
  \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
  \m@make@mpfourcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfourcol@footgroupv@r}
\bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
```

```
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfourfmt}{%
  \hsize .25\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
  \@preamfourfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
  \@preamfourfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
  \@preamfourfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
```

```
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\fourcolumnfootstyle}[1]{%
  \m@make@fourcolfootnotetext{#1}%
  \m@make@mpfourcolfootnotetext{#1}%
  \m@make@fourcolfootfmt{#1}%
  \m@make@fourcol@footgroup{#1}%
  \m@make@mpfourcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@fourcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpfourcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@fourcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpfourcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@fourcolfootnotetext}[1]{%
  \bidi@namelongdef{@fourcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@fourcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpfourcolfootnotetext}[1]{%
\bidi@namelongdef{@mpfourcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@fourcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@fourcolfootfmt}[1]{%
  \@namedef{@fourcolfootfmt#1}##1{%
    \@preamfourfmt
    {\@nameuse{footfootmark#1}\strut
```

```
    {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
  \@namedef{@fourcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
\@namedef{@mpfourcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\fivecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@fivecolfootnotetext
  \let\@LTRfootnotetext\@fivecolLTRfootnotetext
  \let\@RTLfootnotetext\@fivecolRTLfootnotetext
  \dimen\footinsv@r=5\footinsdim
  \count\footinsv@r=200\relax
  \m@make@fivecol@footgroup{v@r}%
  \let\@footgroupv@r\@fivecol@footgroupv@r
  \let\@mpfootnotetext\@mpfivecolfootnotetext
  \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
  \m@make@mpfivecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfivecol@footgroupv@r}
\bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
```

```
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfivefmt}{%
  \hsize .2\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
  \@preamfivefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
  \@preamfivefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
  \@preamfivefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
```

```
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\fivecolumnfootstyle}[1]{%
  \m@make@fivecolfootnotetext{#1}%
  \m@make@mpfivecolfootnotetext{#1}%
  \m@make@fivecolfootfmt{#1}%
  \m@make@fivecol@footgroup{#1}%
  \m@make@mpfivecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@fivecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpfivecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@fivecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpfivecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@fivecolfootnotetext}[1]{%
  \bidi@namelongdef{@fivecolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@fivecolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpfivecolfootnotetext}[1]{%
\bidi@namelongdef{@mpfivecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@fivecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@fivecolfootfmt}[1]{%
  \@namedef{@fivecolfootfmt#1}##1{%
    \@preamfivefmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
```

```
\bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
  \@namedef{@fivecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
\@namedef{@mpfivecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\sixcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@sixcolfootnotetext
  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
  \dimen\footinsv@r=6\footinsdim
  \count\footinsv@r=166\relax
  \m@make@sixcol@footgroup{v@r}%
  \let\@footgroupv@r\@sixcol@footgroupv@r
  \let\@mpfootnotetext\@mpsixcolfootnotetext
  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
  \m@make@mpsixcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r}
\bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
```

```
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsixfmt}{%
  \hsize .16\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
  \@preamsixfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
  \@preamsixfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
  \@preamsixfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\f
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\sixcolumnfootstyle}[1]{%
  \m@make@sixcolfootnotetext{#1}%
  \m@make@mpsixcolfootnotetext{#1}%
  \m@make@sixcolfootfmt{#1}%
  \m@make@sixcol@footgroup{#1}%
  \m@make@mpsixcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@sixcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpsixcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@sixcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpsixcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@sixcolfootnotetext}[1]{%
  \bidi@namelongdef{@sixcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@sixcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpsixcolfootnotetext}[1]{%
\bidi@namelongdef{@mpsixcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@sixcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@sixcolfootfmt}[1]{%
  \@namedef{@sixcolfootfmt#1}##1{%
    \@preamsixfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
```

```
  \@namedef{@sixcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
\@namedef{@mpsixcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\sevencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@sevencolfootnotetext
  \let\@LTRfootnotetext\@sevencolLTRfootnotetext
  \let\@RTLfootnotetext\@sevencolRTLfootnotetext
  \dimen\footinsv@r=7\footinsdim
  \count\footinsv@r=142\relax
  \m@make@sevencol@footgroup{v@r}%
  \let\@footgroupv@r\@sevencol@footgroupv@r
  \let\@mpfootnotetext\@mpsevencolfootnotetext
  \let\@mpLTRfootnotetext\@mpsevencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
  \m@make@mpsevencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsevencol@footgroupv@r}
\bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
```

```
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsevenfmt}{%
  \hsize .142\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
  \@preamsevenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
  \@preamsevenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
  \@preamsevenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
```

```
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\sevencolumnfootstyle}[1]{%
  \m@make@sevencolfootnotetext{#1}%
  \m@make@mpsevencolfootnotetext{#1}%
  \m@make@sevencolfootfmt{#1}%
  \m@make@sevencol@footgroup{#1}%
  \m@make@mpsevencol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@sevencolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpsevencolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@sevencol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpsevencol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@sevencolfootnotetext}[1]{%
  \bidi@namelongdef{@sevencolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@sevencolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpsevencolfootnotetext}[1]{%
\bidi@namelongdef{@mpsevencolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@sevencolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@sevencolfootfmt}[1]{%
  \@namedef{@sevencolfootfmt#1}##1{%
    \@preamsevenfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
  \@namedef{@sevencol@footgroup#1}{{%
```

```
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
\@namedef{@mpsevencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\eightcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@eightcolfootnotetext
  \let\@LTRfootnotetext\@eightcolLTRfootnotetext
  \let\@RTLfootnotetext\@eightcolRTLfootnotetext
  \dimen\footinsv@r=8\footinsdim
  \count\footinsv@r=125\relax
  \m@make@eightcol@footgroup{v@r}%
  \let\@footgroupv@r\@eightcol@footgroupv@r
  \let\@mpfootnotetext\@mpeightcolfootnotetext
  \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
  \m@make@mpeightcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpeightcol@footgroupv@r}
\bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
```

```
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preameightfmt}{%
  \hsize .125\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
  \@preameightfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
  \@preameightfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
  \@preameightfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
   \unvbox\@mpfootinsv@r
   \def\baselinestretch{\m@m@footnote@spacing}%
   \reset@font\foottextfont
   \hsize\columnwidth \@parboxrestore
   \protected@edef\@currentlabel{%
     \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
```

```
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\eightcolumnfootstyle}[1]{%
  \m@make@eightcolfootnotetext{#1}%
  \m@make@mpeightcolfootnotetext{#1}%
  \m@make@eightcolfootfmt{#1}%
  \m@make@eightcol@footgroup{#1}%
  \m@make@mpeightcol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@eightcolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpeightcolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@eightcol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpeightcol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@eightcolfootnotetext}[1]{%
  \bidi@namelongdef{@eightcolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@eightcolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpeightcolfootnotetext}[1]{%
\bidi@namelongdef{@mpeightcolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@eightcolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@eightcolfootfmt}[1]{%
  \@namedef{@eightcolfootfmt#1}##1{%
    \@preameightfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
  \@namedef{@eightcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
```

```
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
\@namedef{@mpeightcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\ninecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@ninecolfootnotetext
  \let\@LTRfootnotetext\@ninecolLTRfootnotetext
  \let\@RTLfootnotetext\@ninecolRTLfootnotetext
  \dimen\footinsv@r=9\footinsdim
  \count\footinsv@r=111\relax
  \m@make@ninecol@footgroup{v@r}%
  \let\@footgroupv@r\@ninecol@footgroupv@r
  \let\@mpfootnotetext\@mpninecolfootnotetext
  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
  \m@make@mpninecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpninecol@footgroupv@r}
\bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
```

```
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamninefmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
  \@preamninefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
  \@preamninefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
  \@preamninefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
   \unvbox\@mpfootinsv@r
   \def\baselinestretch{\m@m@footnote@spacing}%
   \reset@font\foottextfont
   \hsize\columnwidth \@parboxrestore
   \protected@edef\@currentlabel{%
     \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
   \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
   \unvbox\@mpfootinsv@r
   \def\baselinestretch{\m@m@footnote@spacing}%
   \reset@font\LTRfoottextfont
   \hsize\columnwidth \@parboxrestore
   \if@RTLcolumnfootnotes\beginL\fi
   \protected@edef\@currentlabel{%
     \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
   \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
   \unvbox\@mpfootinsv@r
   \def\baselinestretch{\m@m@footnote@spacing}%
   \reset@font\RTLfoottextfont
   \hsize\columnwidth \@parboxrestore
   \protected@edef\@currentlabel{%
     \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
   \@ninecolRTLfootfmt{#1}%
```

```
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\ninecolumnfootstyle}[1]{%
  \m@make@ninecolfootnotetext{#1}%
  \m@make@mpninecolfootnotetext{#1}%
  \m@make@ninecolfootfmt{#1}%
  \m@make@ninecol@footgroup{#1}%
  \m@make@mpninecol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@ninecolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mpninecolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@ninecol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mpninecol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@ninecolfootnotetext}[1]{%
  \bidi@namelongdef{@ninecolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@ninecolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpninecolfootnotetext}[1]{%
\bidi@namelongdef{@mpninecolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@ninecolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@ninecolfootfmt}[1]{%
  \@namedef{@ninecolfootfmt#1}##1{%
    \@preamninefmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
  \@namedef{@ninecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
```

```
    \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
\@namedef{@mpninecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\tencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@tencolfootnotetext
  \let\@LTRfootnotetext\@tencolLTRfootnotetext
  \let\@RTLfootnotetext\@tencolRTLfootnotetext
  \dimen\footinsv@r=10\footinsdim
  \count\footinsv@r=100\relax
  \m@make@tencol@footgroup{v@r}%
  \let\@footgroupv@r\@tencol@footgroupv@r
  \let\@mpfootnotetext\@mptencolfootnotetext
  \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
  \m@make@mptencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptencol@footgroupv@r}
\bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
```

```
\bidi@ensure@newcommand{\@preamtenfmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
  \@preamtenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
  \@preamtenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
  \@preamtenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
   \unvbox\@mpfootinsv@r
   \def\baselinestretch{\m@m@footnote@spacing}%
   \reset@font\foottextfont
   \hsize\columnwidth \@parboxrestore
   \protected@edef\@currentlabel{%
     \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
```

```
  \m@mmf@prepare}
\bidi@ensure@newcommand{\tencolumnfootstyle}[1]{%
  \m@make@tencolfootnotetext{#1}%
  \m@make@mptencolfootnotetext{#1}%
  \m@make@tencolfootfmt{#1}%
  \m@make@tencol@footgroup{#1}%
  \m@make@mptencol@footgroup{#1}%
  \m@make@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
     \@nameuse{@tencolfootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
     \@nameuse{@mptencolfootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@tencol@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mptencol@footgroup#1}}%
  \expandafter\dimen\csname footins#1\endcsname=2\footinsdim
  \expandafter\count\csname footins#1\endcsname=500\relax}
\bidi@ensure@newcommand{\m@make@tencolfootnotetext}[1]{%
  \bidi@namelongdef{@tencolfootnotetext#1}##1{%
    \insert\@nameuse{footins#1}{%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \@preamfntext
    \protected@edef\@currentlabel{%
      \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
    \color@begingroup
      \@nameuse{@tencolfootfmt#1}{##1}%
    \color@endgroup}%
    \m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mptencolfootnotetext}[1]{%
\bidi@namelongdef{@mptencolfootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
  \color@begingroup
    \@nameuse{@tencolfootfmt#1}{##1}%
  \color@endgroup}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@tencolfootfmt}[1]{%
  \@namedef{@tencolfootfmt#1}##1{%
    \@preamtenfmt
    {\@nameuse{footfootmark#1}\strut
     {\@nameuse{foottextfont#1}##1}\strut\par}\allowbreak}}
\bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
  \@namedef{@tencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
```

```
\bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
\@namedef{@mptencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@munvxh}[1]{%
  \setbox0=\vbox{\unvbox#1%
    \global\setbox1=\lastbox}%
  \unhbox1
  \unskip
  \unskip
  \unpenalty
  \hskip\m@mipn@skip}
\bidi@ensure@newcommand{\m@mungebox}{%
  \setbox0=\hbox{\m@munvxh0}%
  \dp0=\z@
  \ht0=\footfudgefactor\wd0
  \box0
  \penalty0}
\newskip\m@mipn@skip
\bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
  {\foottextfont\global\m@mipn@skip=#1\relax}}
\m@minterparanoteglue{1em plus.4em minus.4em}
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
 \hsize\textwidth%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}
}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \if@parafootRTL\@RTLtrue\else\@RTLfalse\fi%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}}
\bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
  \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
\bidi@ensure@newcommand*{\footfudgefiddle}{64}
\bidi@ensure@newcommand{\paragraphfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \let\@footnotetext\@parafootnotetext
```

```
  \let\@LTRfootnotetext\@paraLTRfootnotetext
  \let\@RTLfootnotetext\@paraRTLfootnotetext
  \dimen\footinsv@r=\footinsdim
  \count\footinsv@r=1000\relax
  \m@make@para@footgroup{v@r}%
  \let\@footgroupv@r\@para@footgroupv@r
  \let\@mpfootnotetext\@mpparafootnotetext
  \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
  \m@make@mppara@footgroup{v@r}%
  \let\mp@footgroupv@r\@mppara@footgroupv@r
  {\def\baselinestretch{\m@m@footnote@spacing}%
   \foottextfont
   \dimen0=\baselineskip
   \multiply\dimen0 by 1024
   \divide\dimen0 by \hsize \multiply\dimen0 by \footfudgefiddle
   \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
\bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
    \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
```

```
      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@parafootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\footfootmark\strut {\foottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
    \let\bidi@RTL@everypar\@empty%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
    \noindent \@parafootfmt{\if@RTL@footnote\beginR\else\beginL\fi#1\if@RTL@footnote\endR\else
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraLTRfootfmt{\beginL#1\endL}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
```

```
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraRTLfootfmt{\beginR#1\endR}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\paragraphfootstyle}[1]{%
  \m@make@parafootnotetext{#1}%
  \m@make@mpparafootnotetext{#1}%
  \m@make@parafootfmt{#1}%
  \m@make@para@footgroup{#1}%
  \m@make@mppara@footgroup{#1}%
  \m@make@para@footstart{#1}%
  \bidi@namelongdef{@footnotetext#1}##1{%
    \@nameuse{@parafootnotetext#1}{##1}}%
  \bidi@namelongdef{@mpfootnotetext#1}##1{%
    \@nameuse{@mpparafootnotetext#1}{##1}}%
  \@namedef{@footgroup#1}{\@nameuse{@para@footgroup#1}}%
  \@namedef{mp@footgroup#1}{\@nameuse{@mppara@footgroup#1}}%
  \@namedef{@footstart#1}{\@nameuse{@para@footstart#1}}%
  \expandafter\dimen\csname footins#1\endcsname=\footinsdim
  \expandafter\count\csname footins#1\endcsname=1000\relax
  {\def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
   \dimen0=\baselineskip
   \multiply\dimen0 by 1024
   \divide\dimen0 by \hsize \multiply\dimen0 by 64
   \xdef\footfudgefactor{\expandafter\strip@pt\dimen0 }}}
\bidi@ensure@newcommand{\m@make@parafootnotetext}[1]{%
\bidi@namelongdef{@parafootnotetext#1}##1{%
  \insert\@nameuse{footins#1}{
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\@nameuse{foottextfont#1}%
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote#1\endcsname \@nameuse{@thefnmark#1}}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@nameuse{@parafootfmt#1}{##1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@mpparafootnotetext}[1]{%
\bidi@namelongdef{@mpparafootnotetext#1}##1{%
  \global\setbox\@nameuse{@mpfootins#1}\vbox{%
    \unvbox\@nameuse{@mpfootins#1}
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\@nameuse{foottextfont#1}%
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@mpfootnote#1\endcsname\@nameuse{@thefnmark#1}}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
        \noindent \@nameuse{@parafootfmt#1}{##1}%
      \color@endgroup}%
    \m@mungebox}\m@mmf@prepare}}
\bidi@ensure@newcommand{\m@make@parafootfmt}[1]{%
\bidi@namelongdef{@parafootfmt#1}##1{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\@nameuse{footfootmark#1}\strut
   {\@nameuse{foottextfont#1}##1}\penalty-10}}}
\bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
\@namedef{@para@footgroup#1}{%
  \unvbox\@nameuse{footins#1}
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \@parboxrestore%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
\@namedef{@mppara@footgroup#1}{%
  \unvbox\@nameuse{@mpfootins#1}
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
\@namedef{@para@footstart#1}{%
  \vskip\bigskipamount
  \leftskip=\z@
  \rightskip=\z@
  \parindent=\z@
  \vskip\skip\@nameuse{footins#1}%
  \footnoterule}}
\bidi@ensure@newcommand*{\m@m@makecolfloats}{%
  \xdef\@freelist{\@freelist\@midlist}%
  \global\let\@midlist\@empty
  \@combinefloats}
\bidi@ensure@newcommand*{\m@m@makecoltext}{%
  \ifvbox\@kludgeins
    \@makespecialcolbox
  \else
    \setbox\@outputbox \vbox to\@colht{%
      \@texttop
      \dimen@ \dp\@outputbox
      \unvbox \@outputbox
      \vskip -\dimen@
```

```
      \@textbottom}%
  \fi}
\bidi@ensure@newcommand*{\m@m@makecolintro}{}
\bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \@tempdima\dp\@cclv
  \unvbox\@cclv
  \vskip-\@tempdima
  \bidi@mopfn@bottom
  \vskip \skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup}}
\newcommand*{\bidi@mopfootnotebf}{%
  \setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \unvbox\@outputbox
  \bidi@mopfn@bottom
  \vskip\skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup}}
\gdef\mem@makecol{%
  \m@m@makecolintro
  \ifvoid\footins
    \setbox\@outputbox \box\@cclv
  \else
    \m@mopfootnote
  \fi
  \m@mdoextrafeet
  \m@m@makecolfloats
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\gdef\bidi@makecolbf{%
  \m@m@makecolintro
  \setbox\@outputbox \box\@cclv
  \m@m@makecolfloats
  \ifvoid\footins
  \else
    \bidi@mopfootnotebf
  \fi
  \m@mdoextrafeet
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
\newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
```

```
\newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
\newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
\FeetAboveFloat
\FeetBelowRagged
```

7.56 extreport-xetex-bidi.def

```
\ProvidesFile{extreport-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extreport class fo
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
```

```
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
```

```
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
```

```
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand\thefigure{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
```

7.57 fancybox-xetex-bidi.def

```
\ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package fo
\def\fancy@@oval#1#2#3{%
  \boxmaxdepth \maxdimen
  \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
  \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
  \@ovxx#1\relax
  \advance\@ovxx-\@wholewidth
  \@ovyy#2\relax
  \advance\@ovyy-\@wholewidth
  \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
  \advance\@tempdimb-2\p@
  \ifdim\@tempdimb>\the@cornersize\relax
    \@tempdimb=\the@cornersize
  \fi
  \@getcirc\@tempdimb
```

```
  \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
  \@circlefnt
  \setbox\@tempboxa\hbox{\beginL%
    \if@ovr \@ovvert32\kern -\@tempdima \fi
    \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
    \if@ovt \@ovhorz \kern -\@ovxx \fi
    \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
  \advance\@ovdx\@ovro
  \advance\@ovdy\@ovro
  \advance\@ovxx\@wholewidth
  \wd\@tempboxa=\@ovxx
  \dp\@tempboxa=\z@}
```

7.58 fancyhdr-xetex-bidi.def

```
\ProvidesFile{fancyhdr-xetex-bidi.def}[2016/09/12 v0.5 bidi adaptations for fancyhdr package fo

\def\@fancyhead#1#2#3#4#5{#1\hbox to\headwidth{\fancy@reset
  \@fancyvbox\headheight{\hbox
    {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
      \parbox[b]{\headwidth}{\centering#3}\hfill
      \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}}#5}

\def\@fancyfoot#1#2#3#4#5{#1\hbox to\headwidth{\fancy@reset
    \@fancyvbox\footskip{\footrule
      \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[t]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}}}#5}

```

7.59 fix2col-xetex-bidi.def

```
\ProvidesFile{fix2col-xetex-bidi.def}[2013/04/10 v0.3 bidi adaptations for fix2col package for X
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
```

```
        \let\topmark\@firstcoltopmark}%
    \fi
\else  \global\@firstcolumntrue
\setbox\@outputbox \vbox {\hbox to\textwidth {%
\hskip \columnwidth
\hfil \vrule width\columnseprule \hfil
\hbox to\columnwidth {\box\@leftcolumn \hss}%
\hskip -\textwidth
\hbox to\columnwidth{\box\@outputbox \hss}%
\hskip \columnsep
\hskip \columnwidth }}%
\@combinedblfloats \@setmarks \@outputpage
\begingroup \@dblfloatplacement \@startdblcolumn
\@whilesw\if@fcolmade \fi
{\@outputpage \@startdblcolumn }\endgroup
\fi}
\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hfil
        \vrule \@width\columnseprule
        \hfil
       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
```

```
    \endgroup
  \fi}
```

7.60 fleqn-xetex-bidi.def

```
\ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX eng
\renewcommand\[{\relax
                \ifmmode\@badmath
                \else
                  \begin{trivlist}%
                    \@beginparpenalty\predisplaypenalty
                    \@endparpenalty\postdisplaypenalty
                    \item[]\leavevmode
                   \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
                        \hskip\mathindent\bgroup
                \fi}
\renewcommand\]{\relax
                \ifmmode
                      \egroup $\hfil% $
                    \endL\egroup
                  \end{trivlist}%
                \else \@badmath
                \fi}
\renewenvironment{equation}%
    {\@beginparpenalty\predisplaypenalty
     \@endparpenalty\postdisplaypenalty
     \refstepcounter{equation}%
     \trivlist \item[]\leavevmode
       \hb@xt@\linewidth\bgroup\beginL $\m@th% $
         \displaystyle
         \hskip\mathindent}%
        {$\hfil % $
         \displaywidth\linewidth\hbox{\@eqnnum}%
       \endL\egroup
     \endtrivlist}
```

7.61 float-xetex-bidi.def

```
\ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeTeX
\renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{{\@fs@cfont #1:} #2}%
  \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
   \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
\def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
    \expandafter\edef\csname the#1\endcsname{%
      \expandafter\noexpand\csname
        the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
    {\PackageWarning{float}{Can't redefine counter variable for #1.}}}
```

7.62 floatrow-xetex-bidi.def

```
\ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package fo
\renewcommand\flnew@within[1]{\@addtoreset{\FB@captype}{#1}%
```

```
  \expandafter\edef\csname the\FB@captype\endcsname{%
      \expandafter\noexpand\csname
        the#1\endcsname\@SepMark\noexpand\arabic{\FB@captype}}}
```

7.63 flowfram-xetex-bidi.def

```
\ProvidesFile{flowfram-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for flowfram package fo
\def\@outputdblcol{%
\@nxtcol=\c@thisframe
\c@curpg=\c@page
\@g@tnextcol{\@nxtcol}%
\if@ff@nwpg % next flow frame starts on new page
  \global\@firstcolumntrue
  \@setcolbox\c@thisframe
  \if@specialpage
    \global\@specialpagefalse
    \@nameuse{ps@\@specialstyle}\relax
  \fi
  \if@twoside
    \ifodd\count\z@
      \let\@thehead\@oddhead
      \let\@thefoot\@oddfoot
    \else
      \let\@thehead\@evenhead
      \let\@thefoot\@evenfoot
    \fi
  \else
    \let\@thehead\@oddhead
    \let\@thefoot\@oddfoot
  \fi
  \@begindvi
  \@dodynamicthehead\@dodynamicthefoot
  \vbadness=\@M
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
  \@combinedblfloats
  \@outputpage
\advance\c@curpg by -\c@page\relax
  \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
\@outputpage}
  \begingroup
    \@dblfloatplacement
    \@startdblcolumn
    \@whilesw \if@fcolmade \fi
       {\@outputpage \@startdblcolumn }\endgroup
  \@resetst@tics
  \@resetdyn@mics
\else % still on same page, save contents of box255
  \global\@firstcolumnfalse
  \@setcolbox\c@thisframe
```

```
\fi
\global\c@thisframe=\@nxtcol
\@setcol{\c@thisframe}\relax
\global\@colht\vsize
}
\def\@outputpage{%
\begingroup
  \let\protect\noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse\@parboxrestore
  \shipout\vbox{\set@typeset@protect
    \aftergroup
    \endgroup
    \aftergroup
    \set@typeset@protect
    \reset@font\normalsize\normalsfcodes
    \let\label\@gobble
    \let\index\@gobble
    \let\glossary\@gobble
    \baselineskip\z@skip
    \lineskip\z@skip
    \lineskiplimit\z@
    \vskip\topmargin\moveright\@themargin
    \vbox{%
      \vskip\headheight
      \vskip\headsep
      \box\@outputbox
    }}%
  \global\let\if@newlist\@@if@newlist
  \stepcounter{page}%
  \setcounter{displayedframe}{0}%
  \let\firstmark\botmark}


\newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
\expandafter\bidicolor\ff@txtcol}}

\newcommand{\bidi@ff@box}[3]{{\@ffbackground{\vbox to#2
{\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}


\renewcommand*{\@docolbox}[1]{%
\edef\ff@frametype{%
\csname @ff@frametype@\romannumeral#1\endcsname}%
\edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
\edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
\edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
\@ff@setoffset{#1}%
\rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
```

```
\ifthenelse{\boolean{columnframe\romannumeral#1}}{%
\@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}{%
\csname\ff@frametype\endcsname}%
}{%
\bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}%
}}}
\@ifclassloaded{book}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\@ifclassloaded{report}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\renewcommand{\rotateframe}[2]{\if@ttb@rotate
\rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
\else
#2\relax
\fi}
```

7.64 footnote-xetex-bidi.def

```
\ProvidesFile{footnote-xetex-bidi.def}[2016/09/09 v1.0 bidi footnote macros for XeTeX engine]
\if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
\newif\ifbidi@autofootnoterule
\def\bidi@mpfootnoterule{\footnoterule}
\newcounter{footdir@label}
\renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
```

```
\newcommand*{\footdir@write}{%
  \stepcounter{footdir@label}%
  \zref@labelbyprops{\thefootdir@label}{abspage}%
}
\newif\iffootdir@debug
\newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
\newtoks\footdir@toks
\newcommand*{\footdir@debug}[1]{%
  \iffootdir@debug
    \typeout{[footdir] #1}%
  \fi
}
%\@ifpackagelater{zref-abspage}{2012/10/27}{%
%  \newcommand*{\footdir@LeftRightElse}{%
%    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
%      \footdir@debug{abspage \the\value{zabspage}: else}%
%      \ltx@thirdofthree
%    }{%
%      \if\csname footdir@\the\value{zabspage}\endcsname L%
%        \footdir@debug{abspage \the\value{zabspage}: left}%
%        \expandafter\ltx@firstofthree
%      \else
%        \footdir@debug{abspage \the\value{zabspage}: right}%
%        \expandafter\ltx@secondofthree
%      \fi
%    }%
%  }%
%}{%
  \providecommand*{\c@zabspage}{\c@abspage}%
  \newcommand*{\footdir@LeftRightElse}{%
    \footdir@write
    \zifrefundefined{\thefootdir@label}{%
      \footdir@debug{abspage ??: else}%
      \ltx@thirdofthree
    }{%
      \edef\footdir@abspage{%
        \zref@extractdefault{\thefootdir@label}{abspage}{0}%
      }%
      \ltx@ifundefined{footdir@\footdir@abspage}{%
        \footdir@debug{\footdir@abspage: else}%
        \ltx@thirdofthree
      }{%
        \if\csname footdir@\footdir@abspage\endcsname L%
          \footdir@debug{\footdir@abspage: left}%
          \expandafter\ltx@firstofthree
        \else
          \footdir@debug{\footdir@abspage: right}%
          \expandafter\ltx@secondofthree
        \fi
      }%
```

```
    }%
  }%
%}
\newcommand*{\footdir@fntext}[1]{%
  \zifrefundefined{\thefootdir@label}{%
  }{%
    \edef\footdir@name{%
      footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
    }%
    \@ifundefined{\footdir@name}{%
      \expandafter\gdef\csname\footdir@name\endcsname{#1}%
    }{}%
  }%
}

\newcommand*{\footdir@temp}[3]{%
  \@ifdefinable{#1}{%
    \let#1#2%
    \renewcommand{#2}[1]{%
      \footdir@write
      \footdir@fntext{#3}%
      \stepcounter{footdir@label}%
      \footdir@fntext{#3}%
      \footdir@toks{##1}%
      \footdir@toks\expandafter{%
        \the\expandafter\footdir@toks
        \expandafter
        \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
      }%
      \expandafter#1\expandafter{\the\footdir@toks}%
    }%
  }%
}

\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\def\left@footnoterule{\kern-3\p@
  \hrule \@width .4\columnwidth \kern 2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\def\leftfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\left@footnoterule}}
\let\LRfootnoterule=\leftfootnoterule
\def\rightfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\right@footnoterule}}
\def\textwidthfootnoterule{%
```

```
\bidi@autofootnoterulefalse%
\def\footnoterule{\textwidth@footnoterule}}


\def\auto@footnoterule{%
\footdir@LeftRightElse%
\left@footnoterule%
\right@footnoterule%
\left@footnoterule%
}


\def\autofootnoterule{%
\bidi@autofootnoteruletrue%
\def\footnoterule{\auto@footnoterule}%
}
\newcommand*{\SplitFootnoteRule}{%
  \gdef\split@prev{0}
  \let\pagefootnoterule\footnoterule
  \let\mpfootnoterule\footnoterule
  \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
  \def\footnoterule{\relax
    \ifx \@listdepth\@mplistdepth
      \mpfootnoterule
    \else
      \ifnum\split@prev=\z@
        \pagefootnoterule
      \else
        \splitfootnoterule
      \fi
      \xdef\split@prev{\the\insertpenalties}%
    \fi
  }%
}


\def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
     \protected@xdef\@thefnmark{\thempfn}%
     \@footnotemark\@RTLfootnotetext}}
\def\@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\@RTLfootnotetext}
```

```
\def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
      \protected@xdef\@thefnmark{\thempfn}%
      \@footnotemark\@LTRfootnotetext}}
\def\@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\@LTRfootnotetext}


\def\setfootnoteRL{\@RTL@footnotetrue}
\def\unsetfootnoteRL{\@RTL@footnotefalse}
\def\setfootnoteLR{\unsetfootnoteRL}

\long\def\@footnotetext#1{\insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%


\long\def\@RTLfootnotetext#1{\insert\footins{%
    \@RTLtrue%
    \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\long\def\@LTRfootnotetext#1{\insert\footins{%
    \@RTLfalse%
    \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
```

```
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\AtBeginDocument{%
\if@RTL@footnote
  \newcommand*{\bidi@footdir@footnote}{R}
\else
  \newcommand*{\bidi@footdir@footnote}{L}
\fi%
}

\footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%

\long\def\@mpRTLfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnc
 \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpLTRfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnote
 \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpfootnotetext#1{%
```

```
\ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoteru
 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\def\@iiiminipage#1#2[#3]#4{%
 \leavevmode
 \@pboxswfalse
 \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
 \setlength\@tempdima{#4}%
 \def\@mpargs{{#1}{#2}[#3]{#4}}%
 \setbox\@tempboxa\vbox\bgroup
   \color@begingroup
     \hsize\@tempdima
     \textwidth\hsize \columnwidth\hsize
     \@parboxrestore
    \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
     \let\@footnotetext\@mpfootnotetext
     \let\@LTRfootnotetext\@mpLTRfootnotetext
     \let\@RTLfootnotetext\@mpRTLfootnotetext
     \let\@listdepth\@mplistdepth \@mplistdepth\z@
     \@minipagerestore
     \@setminipage}
\def\endminipage{%
    \par
    \unskip
    \ifvoid\@mpfootins\else
      \vskip\skip\@mpfootins
      \normalcolor
      \bidi@mpfootnoterule
      \unvbox\@mpfootins
    \fi
    \@minipagefalse   %% added 24 May 89
 \color@endgroup
 \egroup
 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\def\LTRthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
}
\def\LTRfootnotetext{%
     \@ifnextchar [\@xLTRfootnotenext
```

```
      {\protected@xdef\@thefnmark{\thempfn}%
    \@LTRfootnotetext}}
\def\@xLTRfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@LTRfootnotetext}
\def\RTLthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
}
\let\@thanks\@empty
\def\RTLfootnotetext{%
    \@ifnextchar [\@xRTLfootnotenext
      {\protected@xdef\@thefnmark{\thempfn}%
    \@RTLfootnotetext}}
\def\@xRTLfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@RTLfootnotetext}
\leftfootnoterule
```

7.65 framed-xetex-bidi.def

```
\ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for Xe
\renewcommand\TitleBarFrame[3][]{\begingroup
  \ifx\delimiter#1\delimiter
    \let\TF@conlab\@empty
  \else
    \def\TF@conlab{% continuation label
     \nointerlineskip
     \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
  \fi
  %\let\TF@savecolor\current@color
  \textcolor{TFFrameColor}{%
  \CustomFBox
    {\TF@Title{#2}}{\TF@conlab}%
    \fboxrule\fboxrule\fboxrule\fboxrule
    %{\let\current@color\TF@savecolor\set@color #3}%
    {\normalcolor #3}%
  }\endgroup
}
\renewenvironment{titled-frame}[1]{%
  \def\FrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1}}}%
  \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
    \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
```

```
  \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
    \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1\ (cont)}}
  \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1\ (cont)}}}%
  \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
%  note: 8 + 2 + 8 + 2 = 20.  Don't use \width because the frame title
%  could interfere with the width measurement.
 {\endMakeFramed}
\chardef\FrameRestore=\catcode`\| % for debug
\catcode`\|=\catcode`\% % (debug: insert space after backslash)
\def\fb@put@frame#1#2{\relax
 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
|   \message{=============== Entering putframe ====================^^J
|     \pagegoal=\the\pagegoal,  \pagetotal=\the\pagetotal. }%
 \ifinner
   \fb@putboxa#1%
   \fb@afterframe
 \else
  \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
  \ifdim\dimen@<2\baselineskip % Too little room on page
|   \message{Page has only \the\dimen@\space room left; eject. }%
    \eject \fb@adjheight \fb@put@frame#1#2%
  \else % there's appreciable room left on the page
     \fb@sizeofframe#1%
|    \message{\string\pagetotal=\the\pagetotal,
|        \string\pagegoal=\the\pagegoal,
|        \string\pagestretch=\the\pagestretch,
|        \string\pageshrink=\the\pageshrink,
|        \string\fb@frh=\the\fb@frh. \space}
|    \message{^^JBox of size \the\ht\@tempboxa\space}%
     \begingroup % temporarily set \dimen@ to be...
     \advance\dimen@.8\pageshrink  % maximum space available on page
   \advance\dimen@-\fb@frh\relax % max space available for frame's contents
%%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
     \expandafter\endgroup
     % expand \ifdim, then restore \dimen@ to real room left on page
     \ifdim\dimen@>\ht\@tempboxa % whole box does fit
|       \message{fits in \the\dimen@. }%
        % ToDo: Change this to use vsplit anyway to capture the marks
        % MERGE THIS WITH THE else CLAUSE!!!
        \fb@putboxa#1%
        \fb@afterframe
     \else % box must be split
|       \message{must be split to fit in \the\dimen@. }%
     % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
        \fb@sizeofframe#2%
      \setbox\@tempboxa\vbox{% simulate frame and flexiblity of the page:
           \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
           \kern137sp\kern-137sp\penalty-30
           \unvbox\@tempboxa}%
```

```
10775         \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
10776                            \splittopskip\the\splittopskip}%
10777         \boxmaxdepth\z@ \splittopskip\z@
10778 |     \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
10779         % Split box here
10780         \setbox\tw@\vsplit\@tempboxa to\dimen@
10781 |       \toks99\expandafter{\splitfirstmark}%
10782 |       \toks98\expandafter{\splitbotmark}%
10783 |       \message{Marks are: \the\toks99, \the\toks98. }%
10784         \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
10785 |       \message{Natural height of split box is \the\ht\tw@, leaving
10786 |          \the\ht\@tempboxa\space remainder. }%
10787       % If the split-to size > (\vsize-\topskip), then set box to full size.
10788         \begingroup
10789         \advance\dimen@\topskip
10790         \expandafter\endgroup
10791         \ifdim\dimen@>\pagegoal
10792 |         \message{Frame is big -- Use up the full column. }%
10793           \dimen@ii\pagegoal
10794           \advance\dimen@ii -\topskip
10795           \advance\dimen@ii \FrameHeightAdjust\relax
10796         \else  % suspect this is implemented incorrectly:
10797         % If the split-to size > feasible room_on_page, rebox it smaller.
10798           \advance\dimen@.8\pageshrink
10799           \ifdim\ht\tw@>\dimen@
10800 |           \message{Box too tall; rebox it to \the\dimen@. }%
10801             \dimen@ii\dimen@
10802           \else % use natural size
10803             \dimen@ii\ht\tw@
10804           \fi
10805         \fi
10806         % Re-box contents to desired size \dimen@ii
10807         \advance\dimen@ii -\fb@frh
10808         \setbox\tw@\vbox to\dimen@ii \bgroup
10809         % remove simulated frame and page flexibility:
10810         \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
10811         \unvbox\tw@ \unpenalty\unpenalty
10812         \ifdim\lastkern=-137sp % whole box went to next page
10813 |          \message{box split at beginning! }%
10814            % need work here???
10815        \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
10816           \fb@adjheight
10817           \fb@put@frame#1#2% INSERTED ???
10818         \else % Got material split off at the head
10819           \egroup \fb@resto@set
10820           \ifvoid\@tempboxa % it all fit after all
10821 |            \message{box split at end! }%
10822              \setbox\@tempboxa\box\tw@
10823              \fb@putboxa#1%
10824              \fb@afterframe
```

```
            \else % it really did split
          \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
              \ifdim\wd\tw@>\z@
                \wd\tw@\wd\@tempboxa
             \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
              \else
           \message{Zero width means likely blank. Don't frame it (guess)}%
                \box\tw@
              \fi
              \hrule \@height\z@ \@width\hsize
              \eject
              \fb@adjheight
              \fb@put@frame\LastFrameCommand\MidFrameCommand
  \fi\fi\fi\fi\fi
}
\def\fb@putboxa#1{%
  \ifvoid\@tempboxa
    \PackageWarning{framed}{Boxa is void -- discard it. }%
  \else
    \message{Frame and place boxa. }%
    %{\showoutput\showbox\@tempboxa}%
    \centerline{#1{\hboxL{\box\@tempboxa}}}%
  \fi
}
\catcode`\|=\FrameRestore
\def\FrameRestore{%
   \let\if@nobreak\iffalse
   \let\if@noskipsec\iffalse
   \let\-\@dischyph
   \let\'\@acci\let\`\@accii\let\=\@acciii
   %  \message{FrameRestore:
   %    \@totalleftmargin=\the \@totalleftmargin,
   %    \rightmargin=\the\rightmargin,
   %    \@listdepth=\the\@listdepth.  }%
   % Test if we are in a list (or list-like paragraph)
   \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
          \ifdim\rightmargin>\z@ 1\fi
          \ifnum\@listdepth>\z@ 1\fi 0>\z@
    %   \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmargin,
    %     \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
      %       \labelwidth=\the\labelwidth. }%
      \@setminipage % snug fit around the item
    % Now try to propageate changes of width from \hsize to list parameters.
    % This is deficient, but a more advanced way to indicate modification to text
    % dimensions is not (yet) provided; in particular, no separate left/right
      % adjustment.
      \advance\linewidth-\columnwidth \advance\linewidth\hsize
      \parshape\@ne \@totalleftmargin \linewidth
   \else % Not in list
      \linewidth=\hsize
```

```
    %\message{No list, set \string\linewidth=\the\hsize. }%
  \fi
  \sloppy
}
```

7.66 ftnright-xetex-bidi.def

```
\ProvidesFile{ftnright-xetex-bidi.def}[2016/05/10 v0.4 bidi adaptations for ftnright package fo

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%
```

```
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{\box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%
```

```
\let\leftfootnoterule\@empty
\let\rightfootnoterule\@empty
\let\textwidthfootnoterule\@empty
\let\autofootnoterule\@empty
\let\footnoterule\@empty
\long\def\@makefntext#1{\parindent 1em
  \noindent\hbox to 2em{}%
  \llap{\@thefnmark\hbox{.}\,\,}#1}
```

7.67 graphicx-xetex-bidi.def

```
\ProvidesFile{graphicx-xetex-bidi.def}[2012/01/01 v0.4 bidi adaptations for graphicx package fo
\def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
  \Grot@setangle{#1}%
 \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\e
  \Grot@x\z@
  \Grot@y\z@
  \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
\long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{#3}}%
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\Gin@iii[#1,#2][#3,#4]#5{%
  \begingroup
  \ifmmode\else\if@RTL\beginL\fi\fi
  \Gin@bboxtrue
  \Gin@defaultbp\Gin@llx{#1}%
  \Gin@defaultbp\Gin@lly{#2}%
  \Gin@defaultbp\Gin@urx{#3}%
  \Gin@defaultbp\Gin@ury{#4}%
  \Ginclude@graphics{#5}%
  \ifmmode\else\if@RTL\endL\fi\fi
  \endgroup}
\def\Gin@ii[#1]#2{%
    \def\@tempa{[}\def\@tempb{#2}%
```

```
    \ifx\@tempa\@tempb
      \def\@tempa{\Gin@iii[#1][}%
      \expandafter\@tempa
    \else
     \begingroup
       \ifmmode\else\if@RTL\beginL\fi\fi
       \@tempswafalse
       \toks@{\Ginclude@graphics{#2}}%
       \setkeys{Gin}{#1}%
       \Gin@esetsize
       \the\toks@
       \ifmmode\else\if@RTL\endL\fi\fi
     \endgroup
     \fi}
\def\reflectbox{\bidiGscale@box-1[1]}
\long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\e
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\scalebox#1{%
  \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
\def\resizebox{%
  \leavevmode
  \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
\def\bidiGscale@@box#1#2#3{%
  \let\@tempa\Gin@exclamation
  \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
  \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
  \ifx\@tempb\@tempa
    \ifx\@tempc\@tempa
      \toks@{\mbox}%
    \else
      \toks@{\bidiGscale@box@dd{#3}#1}%
    \fi
  \else
    \ifx\@tempc\@tempa
```

```
      \toks@{\bidiGscale@box@dd{#2}\width}%
    \else
      \toks@{\bidiGscale@box@dddd{#2}\width{#3}#1}%
    \fi
  \fi
  \the\toks@}
\long\def\bidiGscale@box@dd#1#2#3{%
 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
   \setlength\@tempdima{#1}%
   \setlength\@tempdimb{#2}%
   \Gscale@div\@tempa\@tempdima\@tempdimb
   \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
  \@end@tempboxa}
\long\def\bidiGscale@box@dddd#1#2#3#4#5{%
 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@
   \setlength\@tempdima{#1}%
   \setlength\@tempdimb{#2}%
   \Gscale@div\@tempa\@tempdima\@tempdimb
   \setlength\@tempdima{#3}%
   \setlength\@tempdimb{#4}%
   \Gscale@div\@tempb\@tempdima\@tempdimb
   \ifGin@iso
     \ifdim\@tempa\p@>\@tempb\p@
       \let\@tempa\@tempb
     \else
       \let\@tempb\@tempa
     \fi
   \fi
   \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
  \@end@tempboxa}
```

7.68 geometry-xetex-bidi.def

```
\ProvidesFile{geometry-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for geometry package fo
\renewcommand*{\Gm@vrules@mpi}{%
\if@RTLmain%
        \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
        \llap{\Gm@vrule}\ignorespaces
        \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
        \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
    \else%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
\renewcommand*{\Gm@vrules@mpii}{%
\if@RTLmain%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}%
\else%
```

```
  \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
  \llap{\Gm@vrule}\ignorespaces
  \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
  \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%

```

7.69 hvfloat-xetex-bidi.def

```
\ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for X
\def\do@@hvFloat[#1]#2#3{%
\def\hv@shortCap{#1}
\def\hv@longCap{#2}
\def\hv@label{#3}
%\newcommand*{\hvFloat}[5][]{%
% [#1]: keyvalues
% #2: type  figure | table | ...
% #3: float contents
% [#4]: short caption
% #5: caption
% #6: label
% \setDefaults%
% \def\@tempa{#1}%
% \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
  \def\@tempa{90}%
  \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
  \else                     \setlength{\hvMaxCapWidth}{\linewidth}
  \fi
%
% First we save the object in \hvObjectBox
%
  \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
   \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
  \else
    \savebox{\hvObjectBox}{%
    \rotatebox{\hvSet@objectAngle}{%
    \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
  \fi
  \setlength{\hvObjectWidth}{\wd\hvObjectBox}
%
% Now we save the caption with its defined \hvCapWidth
%
  \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
  \else
   \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
    \else
      \setlength{\hvCapWidth}{\hvObjectWidth}
    \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
    \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
\setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
```

```
      \else
\setlength{\hvCapWidth}{\hvMaxCapWidth}
      \fi
    \fi
  \fi
%
% now we have the object and the caption with the right
% rotated angles saved in boxes
%
  \def\fps@figure{\hvSet@floatPos}
  \ifhv@nonFloat\begingroup% Start the nonfloat part
  \else         \begin{\hv@floatType}% Start the floating environment
  \fi%
  \saveCaptionSkip% we put this space ourselve
  \ifx\hvSet@capAngle\hv@Width % need rotation?
    \sbox{\hvCaptionBox}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
        \ifhv@nonFloat%
  \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
\fi%
\label{#3}%
      \end{minipage}%
    }%
  \else%
    \sbox{\hvCaptionBox}{%
      \rotatebox{\hvSet@capAngle}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
\ifhv@nonFloat%
     \ifhv@onlyText#2%
      \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
        \fi%
        \label{#3}%
      \end{minipage}%
      }%
    }%
```

```
  \fi%
%%
  \restoreCaptionSkip% save old values
  \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
  \else%
    \ifx\hvSet@objectPos\hv@Center
      \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
    \fi%
  \fi%
%
% to rotate object and caption together, we save all in another box
% the caption comes first, if its on the left or the top
%
  \savebox{\@tempboxa}{%
  \ifx\hvSet@capPos\hv@Left  %  caption on left side
\if@RTL%
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
```

```
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi%
\else% not RTL
    \ifx\hvSet@capVPos\hv@Center%
    \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
\fi% end of RTL
  \fi%
  \else
\ifx\hvSet@capPos\hv@Top
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
\fbox{\usebox{\hvObjectBox}}
\else
\usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
\usebox{\hvObjectBox}
\fi%
\end{minipage}
```

```
\else
\ifx\hvSet@capPos\hv@Bottom
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
\fbox{\usebox{\hvCaptionBox}}
\else
\usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
\usebox{\hvCaptionBox}
\fi%
\end{minipage}
\else% the last option: put the caption on the right
\if@RTL%
    \ifx\hvSet@capVPos\hv@Center%
    \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
  \fi%
\else% not RTL
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
```

```
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi
\fi% end of RTL
\fi
\fi
\fi
}% End savebox Object and caption
%
% now we rotate the object and caption, if needed
%
\ifx\hvSet@rotAngle\hv@Zero
\usebox{\@tempboxa}
\else
\rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
\fi
\ifhv@nonFloat
\ifx\hvSet@objectPos\hv@Center
```

```
\ifhv@nonFloat
\hspace{\fill}
\fi
\fi
\endgroup% End the nonfloat part
\else
\end{\hv@floatType}% End the floating environment
\fi
}
```

7.70 hyperref-xetex-bidi.def

```
\ProvidesFile{hyperref-xetex-bidi.def}[2015/11/26 v0.9 bidi adaptations for hyperref package fo
\AtBeginDocument{%
\def\contentsline#1#2#3#4{%
  \ifx\\#4\\%
    \csname l@#1\endcsname{#2}{#3}%
  \else
    \ifcase\Hy@linktoc % none
      \csname l@#1\endcsname{#2}{#3}%
    \or % section
      \csname l@#1\endcsname{%
     \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{#3}%
    \or % page
      \csname l@#1\endcsname{{#2}}{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \else % all
      \csname l@#1\endcsname{%
     \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \fi
  \fi
}
\ifHy@hyperfootnotes
   \let\H@@footnotetext\@footnotetext
   \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
   \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
    \def\@xfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@footnotetext\@mpfootnotetext
      \expandafter\H@@mpfootnotetext
    \else
      \expandafter\H@@footnotetext
```

```
  \fi
}%
  \def\@xRTLfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \ifx\@RTLfootnotetext\@mpRTLfootnotetext
    \expandafter\HRTL@@mpRTLfootnotetext
  \else
    \expandafter\HRTL@@RTLfootnotetext
  \fi
}%
  \def\@xLTRfootnotenext[#1]{%
  \begingroup
    \csname c@\@mpfn\endcsname #1\relax
    \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \ifx\@LTRfootnotetext\@mpLTRfootnotetext
    \expandafter\HLTR@@mpLTRfootnotetext
  \else
    \expandafter\HLTR@@LTRfootnotetext
  \fi
}%
  \def\@xfootnotemark[#1]{%
  \begingroup
    \c@footnote #1\relax
    \unrestored@protected@xdef\@thefnmark{\thefootnote}%
  \endgroup
  \H@@footnotemark
}%
\let\H@@mpfootnotetext\@mpfootnotetext
\let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
\let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \long\def\@mpfootnotetext#1{%
  \H@@mpfootnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }#1%
    \fi
  }%
}%
\long\def\@mpRTLfootnotetext#1{%
  \HRTL@@mpRTLfootnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
```

```
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }#1%
    \fi
  }%
}%
  \long\def\@mpLTRfootnotetext#1{%
  \HLTR@@mpLTRfootnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }#1%
    \fi
  }%
}%
  \long\def\@footnotetext#1{%
  \H@@footnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }%
      \let\@currentHlabel\Hy@footnote@currentHlabel
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \long\def\@RTLfootnotetext#1{%
  \HRTL@@RTLfootnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }%
      \let\@currentHlabel\Hy@footnote@currentHlabel
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \long\def\@LTRfootnotetext#1{%
  \HLTR@@LTRfootnotetext{%
    \ifHy@nesting
```

```
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }%
      \let\@currentHlabel\Hy@footnote@currentHlabel
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \@ifpackageloaded{tabularx}{%
  \let\HyOrg@TX@endtabularx\TX@endtabularx
  \def\Hy@tabularx@hook{%
    \let\@footnotetext\H@@footnotetext
    \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
    \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
    \let\@footnotemark\H@@footnotemark
    \let\@mpfootnotetext\H@@mpfootnotetext
    \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
    \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
  }%
  \begingroup
    \toks@\expandafter{\TX@endtabularx}%
    \xdef\Hy@gtemp{%
      \noexpand\Hy@tabularx@hook
      \the\toks@
    }%
  \endgroup
  \let\TX@endtabularx\Hy@gtemp
}{}%
  \@ifpackageloaded{longtable}{%
  \CheckCommand*{\LT@p@LTRftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\LTRfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@LTRftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@LTRfootnotetext{%
          \Hy@footnote@currentHref
```

```
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@LTRfootnotetext#1#2{%
   \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
  \CheckCommand*{\LT@p@RTLftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\RTLfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@RTLftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@RTLfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@RTLfootnotetext#1#2{%
   \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
```

```
          \Hy@raisedlink{%
            \hyper@@anchor{#1}{\relax}%
          }%
          \def\@currentHref{#1}%
          \let\@currentlabelname\@empty
          #2%
        \fi
      }%
    }%
  }{}%
    \@ifpackageloaded{bidipoem}{%
    \long\def\bidipoem@p@ftntext#1{%
      \edef\@tempx{%
        \the\bidipoem@p@ftn
        \begingroup
       \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
          \noexpand\protected@xdef\noexpand\@thefnmark{%
            \noexpand\thempfn
          }%
          \noexpand\Hy@bidipoem@footnotetext{%
            \Hy@footnote@currentHref
          }%
      }%
      \global\bidipoem@p@ftn\expandafter{%
          \@tempx{#1}%
        \endgroup
      }%
    }%
    \long\def\Hy@bidipoem@footnotetext#1#2{%
      \H@@footnotetext{%
        \ifHy@nesting
          \hyper@@anchor{#1}{#2}%
        \else
          \Hy@raisedlink{%
            \hyper@@anchor{#1}{\relax}%
          }%
          \def\@currentHref{#1}%
          \let\@currentlabelname\@empty
          #2%
        \fi
      }%
    }%
        \long\def\bidipoem@p@LTRftntext#1{%
      \edef\@tempxi{%
        \the\bidipoem@p@ftn
        \begingroup
       \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
          \noexpand\protected@xdef\noexpand\@thefnmark{%
            \noexpand\thempfn
          }%
```

```
        \noexpand\Hy@bidipoem@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\bidipoem@p@ftn\expandafter{%
        \@tempxi{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
    \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
      \long\def\bidipoem@p@RTLftntext#1{%
    \edef\@tempxii{%
      \the\bidipoem@p@ftn
      \begingroup
     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@bidipoem@RTLfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\bidipoem@p@ftn\expandafter{%
        \@tempxii{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
    \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
```

```
          #2%
        \fi
      }%
    }%
  }{}%
  \let\HyOrg@maketitle\maketitle
  \def\maketitle{%
    \let\Hy@saved@footnotemark\@footnotemark
    \let\Hy@saved@footnotetext\@footnotetext
    \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
    \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
    \let\@footnotemark\H@@footnotemark
    \let\@footnotetext\H@@footnotetext
    \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
    \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
    \@ifnextchar[\Hy@maketitle@optarg{% ]
      \HyOrg@maketitle
      \Hy@maketitle@end
    }%
  }%
  \def\Hy@maketitle@optarg[#1]{%
    \HyOrg@maketitle[{#1}]%
    \Hy@maketitle@end
  }%
  \def\Hy@maketitle@end{%
    \ifx\@footnotemark\H@@footnotemark
      \let\@footnotemark\Hy@saved@footnotemark
    \fi
    \ifx\@footnotetext\H@@footnotetext
      \let\@footnotetext\Hy@saved@footnotetext
    \fi
    \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
      \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
    \fi
    \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
      \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
    \fi
  }%
  \def\realfootnote{%
    \@ifnextchar[\@xfootnote{%
      \stepcounter{\@mpfn}%
      \protected@xdef\@thefnmark{\thempfn}%
      \H@@footnotemark\H@@footnotetext
    }%
  }%
\fi
\def\Hy@BeginAnnot#1{%
  \ifmmode\else\beginL\fi%
  \stepcounter{Hy@AnnotLevel}%
  \ifnum\value{Hy@AnnotLevel}=\@ne
```

```
    #1%
  \fi
}
\def\Hy@EndAnnot{%
  \ifnum\value{Hy@AnnotLevel}=\@ne
    \Hy@endcolorlink
    \@pdfm@mark{eann}%
  \fi
  \addtocounter{Hy@AnnotLevel}\m@ne
  \ifmmode\else\endL\fi%
}
\def\hyper@link#1#2#3{%
 \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi\H
}
\def\hyper@linkfile#1#2#3{%
  \leavevmode
  \Hy@BeginAnnot{%
    \def\Hy@pstringF{#2}%
    \Hy@CleanupFile\Hy@pstringF
    \Hy@pstringdef\Hy@pstringF\Hy@pstringF
    \Hy@pstringdef\Hy@pstringD{#3}%
    \Hy@MakeRemoteAction
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@filebordercolor\relax
        \else
          /C[\@filebordercolor]%
        \fi
        /A<<%
          /S/GoToR%
          /F(\Hy@pstringF)%
          /D%
          \ifx\\#3\\%
            [\Hy@href@page\@pdfremotestartview]%
          \else
            (\Hy@pstringD)%
          \fi
          \Hy@SetNewWindow
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@filecolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
```

```
}
\def\@hyper@launch run:#1\\#2#3{% filename, anchor text linkname
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringF{#1}%
    \Hy@pstringdef\Hy@pstringP{#3}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@runbordercolor\relax
        \else
          /C[\@runbordercolor]%
        \fi
        /A<<%
          /F(\Hy@pstringF)%
          /S/Launch%
          \Hy@SetNewWindow
          \ifx\\#3\\%
          \else
            /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@runcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\hyper@linkurl#1#2{%
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringURI{#2}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@urlbordercolor\relax
        \else
          /C[\@urlbordercolor]%
        \fi
        /A<<%
          /S/URI%
          /URI(\Hy@pstringURI)%
```

```
          \ifHy@href@ismap
            /IsMap true%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@urlcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\Acrobatmenu#1#2{%
  \Hy@Acrobatmenu{#1}{#2}{%
    \Hy@BeginAnnot{%
      \EdefEscapeName\Hy@temp@menu{#1}%
      \@pdfm@mark{%
        bann<<%
          /Type/Annot%
          /Subtype/Link%
          \ifHy@pdfa /F 4\fi
          \Hy@setpdfborder
          \ifx\@menubordercolor\relax
          \else
            /C[\@menubordercolor]%
          \fi
          /A<<%
            /S/Named%
            /N/\Hy@temp@menu
            \Hy@href@nextactionraw
          >>%
        >>%
      }%
      \Hy@colorlink\@menucolor
    }%
   \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
    \Hy@EndAnnot
  }%
}
\def\hyper@natlinkstart#1{%
  \Hy@backout{#1}%
  \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
  \def\hyper@nat@current{#1}%
}
\def\hyper@natlinkend{%
  \if@RTL\endR\fi\hyper@linkend
}
\def\hyper@natlinkbreak#1#2{%
  \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
}%
```

```
}
\pdfstringdefDisableCommands{%
\let\LRE\@firstofone
\let\LR\@firstofone
\let\RLE\@firstofone
\let\RL\@firstofone
\def\XeTeX{Xe\TeX}
\def\XeLaTeX{Xe\LaTeX}
}
\@ifpackageloaded{longtable}{%
  \begingroup
    \def\y{\LT@array}%
    \@ifundefined{scr@LT@array}{%
      \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
    }{\def\y{\scr@LT@array}}%
    \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
      \expandafter\endgroup
      \expandafter\def\y[##1]##2{%
        \H@refstepcounter{#1}%
        \hyper@makecurrent{table}%
        \let\Hy@LT@currentHref\@currentHref
        #2\@sharp#####4%
      }%
    }%
  \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
  \begingroup
    \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
      \endgroup
      \def\LT@start{%
        #1%
        \ifvoid\LT@foot#2\fi
        \let\@currentHref\Hy@LT@currentHref
        \Hy@raisedlink{%
          \hyper@anchorstart{\@currentHref}\hyper@anchorend
        }%
        #3%
      }%
    }%
  \expandafter\x\LT@start\@nil
}{}
```

7.71 leqno-xetex-bidi.def

```
\ProvidesFile{leqno-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for leqno tag for XeTeX eng
\renewcommand\@eqnnum{\hb@xt@.01\p@{}%
                      \rlap{
                \hskip -\displaywidth{\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\
```

7.72 letter-xetex-bidi.def

```
\ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter class
```

```
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
   {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

7.73 lettrine-xetex-bidi.def

```
\ProvidesFile{lettrine-xetex-bidi.def}[2015/02/17 v0.5 bidi adaptations for lettrine package fo
\def\@lettrine[#1]#2#3{%
  \setcounter{L@lines}{\theDefaultLines}%
  \setcounter{L@depth}{\theDefaultDepth}%
  \renewcommand*{\L@hang}{\DefaultLhang}%
  \renewcommand*{\L@oversize}{\DefaultLoversize}%
  \renewcommand*{\L@raise}{\DefaultLraise}%
  \renewcommand*{\L@ante}{}%
  \setlength{\L@Findent}{\DefaultFindent}%
  \setlength{\L@Nindent}{\DefaultNindent}%
  \setlength{\L@slope}{\DefaultSlope}%
  \setlength{\L@novskip}{\DiscardVskip}%
  \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
  \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
  \if\DefaultOptionsFile\relax
  \else
    \begingroup
    \InputIfFileExists{\DefaultOptionsFile}%
      {}%
      {\PackageWarning{lettrine.sty}%
         {File \DefaultOptionsFile\space not found}%
      }%
    \def\color##1##{\l@color{##1}}%
    \let\l@color\@gobbletwo
    \def\textcolor##1##{\l@textcolor{##1}}%
    \def\l@textcolor##1##2##3{##3}%
```

```
  \expandafter\ifx\csname l@#2-keys\endcsname\relax
                \gdef\l@LOKeys{}%
              \else
                \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
              \fi
  \endgroup
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
  \sbox{\L@lbox}{\LettrineFont #2}%
  \setlength{\LettrineWidth}{\wd\L@lbox}%
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
\fi
\setkeys{L}{#1}%
\ifL@image
   \sbox{\L@lbox}{\LettrineFontEPS{#2}}%
\else
   \sbox{\L@lbox}{\LettrineFont #2}%
\fi
\sbox{\L@tbox}{\LettrineTextFont{#3}}%
 \@tempdima=\baselineskip
 \ifnum\theL@lines=1
   \setlength{\L@first}{\ht\L@lbox}%
   \addtolength{\L@first}{-\ht\L@tbox}%
   \setlength{\L@lraise}{\z@}%
 \else
   \setlength{\L@first}{-\theL@lines\@tempdima}%
   \addtolength{\L@first}{\@tempdima}%
   \sbox{\@tempboxa}{\LettrineTextFont x}%
   \addtolength{\L@first}{-\ht\@tempboxa}%
   \setlength{\L@lraise}{-\L@raise\L@first}%
   \addtolength{\L@first}{\L@lraise}%
   \addtolength{\L@first}{\ht\L@lbox}%
   \addtolength{\L@lraise}{-\theL@lines\@tempdima}%
   \addtolength{\L@lraise}{\@tempdima}%
 \fi
 \par
 \ifdim\L@first>\L@novskip
   \ifL@grid
     \@tempdima=\baselineskip
     \@tempdimb=\@tempdima
     \advance\@tempdimb by \L@novskip
     \@tempcnta=1
     \loop\ifdim\L@first>\@tempdimb
       \advance\@tempcnta by 1
       \advance\L@first by -\@tempdima
     \repeat
     \vskip\@tempcnta\baselineskip
```

```
    \else
      \vskip\L@first
    \fi
  \fi
 \setlength{\L@Pindent}{\wd\L@lbox}%
 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
 \settowidth{\L@first}{\L@ante}%
 \addtolength{\L@Pindent}{\L@first}%
 \addtolength{\L@Pindent}{\L@Findent}%
 \setlength{\L@first}{\linewidth}%
 \addtolength{\L@first}{-\L@Pindent}%
 \addtolength{\L@Nindent}{\L@Pindent}%
 \setlength{\L@next}{\linewidth}%
 \addtolength{\L@next}{-\L@Nindent}%
 \addtolength{\L@Pindent}{\rightmargin}%
 \addtolength{\L@Nindent}{\rightmargin}%
 \setlength{\LettrineWidth}{\wd\L@lbox}%
 \setlength{\LettrineHeight}{\ht\L@lbox}%
 \setlength{\LettrineDepth}{\dp\L@lbox}%
 \addtocounter{L@lines}{1}%
 \addtocounter{L@lines}{\the\c@L@depth}%
\if@RTL\def\L@parshape{\c@L@lines 0pt \the\L@first}\else\def\L@parshape{\c@L@lines \the\L@Pir
 \@tempcnta=\tw@
 \@whilenum \@tempcnta<\c@L@lines\do{%
  \if@RTL\edef\L@parshape{\L@parshape 0pt \the\L@next}\else\edef\L@parshape{\L@parshape \the\
    \addtolength{\L@Nindent}{\L@slope}%
    \addtolength{\L@next}{-\L@slope}%
    \advance\@tempcnta\@ne}%
\if@RTL \edef\L@parshape{\L@parshape 0pt \the\linewidth}\else\edef\L@parshape{\L@parshape \ri
 \noindent
 \parshape=\L@parshape\relax
 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}%
         \hskip \the\L@Findent}}%
 \usebox{\L@tbox}%
}
```

7.74 listings-xetex-bidi.def

```
\ProvidesFile{listings-xetex-bidi.def}[2016/09/12 v1.0 bidi adaptations for listings package fo
\lst@Key{captiondirection}{textdirection}{%
    \lstKV@SwitchCases{#1}%
    {textdirection&\\%
     RTL&\chardef\bidi@lst@caption@direction\@ne\\%
     LTR&\chardef\bidi@lst@caption@direction\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\lst@Key{captionscript}{latin}{%
    \lstKV@SwitchCases{#1}%
    {%
     latin&\chardef\bidi@lst@caption@script\@ne\\%
```

```
     nonlatin&\chardef\bidi@lst@caption@script\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
   \@ifundefined{bidi@lst@caption@direction}{}{%
    \ifnum\bidi@lst@caption@direction=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@direction=\@ne%
             #2%
         \fi%
     \fi%
}}
\long\def\@bidi@lst@makecaption#1#2{%
    \ifnum\bidi@lst@caption@script=\z@%
        \@nonlatintrue%
    \else%
         \ifnum\bidi@lst@caption@script=\@ne%
             \@nonlatinfalse%
         \fi%
     \fi%
   \vskip\abovecaptionskip
   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
   \sbox\@tempboxa{%
   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
   #1: #2%
   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
   }%
   \ifdim \wd\@tempboxa >\hsize
     #1: #2\par
   \else
     \global \@minipagefalse
     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
   \fi
   \vskip\belowcaptionskip}%
\def\lst@makecaption{\@bidi@lst@makecaption}
\def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
\bidi@patchcmd{\lst@MakeCaption}{%
    \ifx #1t%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                   \expandafter\refstepcounter
        \fi {lstlisting}%
}{%
    \ifx #1t%
       \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                   \expandafter\refstepcounter
        \fi {lstlisting}%
        \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
}{}{}
```

```
\bidi@patchcmd{\lst@MakeCaption}{%
                  \addcontentsline{lol}{lstlisting}%
                      {\protect\numberline{\thelstlisting}\lst@@caption}%
}{%
\begingroup%
              \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
                  \addcontentsline{lol}{lstlisting}%
                      {\protect\numberline{\thelstlisting}\lst@@caption}%
\endgroup%
}{}{}
\AtBeginDocument{%
\@ifundefined{captionlabelfalse}{}{%
 \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
\@ifundefined{caption@startrue}{}{%
 \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
}
\AtBeginDocument{
 \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
 \lst@ifnumberbychapter
     \gdef\thelstlisting%
      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
 \else
     \gdef\thelstlisting{\@arabic\c@lstlisting}
 \fi}
```

7.75 loadingorder-xetex-bidi.def

```
\ProvidesFile{loadingorder-xetex-bidi.def}[2015/10/16 v0.96 making sure that bidi is the last pa
\bidi@isloaded{amsmath}
\bidi@isloaded{amstext}
\bidi@isloaded{amsthm}
\bidi@isloaded{animate}
\bidi@isloaded{breqn}
\bidi@isloaded{cals}
\bidi@isloaded{caption}
\bidi@isloaded{crop}
\bidi@isloaded{cuted}
\bidi@isloaded{cutwin}
\bidi@isloaded{color}
\bidi@isloaded{dblfnote}
\bidi@isloaded{xcolor}
\bidi@isloaded{colortbl}
\bidi@isloaded{float}
\bidi@isloaded{floatrow}
\bidi@isloaded{flowfram}
\bidi@isloaded{framed}
\bidi@isloaded{ftnright}
\bidi@isloaded{xltxtra}
\bidi@isloaded{xunicode}
\bidi@isloaded{wrapfig}
```

```
\bidi@isloaded{graphicx}
\bidi@isloaded{geometry}
\bidi@isloaded{hvfloat}
\bidi@isloaded{mdframed}
\bidi@isloaded{midfloat}
\bidi@isloaded{ntheorem}
\bidi@isloaded{ntheorem-hyper}
\bidi@isloaded{hyperref}
\bidi@isloaded{fancybox}
\bidi@isloaded{fancyhdr}
\bidi@isloaded{fix2col}
\bidi@isloaded{draftwatermark}
\bidi@isloaded{empheq}
\bidi@isloaded{overpic}
\bidi@isloaded{pdfpages}
\bidi@isloaded{listings}
\bidi@isloaded{lettrine}
\bidi@isloaded{media9}
\bidi@isloaded{pstricks}
\bidi@isloaded{pgf}
\bidi@isloaded{picinpar}
\bidi@isloaded{quotchap}
\bidi@isloaded{tikz}
\bidi@isloaded{titlesec}
\bidi@isloaded{titletoc}
\bidi@isloaded{array}
\bidi@isloaded{soul}
\bidi@isloaded{stabular}
\bidi@isloaded{subfig}
\bidi@isloaded{subfigure}
\bidi@isloaded{supertabular}
\bidi@isloaded{xtab}
\bidi@isloaded{longtable}
\bidi@isloaded{arydshln}
\bidi@isloaded{multicol}
\bidi@isloaded{multienum}
\bidi@isloaded{minitoc}
\bidi@isloaded{natbib}
\bidi@isloaded{newfloat}
\bidi@isloaded{ragged2e}
\bidi@isloaded{rotating}
\bidi@isloaded{tabls}
\bidi@isloaded{tabulary}
\bidi@isloaded{tocbasic}
\bidi@isloaded{tocstyle}
\bidi@isloaded{tocbibind}
\bidi@isloaded{fontspec}
\bidi@isloaded{arabxetex}
\bidi@isloaded{polyglossia}
\bidi@isloaded{fancyvrb}
```

```
\AtBeginDocument{
  \if@bidi@amsmathloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package. I
  \fi%
    \if@bidi@amstextloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package. I
  \fi%
  \if@bidi@amsthmloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package. Pl
  \fi%
  \if@bidi@animateloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi package. I
  \fi%
  \if@bidi@breqnloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package. Ple
  \fi%
    \if@bidi@calsloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package. Plea
  \fi%
  \if@bidi@captionloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package. I
  \fi%
  \if@bidi@croploaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package. Plea
  \fi%
  \if@bidi@colorloaded@\else
  \@ifpackageloaded{hyperref}{}{%
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package. Ple
  \fi%
  \if@bidi@cutwinloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package. Pl
  \fi%
    \if@bidi@cutedloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package. Ple
  \fi%
  \if@bidi@dblfnoteloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package.
  \fi%
  \if@bidi@xcolorloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package. Pl
  \fi%
  \if@bidi@colortblloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package.
  \fi%
  \if@bidi@floatloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package. Ple
  \fi%
    \if@bidi@floatrowloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package.
  \fi%
```

```
\if@bidi@flowframloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package.
\fi%
\if@bidi@framedloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package. P
\fi%
  \if@bidi@ftnrightloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package.
\fi%
\if@bidi@xltxtraloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi package. I
\fi%
\if@bidi@xunicodeloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package.
\fi%
\if@bidi@wrapfigloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package. I
\fi%
\if@bidi@graphicxloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package.
\fi%
  \if@bidi@geometryloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi package.
\fi%
\if@bidi@hvfloatloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi package. I
\fi%
    \if@bidi@mdframedloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi package.
\fi%
      \if@bidi@midfloatloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi package.
\fi%
  \if@bidi@ntheoremloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi package.
\fi%
\if@bidi@hyperrefloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi package.
\fi%
  \if@bidi@fancyboxloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi package.
\fi%
\if@bidi@fancyhdrloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi package.
\fi%
\if@bidi@draftwatermarkloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi pa
\fi%
\if@bidi@empheqloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package. P
```

```
\fi%
  \if@bidi@overpicloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi package. I
\fi%
\if@bidi@pdfpagesloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi package.
\fi%
\if@bidi@lettrineloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi package.
\fi%
\if@bidi@listingsloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi package.
\fi%
\csname if@bidi@media9loaded@\endcsname\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package. Pl
\fi%
\if@bidi@pstricksloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi package.
\fi%
\if@bidi@pgfloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. Pleas
\fi%
\if@bidi@picinparloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi package.
\fi%
\if@bidi@quotchaploaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi package.
\fi%
\if@bidi@tikzloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package. Plea
\fi%
\if@bidi@titlesecloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi package.
\fi%
\if@bidi@titletocloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi package.
\fi%
\if@bidi@arrayloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package. Ple
\fi%
\if@bidi@stabularloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi package.
\fi%
\if@bidi@soulloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package. Plea
\fi%
\if@bidi@subfigloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package. Pl
\fi%
\if@bidi@subfigureloaded@\else
```

```
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi package
\fi%
\if@bidi@supertabularloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi pack
\fi%
\if@bidi@xtabloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package. Plea
\fi%
\if@bidi@longtableloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi package
\fi%
\if@bidi@arydshlnloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi package.
\fi%
\if@bidi@multicolloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi package.
\fi%
\if@bidi@multienumloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi package
\fi%
\if@bidi@minitocloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi package. I
\fi%
\if@bidi@natbibloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package. Pl
\fi%
  \if@bidi@newfloatloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi package.
\fi%
\csname if@bidi@ragged2eloaded@\endcsname\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi package.
\fi%
  \if@bidi@rotatingloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi package.
\fi%
\if@bidi@tablsloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi package. Pla
\fi%
\if@bidi@tabularyloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi package.
\fi%
\if@bidi@tocbasicloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi package.
\fi%
\if@bidi@tocstyleloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi package.
\fi%
\if@bidi@tocbibindloaded@\else
 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi package
\fi%
```

```
  \if@bidi@fontspecloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi package.
  \fi%
  \if@bidi@arabxetexloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi package
  \fi%
  \if@bidi@polyglossialoaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi packa
  \fi%
  \if@bidi@fancyvrbloaded@\else
   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi package.
  \fi%
}
```

7.76 longtable-xetex-bidi.def

```
\ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable package
\def\LT@array[#1]#2{%
  \refstepcounter{table}\stepcounter{LT@tables}%
  \if l#1%
    \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
  \else\if r#1%
    \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
  \else\if c#1%
    \LTleft\fill \LTright\fill
  \fi\fi\fi
  \let\LT@mcol\multicolumn
  \let\LT@@tabarray\@tabarray
  \let\LT@@hl\hline
  \def\@tabarray{%
    \let\hline\LT@@hl
    \LT@@tabarray}%
  \let\\\LT@tabularcr\let\tabularnewline\\%
  \def\newpage{\noalign{\break}}%
  \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
  \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
  \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
  \@tempdima\ht\strutbox
  \let\@endpbox\LT@endpbox
  \ifx\extrarowheight\@undefined
    \let\@acol\@tabacol
    \let\@classz\@tabclassz \let\@classiv\@tabclassiv
    \def\@startpbox{\vtop\LT@startpbox}%
    \let\@@startpbox\@startpbox
    \let\@@endpbox\@endpbox
    \let\LT@LL@FM@cr\@tabularcr
  \else
    \advance\@tempdima\extrarowheight
    \col@sep\tabcolsep
    \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
```

```
  \fi
  \setbox\@arstrutbox\hbox{\vrule
    \@height \arraystretch \@tempdima
    \@depth \arraystretch \dp \strutbox
    \@width \z@}%
  \let\@sharp##\let\protect\relax
   \begingroup
    \@mkpream{#2}%
    \xdef\LT@bchunk{%
       \global\advance\c@LT@chunks\@ne
       \global\LT@rows\z@\setbox\z@\vbox\bgroup
       \LT@setprevdepth
       \tabskip\LTleft \noexpand\halign to\hsize\bgroup
      \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
  \endgroup
  \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
  \LT@make@row
  \m@th\let\par\@empty
  \everycr{}\lineskip\z@\baselineskip\z@
  \LT@bchunk}
\def\LT@makecaption#1#2#3{%
  \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
    \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
    \ifdim\wd\@tempboxa>\hsize
      #1{#2: }#3%
    \else
      \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
    \fi
    \endgraf\vskip\baselineskip}%
  \hss}}}
\@ifpackageloaded{caption}{%
  \renewcommand\LT@makecaption[3]{%
    \caption@LT@make{%
      \caption@settype*\LTcaptype
      \ifdim\LTcapwidth=4in \else
        \setcaptionwidth\LTcapwidth
      \fi
      \caption@setoptions{longtable}%
      \caption@setoptions{@longtable}%
      \caption@LT@setup
      \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
      \caption@startrue#1\caption@starfalse
      \caption@prepare@stepcounter\LTcaptype{LT}%
      \caption@begin\LTcaptype
        \caption@normalsize
        \vskip-\ht\strutbox
      \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
        \caption@@make{#2}{#3}\endgraf
      \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
      \caption@end}}%
```

```
}{}
\def\LT@startpbox#1{%
  \bgroup
    \let\@footnotetext\LT@p@ftntext
    \let\@LTRfootnotetext\LT@p@LTRftntext
    \let\@RTLfootnotetext\LT@p@RTLftntext
    \setlength\hsize{#1}%
    \@arrayparboxrestore
    \vrule \@height \ht\@arstrutbox \@width \z@}
\def\LT@p@LTRftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
\def\LT@p@RTLftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
```

7.77 mdframed-xetex-bidi.def

```
\ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package fo
\newif\if@bidi@mdf@RTL
\def\mdf@lrbox#1{%
  \mdf@patchamsthm%patch amsthm
   \if@RTL\@bidi@mdf@RTLtrue\fi%
   \@RTLfalse%
 \setbox#1\vbox\bgroup%
   \color@begingroup%
    \if@bidi@mdf@RTL\@RTLtrue\fi%
     \mdf@horizontalmargin@equation%
     \columnwidth=\hsize%
     \textwidth=\hsize%
     \let\if@nobreak\iffalse%
     \let\if@noskipsec\iffalse%
     \let\par\@@par%
     \let\-\@dischyph%
     \let\'\@acci\let\`\@accii\let\=\@acciii%
     \parindent\z@ \parskip\z@skip%
     \linewidth\hsize%
     \@totalleftmargin\z@%
     \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
     \parfillskip\@flushglue \lineskip\normallineskip%
     \baselineskip\normalbaselineskip%
%%  \sloppy%
     \let\\\@normalcr%
   \mdf@par@local%New feature to restore parskip/parindent local in save box
     \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
     \@afterindentfalse%
   %\@afterheading%
}
\renewrobustcmd\mdfframedtitleenv[1]{%
    \mdf@lrbox{\mdf@frametitlebox}%
```

```
      \mdf@frametitlealignment%
        \leavevmode{\color{\mdf@frametitlefontcolor}%
            \normalfont\mdf@frametitlefont{#1}
        \ifbool{mdf@ignorelastdescenders}%
          {%
           \par\strut\par
           \unskip\unskip\setbox0=\lastbox
           \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
          }{}}%
    \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
     \endmdf@lrbox\relax%
    \mdf@ignorevbadness%
    \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
    \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
    \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
    \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
    \mdfframetitleboxtotalheight=\dimexpr
                                    \ht\mdf@frametitlebox
                                    +\dp\mdf@frametitlebox%
                                    +\mdf@frametitleaboveskip@length
                                    +\mdf@frametitlebelowskip@length
                                  \relax%
}

\renewrobustcmd*\mdf@footnoteoutput{%
      \ifvoid\@mpfootins\else%
           \nobreak%
           \vskip\mdf@footenotedistance@length%
           \normalcolor%
           \bidi@mpfootnoterule%
           \unvbox\@mpfootins%
      \fi%
}


\renewrobustcmd*\mdf@footnoteinput{%
    \def\@mpfn{mpfootnote}%
    \def\thempfn{\thempfootnote}%
    \c@mpfootnote\z@%
    \let\@footnotetext\@mpfootnotetext%
     \let\@LTRfootnotetext\@mpLTRfootnotetext%
     \let\@RTLfootnotetext\@mpRTLfootnotetext%
}
```

7.78 bidi-media9.sty

```
\ProvidesExplPackage{bidi-media9}{2016/05/03}{0.2}
{bidi fixes for media9 package for the XeTeX engine}

\keys_define:nn{media9/mbtn}{
```

```
draft .code:n = {},
final .code:n = {},

tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
tooltip .value_required:n = {true},

overface .code:n = {
  %\hbox_set:Nn\l_mix_poster_box{#1}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
  \mix_pdfxform:n{\l_mix_poster_box}
  \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
},
overface .value_required:n = {true},

downface .code:n = {
  %\hbox_set:Nn\l_mix_poster_box{#1}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
  \mix_pdfxform:n{\l_mix_poster_box}
  \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
},
downface .value_required:n = {true},

3Dgotoview .code:n = {
  \tl_set:Nx\l_tmpa_tl{#1}              %extract ref
  \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl
  \tl_trim_spaces:N\l_tmpa_tl
  \tl_if_exist:cTF{ann@\l_tmpa_tl}{
    \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
      \tl_set:Nx\l_tmpb_tl{#1}          %extract idx
      \regex_replace_once:nnN{[^:]+:?}{}\l_tmpb_tl
      \tl_trim_spaces:N\l_tmpb_tl
      \tl_if_blank:VF\l_tmpb_tl{
        \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
          \tl_set:Nx\l_mix_vidx_tl{/\l_tmpb_tl}
        }{
          \regex_match:nVTF{^\d+$}\l_tmpb_tl{
            \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
          }{
            \regex_replace_once:nnN{^\(\s*}{}\l_tmpb_tl
            \regex_replace_once:nnN{\s*\)$}{}\l_tmpb_tl
            \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
          }
        }
      }
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
         this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
```

```
            }
            annotRM['\l_tmpa_tl'].activated=true;
          )
          \tl_if_blank:VF\l_tmpb_tl{
            /Next~<<
              /S/GoTo3DView
              /TA~\tl_use:c{ann@\l_tmpa_tl}
              /V\l_mix_vidx_tl
            >>
          }
        }
        \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
      }
    }{
      \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
      \cs_if_exist:NF\g_mix_refundefwarned_tl{
        \tl_new:N\g_mix_refundefwarned_tl
        \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
      }
    }
  },
  3Dgotoview .value_required:n = {true},

  mediacommand .code:n = {
    \tl_set:Nx\l_tmpa_tl{#1}
    \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
    \tl_trim_spaces:N\l_tmpa_tl
    \tl_if_exist:cTF{ann@\l_tmpa_tl}{
      \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
        \tl_set:Nx\l_tmpb_tl{#1}
        \regex_replace_once:nnN{[^:]+\:?}{}\l_tmpb_tl
        \tl_trim_spaces:N\l_tmpb_tl
        \regex_replace_all:nnN{^\{|\}$}{}\l_tmpb_tl
        \tl_set:Nx\l_mix_cmd_tl{
         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
        \tl_trim_spaces:N\l_mix_cmd_tl
        \tl_set:Nx\l_mix_arg_tl{
         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
        \tl_trim_spaces:N\l_mix_arg_tl
        \mix_pdfobj:nnn{}{dict}{
          /S/JavaScript/JS~(
            if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
            if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
              annotRM['\l_tmpa_tl']=
           this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
            }
            annotRM['\l_tmpa_tl'].activated=true;
          )
          \tl_if_blank:VF\l_mix_cmd_tl{
            /Next~<<
```

```
              /S/RichMediaExecute
              /TA~\tl_use:c{ann@\l_tmpa_tl}
              /TI~\tl_use:c{main@\l_tmpa_tl}
              /CMD~<<
                /C~(\l_mix_cmd_tl)
                \tl_if_blank:VF\l_mix_arg_tl{
                  /A~[\l_mix_arg_tl]
                }
              >>
            >>
          }
        }
        \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
      }
    }{
      \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
      \cs_if_exist:NF\g_mix_refundefwarned_tl{
        \tl_new:N\g_mix_refundefwarned_tl
        \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
      }
    }
  },
  mediacommand .value_required:n = {true},

  jsaction .code:n = {
    \tl_set:Nx\l_tmpa_tl{#1}
    \regex_match:nVTF{^[^\{:]+:.*$}\l_tmpa_tl{
      \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
      \tl_trim_spaces:N\l_tmpa_tl
    }{\tl_clear:N\l_tmpa_tl}
    \tl_set:Nx\l_tmpb_tl{#1}
    \tl_if_blank:VF\l_tmpa_tl{
      \tl_if_exist:cF{ann@\l_tmpa_tl}{
        \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
        \cs_if_exist:NF\g_mix_refundefwarned_tl{
          \tl_new:N\g_mix_refundefwarned_tl
          \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
        }
      }
      \regex_replace_once:nnN{[^:]+\:}{}\l_tmpb_tl
    }
    \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
    \tl_trim_spaces:N\l_tmpb_tl
    \tl_if_blank:VF\l_tmpb_tl{
    \mix_pdfobj:nnn{}{dict}{
      /S/JavaScript/JS~(
        try{\l_tmpb_tl}catch(e){console.show();console.println(e)})}}
    \bool_if:nT{
      \tl_if_exist_p:c{ann@\l_tmpa_tl}&&
      !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
```

```
    }{
      \mix_pdfobj:nnn{}{dict}{
        /S/JavaScript/JS~(
          if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
          if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
            annotRM['\l_tmpa_tl']=
         this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
          }
          annotRM['\l_tmpa_tl'].activated=true;
        )
        \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
      }
    }
    \bool_if:nT{
      \tl_if_exist_p:c{ann@\l_tmpa_tl}&&
      !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}||
      !\tl_if_blank_p:V\l_tmpb_tl
    }{
      \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
    }
  },
  jsaction .value_required:n = {true},

  unknown .code:n = {
    \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
  }
}


\RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
  \mix_uriend:
  \group_begin:
  \beginL
  \leavevmode
  %empty stream as appearance dummy
  \cs_if_exist:NF\g_mix_appearance_tl{
    \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
  }
  \mix_reset:
  \mix_uribegin: %treat URI characters correctly
  \keys_set:nn{media9/user}{#1}
  \mix_uriend:
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
  \tl_gtrim_spaces:N\g_mix_flashvars_tl

```

```
\cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}

%\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
%\hbox_set:Nn\l_mix_poster_box{#2}
\sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
\mix_scale:n{\l_mix_poster_box}
\bool_if:nT{
  \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
  \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
}{
  \tl_gset:Nn\g_mix_usrpbtn_tl{none}
}
\bool_if:NTF\g_mix_usrdraft_bool{
  \tl_if_empty:NF\g_mix_usrlabel_tl{
    \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
  }
  \tl_if_blank:oTF{#2}{
    \mix_uribegin: %treat URI characters correctly
    \mix_draftbox:n{\tl_to_str:n{#3}}
    \mix_uriend:
  }{
    \hbox_to_wd:nn{\g_mix_wd_tl}{
      \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
      \box_use:N\l_mix_poster_box\hss
    }
  }
}{
  \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
   %attach script that switches off play button overlay upon activation
    \mix_pdfobj:nnn{}{stream}{
      {}{
        var~ocgs=host.getOCGs(host.pageNum);
        for(var~i=0;i<ocgs.length;i++){
       if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
            ocgs[i].state=false;
          }
        }
      }
    }
    \mix_pdfobj:nnn{}{dict}{
    /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
    }
    \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
    \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
    %enforce plain playbutton overlay for XeTeX
    \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
  }
  %embed main asset
  \mix_uribegin:
  \mix_embedasset:n{#3}
```

```
  \bool_if:nTF{
  \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
  }{
    \bool_gset_true:N\g_mix_iiid_bool
    \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
  }{
    \str_case_x:nnF{\l_mix_base_tl}{
      {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
      {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
      {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
      {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
      {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
    }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
  }
  \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
  \mix_uriend:
  %secondary assets (added by addresource)
  \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
  \seq_map_inline:Nn\g_mix_script_seq{
    \mix_embedasset:n{##1}
    \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
  }
  %attach 3D calculation script
  \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
    \mix_embedasset:n{3Dmenu.js}
    \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
  }
  %create 3D views from file (option 3Dviews)
  \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
    \tl_set:Nn\l_mix_level_tl{\c_minus_one}
    \int_zero:N\l_mix_viewcnt_int
    \int_zero:N\l_mix_lineno_int

    \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
    \ior_map_inline:Nn\l_mix_vfile_stream{
      \int_incr:N\l_mix_lineno_int
      \keys_set:nn{media9/views}{##1} %process input line
    }
    \ior_close:N\l_mix_vfile_stream
  }
  \bool_if:nT{ %create default 3D view if required
    \g_mix_iiid_bool &&
  (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
  }{
    \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
    \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
    \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
    \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
    \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
    \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
```

```
    \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl

    \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
    \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
    \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
    \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp

    \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
    \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
    \tl_clear:N\l_mix_naarray_tl

    \bool_if:NF\l_mix_ciiw_bool{
    \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
      \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
    }

    \tl_clear:N\l_mix_naarray_tl
    \tl_clear:N\l_mix_saarray_tl
    \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl

    \mix_view:n{Default}
    \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}

  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaInstance
    /Subtype/\g_mix_mainassetsub_tl
    /Asset~\g_mix_mainasset_tl
    \bool_if:NF\g_mix_iiid_bool{
      /Params~<<
        /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
          /Foreground
        }{
          /Background
        }
        \tl_if_blank:VF\g_mix_flashvars_tl{
          /FlashVars~(\g_mix_flashvars_tl)
        }
      >>
    }
  }
  \tl_if_empty:NF\g_mix_usrlabel_tl{
    \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaConfiguration
    /Subtype/\g_mix_mainassetsub_tl
    /Instances~[\mix_pdflastobj:]
  }
  \mix_pdfobj:nnn{}{dict}{
```

```
    /Type/RichMediaContent
    /Assets~<</Names~[\g_mix_assets_tl]>>
    /Configurations~[\mix_pdflastobj:]
    \bool_if:nT{
      \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
    }{
      /Views~[\l_mix_iiidviewarray_tl]
    }
  }
  \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
  \bool_if:nT{
    \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
  }{
    \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
  }
  %determine floating window size
  \bool_if:NT\g_mix_opt_windowed_bool{
    \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
  }
  \mix_pdfobj:nnn{}{dict}{
    /Activation~<<
      /Condition\g_mix_act_tl
      \bool_if:nT{
        \g_mix_iiid_bool &&
        !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
      }{%seems to work only with 3D content
        /Animation~<<
          /Subtype/\g_mix_playtpe_tl
          /PlayCount~\g_mix_playcnt_tl
          /Speed~\g_mix_playspd_tl
        >>
      }
      \bool_if:nT{
        \g_mix_iiid_bool && (
      \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
        )
      }{/View~\l_mix_dfltview_tl}
      /Presentation~<<
        /Transparent~\g_mix_transp_tl
        \bool_if:NTF\g_mix_opt_windowed_bool{
          /Style/Windowed
          /Window~<<
            /Width~<</Default~\tl_mix_fltwd>>
            /Height~<</Default~\tl_mix_fltht>>
            /Position~<<
              /HOffset~0/VOffset~0
              \str_case_x:nnF{\g_mix_winpos_tl}{
                {tl}{/VAlign/Near/HAlign/Near}
                {cl}{/VAlign/Center/HAlign/Near}
                {bl}{/VAlign/Far/HAlign/Near}
```

```
                {bc}{/VAlign/Far/HAlign/Center}
                {br}{/VAlign/Far/HAlign/Far}
                {cr}{/VAlign/Center/HAlign/Far}
                {tr}{/VAlign/Near/HAlign/Far}
                {tc}{/VAlign/Near/HAlign/Center}
              }{/HAlign/Center/VAlign/Center}
            >>
          >>
        }{
          /Style/Embedded
        }
        \bool_if:NTF\g_mix_iiid_bool{
          /Toolbar~\g_mix_tools_tl
          /NavigationPane~\g_mix_nav_tl
        }{
          /PassContextClick~\g_mix_contextclick_tl
        }
      >>
      \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
    >>
    /Deactivation~<</Condition\g_mix_deact_tl>>
  }
  \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
  \tl_if_empty:NF\g_mix_usrlabel_tl{
    \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
  }
  % #1:width, #2:height, #3:depth, #4:content (key-value)
  \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
    /Subtype/RichMedia
    /F~4\cs_if_exist_use:N\ocgxii@insert@OC
    /BS~<</W~0/S/S>>
  /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
    /NM~(\g_mix_label_tl)
    /AP~<</N~\g_mix_appearance_tl>>
    /RichMediaSettings~\l_mix_settings_tl
    /RichMediaContent~\l_mix_content_tl
  }
  \tl_if_empty:NF\g_mix_usrlabel_tl{
    \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
    \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
      \noexpand\the\g@mix@page@int}
  }
  \mix_pdfobj:nnn{}{dict}{
    /S/JavaScript/JS~(
      try{
        if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
        if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
          annotRM['\g_mix_label_tl']=
            this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
        }
```

```
      \str_if_eq_x:nnF{\g_mix_usrpbtn_tl}{none}{
        if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
          var~ocgs=this.getOCGs(this.pageNum);
          for(var~i=0;i<ocgs.length;i++){
       if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
              var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
            }
          }
        }
        if(
          !annotRM['\g_mix_label_tl'].activated&&(
            app.viewerType=='Reader'||
            app.viewerType=='Exchange'||
            app.viewerType=='Exchange-Pro'
          )&&app.viewerVersion>=9
        ){
          ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
        }
      }
    }catch(e){}
    this.dirty=false;
  )
}
\mix_pdfannot:nnnn{0pt}{0pt}{0pt}{
  /Subtype/Widget
  /FT/Btn/Ff~65537/F~2
  /BS~<</W~0>>
  /T~(fd@\g_mix_label_tl)
  /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
}
\mix_appendtofields:n{\mix_pdflastann:}
\hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
\str_if_eq_x:nnTF{\g_mix_usrpbtn_tl}{none}{
  \hbox_to_wd:nn{\g_mix_wd_tl}{
 \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
  }
}{%insert play button overlay
  \mix_insert_btnocg: %create OCG
  \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
 %\hbox_set:Nn\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
  \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
  \box_move_down:nn{\g_mix_dp_tl}{
    \hbox_to_wd:nn{\g_mix_wd_tl}{
      \vbox_to_ht:nn{\g_mix_tt_tl}{
        \vss
        \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
        \box_use:N\l_mix_pbtn_box
        \ocgbase_oc_emc:
      }
    }
```

```
      }
    }
    \int_gincr:N\g_mix_rmcnt_int
  }
  \endL
  \group_end:
}
\tl_set_eq:NN\l_mix_includemedia_tl\includemedia
\tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}


\RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
  \mix_uriend:
  \group_begin:
  \beginL
  \leavevmode
  %reset various variables
  \tl_gclear:N\g_mix_overbtn_tl
  \tl_gclear:N\g_mix_downbtn_tl
  \tl_gclear:N\g_mix_btnactions_tl
  \tl_gclear:N\g_mix_tooltip_tl
  %process options
  \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
  \mix_uribegin: %treat URI characters correctly
  \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
  \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
  \mix_uriend:
  %normal button appearance
  %\hbox_set:Nn\l_mix_poster_box{#2}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
  \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
  \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
  \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
  \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
    \bool_if:nT{ %dummy Widget for ocgx2, AR seems to need it
%     \cs_if_exist_p:N\ocgxii@insert@OC && !\tl_if_blank_p:V\ocgxii@insert@OC
      !\cs_if_exist:NTF\ocgxii@insert@OC{
        \tl_if_blank_p:V\ocgxii@insert@OC
      }{
        \c_true_bool
      }
    }{\mix_pdfannot:nnnn{\width}{\height}{\depth}{/Subtype/Widget/F~2}}
    %insert widget annotation
    \mix_pdfannot:nnnn{\width}{\height}{\depth}{
      /Subtype/Widget
      /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
      \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
```

```
      /FT/Btn/Ff~65536\cs_if_exist_use:N\ocgxii@insert@OC
      \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
      /AP~<<
        /N~\g_mix_normalbtn_tl
        \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
        \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
      >>
      /MK~<<
        /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
        /I~\g_mix_normalbtn_tl
        \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
        \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
      >>
      /A~<<
        /S/JavaScript/JS~(app.focusRect=false;)
        %sequence of actions to perform
      \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
      >>
    }
    \mix_appendtofields:n{\mix_pdflastann:}
    \hbox_to_wd:nn{\width}{
      \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
    }
    \int_gincr:N\g_mix_mbtncnt_int
  }
  \endL
  \group_end:
}
\tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
\tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
```

7.79 memoir-xetex-bidi.def

```
\ProvidesFile{memoir-xetex-bidi.def}[2010/07/25 v0.5 bidi adaptations for memoir class for XeTeX
\renewcommand{\keepthetitle}{%
  \@bsmtitlempty
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\and\relax
  \global\let\andnext\relax
  \global\let\@thanks\@empty
  \global\let\@title\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty}
\renewcommand{\maketitle}{\par
  \begingroup
```

```
    \@bsmarkseries
    \def\@makefnmark{\@textsuperscript{%
       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}%
    \long\def\@makefntext##1{\makethanksmark ##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \ifdim\pagetotal>\z@
        \newpage
      \fi
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{title}\@thanks
  \endgroup
  \@bscontmark  %  \setcounter{footnote}{0}%
  }
\renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
\renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
\renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
\renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
\renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*{\thesubsection}{%
              \thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
              \thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*{\theparagraph}{%
              \thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
              \theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
\renewcommand{\theequation}{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
\renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
\ifartopt
  \chapterstyle{article}
  \counterwithout{figure}{chapter}
  \counterwithout{table}{chapter}
  \counterwithout{footnote}{chapter}
  \counterwithout{equation}{chapter}
  \renewcommand{\chaptername}{}
  \renewcommand{\maketitlehookb}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
```

```
  \renewcommand{\maketitlehookc}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
\fi
\long\def\@makecaption#1#2{\let\@memtempa\relax
  \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
  \else \def\@memtempa{\vbox to\topskip{}}\fi
  \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
  \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
  \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
  \let\footnote\@contfnote
  \let\footnotemark\@contfmark
  \ifdim\wd\@tempboxa<\linewidth \centering \fi
  \if@contcw
    \centering
    \parbox{\@contcwidth}{%
    \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
  \fi
  \ifdim\wd\@tempboxa<\linewidth
    \@contpre
    {\@contnfont #1\@contdelim}\@memtempa
    {\@contcshortstyle \@conttfont #2\@contfinal\par}
  \else
    \if@conthang
      \sbox\@tempboxa{\@contnfont #1\@contdelim}
      \@contpre%
      {\@contcstyle\hangindent=\wd\@tempboxa
       \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
    \else
      \if@contindent
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle\hangindent=\@contindw
                  \hangafter=\@ne\@conttfont #2\@contfinal\par}% <- v1.4
      \else
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle \@conttfont #2\@contfinal\par}
      \fi
    \fi
  \fi
  \@contpost
  \if@contcw
    \par
    }  % end of the \parbox
  \fi
  \vskip\belowcaptionskip}
\@ifpackageloaded{caption}{%
\AtBeginPackage{caption}{
\ClassWarningNoLine{memoir}{%
  You are using the caption package with the memoir \MessageBreak
```

```
  class. This may cause unexpected or inconsistent \MessageBreak
  results if you use any of memoir's captioning facilities}

\long\def\@makecaption##1##2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
  \fi
  \vskip\belowcaptionskip}

\def\caption{%
   \ifx\@captype\@undefined
     \@latex@error{\noexpand\caption outside float}\@ehd
     \expandafter\@gobble
   \else
     \refstepcounter\@captype
     \expandafter\@firstofone
   \fi
   {\@dblarg{\@caption\@captype}}%
}

\long\def\@caption##1[##2]##3{%
  \par
  \addcontentsline{\csname ext@##1\endcsname}{##1}%
    {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
  \begingroup
    \@parboxrestore
    \if@minipage
      \@setminipage
    \fi
    \normalsize
    \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
  \endgroup}
}}{}
\renewenvironment{thebibliography}[1]{%
  \bibsection
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}
```

7.80 midfloat-xetex-bidi.def

```
\ProvidesFile{midfloat-xetex-bidi.def}[2016/05/10 v0.3 bidi adaptations for midfloat package fo
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
```

```
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
        \fi
        \global\advance\@colht by\cor@height
        \global\cor@height=0pt
    \fi
    \global \setbox\@rightcolumn \vbox{}%
  \else
    \ifdim\c@colht>\@colht
            \@tempdima\@colht
            \ifdim\@colht>\z@
            \global\setbox\@rightcolumn \vbox{%
                        \unvbox\@rightcolumn
                        \vbox to\@tempdima{%
                               \vskip\c@addvipersep\unvbox\@outputbox}%
                        \vskip\stripsep
                        \vrule height\the\juo@ht width 0pt depth 0pt
                        \vskip\stripsep
                        }%
            \global\c@addvipersep\m@addvipersep
            \else
            \global\setbox\@rightcolumn \vbox{%
                        \unvbox\@rightcolumn
                        \vrule height\the\juo@ht width 0pt depth 0pt
                        \vskip\stripsep
                        }%
            \fi
            \ifnum\juo@sk>0
                \remove@strip\juo@sar
                \global\@colht\the\juo@pr
                \global\advance\@colht by -\ht\@rightcolumn
```

```
                \global\advance\@colht by\cor@height
                \global\cor@height=0pt
            \else
                \global\advance\c@colht by-\ht\@rightcolumn
                \global\@colht\c@colht
            \fi
   \else
   \global\@firstcolumntrue
    \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
                         \unvbox\@rightcolumn
                         \vskip\c@addvipersep
                         \unvbox\@outputbox
                         }%
    \setbox\@outputbox \vbox {%
                          \hb@xt@\textwidth {%
                           \hskip \columnwidth
                           \hfil
                            \vrule \@width\columnseprule
                            \hfil
                            \hb@xt@\columnwidth {%
                              \box\@leftcolumn \hss}%
                            \hskip-\textwidth
                            \hb@xt@\columnwidth {%
                              \box\@outputbox \hss}%
                            \hskip\columnwidth
                            \hskip\columnsep}%
                               }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
```

```
    \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
  \toks@\expandafter{\topmark}%
  \xdef\@firstcoltopmark{\the\toks@}%
  \toks@\expandafter{\splitfirstmark}%
  \xdef\@firstcolfirstmark{\the\toks@}%
  \ifx\@firstcolfirstmark\@empty
    \global\let\@setmarks\relax
  \else
    \gdef\@setmarks{%
      \let\firstmark\@firstcolfirstmark
      \let\topmark\@firstcoltopmark}%
  \fi
  \global\c@colht\@colht\global\c@addvipersep\z@
  \ifnum\juo@sk>0
      \remove@strip\juo@sar
      \global\@colht\the\juo@pr
      \ifdim\right@cor>\z@
              \global\advance\@colht by\right@cor
      \fi
      \global\advance\@colht by\cor@height
      \global\cor@height=0pt
  \fi
  \global \setbox\@rightcolumn \vbox{}%
\else
  \ifdim\c@colht>\@colht
          \@tempdima\@colht
          \ifdim\@colht>\z@
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vbox to\@tempdima{%
                             \vskip\c@addvipersep\unvbox\@outputbox}%
                      \vskip\stripsep
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \global\c@addvipersep\m@addvipersep
          \else
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \fi
          \ifnum\juo@sk>0
              \remove@strip\juo@sar
              \global\@colht\the\juo@pr
              \global\advance\@colht by -\ht\@rightcolumn
              \global\advance\@colht by\cor@height
              \global\cor@height=0pt
```

```
            \else
                \global\advance\c@colht by-\ht\@rightcolumn
                \global\@colht\c@colht
            \fi
  \else
   \global\@firstcolumntrue
    \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
                         \unvbox\@rightcolumn
                         \vskip\c@addvipersep
                         \unvbox\@outputbox
                         }%
    \setbox\@outputbox \vbox {%
                          \hb@xt@\textwidth {%
                            \hb@xt@\columnwidth {%
                              \box\@leftcolumn \hss}%
                            \hfil
                            \vrule \@width\columnseprule
                            \hfil
                            \hb@xt@\columnwidth {%
                              \box\@outputbox \hss}%
                                          }%
                             }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
 \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\v
        \hsize\textwidth
        \@parboxrestore
        \col@number \@ne
        \vrule height\topskip width0pt depth0pt
}

\def\endstrip{%
        \egroup\egroup
        \if@firstcolumn
```

```
                \ifdim\pagetotal>\z@
                        \vskip\stripsep
                        \global\ht@strip\pagegoal
                        \global\advance\ht@strip by-\pagetotal
                        \global\advance\ht@strip by-\stripsep
                        \global\advance\ht@strip by-\ht\@viper
                        \global\advance\ht@strip by-\stripsep
                        \global\juo@ht=\ht\@viper
                \else
                        \global\ht@strip\z@
                \fi
                \ifdim\ht@strip>\z@
                  \unvbox\@viper
                  \vskip\stripsep
            \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
                  \global\advance\juo@sk by1
                \else
                  \@latex@error{Strip needs more place!}\@ehc
                  \if@vihproof
                    \framebox[\columnwidth]{??? Strip ???}%
                  \fi
                \fi
        \else
          \@latex@error{Strip is used only on left column!}\@ehc
          \if@vihproof
            \framebox[\columnwidth]{??? Strip ???}%
          \fi
        \fi
}
```

7.81 minitoc-xetex-bidi.def

```
\ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for X
\def\@undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
  \vskip \z@ plus.2\p@
 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \p
   \parindent #2\relax\@afterindenttrue
   \interlinepenalty\@M
   \leavevmode
  \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
   \hskip -\if@RTL\rightskip\else\leftskip\fi
    #4\nobreak\hfill \nobreak
           \null\par}%
  \fi}
\def\@Undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
     \parindent #2\relax\@afterindenttrue
```

```
    \interlinepenalty\@M
    \leavevmode
    \@tempdima #3\relax
   \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
    {\coffeefont #4}\nobreak \nobreak\null
   \par}%
 \fi}
\def\@Undottedtoclinep#1#2#3#4#5{%
 \ifnum #1>\c@tocdepth\relax \else
  \vskip \z@ \@plus.2\p@
  {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
   \parindent #2\relax\@afterindenttrue
   \interlinepenalty\@M
   \leavevmode
   \@tempdima #3\relax
   \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
    {#4}\nobreak \hfill \nobreak\null
    \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
   \par}%
 \fi}
```

7.82 multicol-xetex-bidi.def

```
\ProvidesFile{multicol-xetex-bidi.def}[2015/11/14 v0.7 bidi adaptations for multicol package fo
\def\page@sofar{%
  \process@cols\mult@rightbox
      {\ifvoid\count@
         \setbox\count@\hbox to\hsize{}%
       \else
         \wd\count@\hsize
       \fi}%
  \count@\col@number \advance\count@\m@ne
  \mult@info\z@
   {Column spec: \the\full@width\space = indent
                 + columns + sep =\MessageBreak
      \the\multicol@leftmargin\space
      + \the\col@number\space
      x \the\hsize\space
      + \the\count@\space
      x \the\columnsep
    }%
\ifvmode\else\errmessage{Multicol Error}\fi
  \nointerlineskip
  \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
  \moveright\multicol@leftmargin
   \hbox to\full@width{%
      \bidi@multicol@align@columns
      \rlap{\phantom p}%
   }%
\prevdepth\z@
```

```
  \kern-\dimen\tw@
  \ifdim\dimen\tw@ > \mc@gridwarn
    \PackageWarning{multicol}%
      {Very deep columns!\MessageBreak
       Grid alignment might be broken}%
  \fi
}
\def\LTR@column@boxes{%
    \process@cols\mult@gfirstbox{%
      \ifdim\dp\count@>\dimen\tw@
        \global\dimen\tw@\dp\count@ \fi
      \mc@col@status@write
      \box\count@
      \hss{\columnseprulecolor\vrule
            \@width\columnseprule}\hss}%
     \ifdim\dp\mult@rightbox>\dimen\tw@
      \global\dimen\tw@\dp\mult@rightbox \fi
     \mc@lastcol@status@write
     \box\mult@rightbox
}

\def\RTL@column@boxes{%
     \process@cols\mult@gfirstbox{%
       \hskip\hsize
       \hss{\columnseprulecolor\vrule
             \@width\columnseprule}\hss
     }%
     \hskip\hsize
     \process@cols\mult@gfirstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \hskip-\hsize
       \mc@col@status@write
       \box\count@
       \hskip-\hsize
       \hskip-\columnsep
     }%
     \ifdim\dp\mult@rightbox>\dimen\tw@
       \global\dimen\tw@\dp\mult@rightbox \fi
     \hskip-\hsize
     \mc@lastcol@status@write
     \box\mult@rightbox
     \hskip-\hsize
     \hskip\full@width
 }
\newcommand\RTLmulticolcolumns
    {\let\bidi@multicol@align@columns
         \RTL@column@boxes}
\newcommand\LTRmulticolcolumns
    {\let\bidi@multicol@align@columns
```

```
      \LTR@column@boxes}
\newcommand\bidi@multicol@align@columns
    {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
\def\multicols#1{\col@number#1\relax
  \ifnum\col@number<\tw@
     \PackageWarning{multicol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use two columns instead}%
     \col@number\tw@ \fi
  \ifnum\col@number>10
     \PackageError{multicol}%
      {Too many columns}%
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
     \fi
     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
       \let\orig@LTRfootnotetext\@LTRfootnotetext
       \let\@LTRfootnotetext\mult@LTRfootnotetext
     \fi
     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
       \let\orig@RTLfootnotetext\@RTLfootnotetext
       \let\@RTLfootnotetext\mult@RTLfootnotetext
     \fi
  \@ifnextchar[\mult@cols{\mult@cols[]}}
\long\def\mult@footnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@footnotetext{#1}\endgroup}
\long\def\mult@LTRfootnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@LTRfootnotetext{#1}\endgroup}
\long\def\mult@RTLfootnotetext#1{\begingroup
         \hsize\textwidth
         \columnwidth\textwidth
         \orig@RTLfootnotetext{#1}\endgroup}
\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
  \kern2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \textwidth \kern 2.6\p@}
```

7.83 multienum-xetex-bidi.def

```
\ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package ]
\renewcommand{\itemx}[1]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
\renewcommand{\itemxx}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
\renewcommand{\itemxxxx}[4]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
\renewcommand{\itemxxxxx}[5]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
\renewcommand{\itemxox}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxo}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxoxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
```

```
\parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxox}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxxo}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}
```

7.84 natbib-xetex-bidi.def

```
\ProvidesFile{natbib-xetex-bidi.def}[2011/06/04 v0.1 bidi adaptations for natbib package for XeT
\renewenvironment{thebibliography}[1]{%
 \bibsection
 \parindent\z@
 \bibpreamble
 \bibfont
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
 \ifNAT@openbib
   \renewcommand\newblock{\par}%
 \else
   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
 \fi
 \sloppy\clubpenalty4000\widowpenalty4000
 \sfcode`\.\@m
 \let\NAT@bibitem@first@sw\@firstoftwo
    \let\citeN\cite \let\shortcite\cite
    \let\citeasnoun\cite
}{%
 \bibitem@fin
 \bibpostamble
 \def\@noitemerr{%
  \PackageWarning{natbib}{Empty `thebibliography' environment}%
 }%
 \endlist
 \bibcleanup
}%
```

7.85 newfloat-xetex-bidi.def

```
\ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package fo
\renewcommand*\newfloat@setwithin[2]{%
  \ifcsname c@chapter\endcsname
    \@removefromreset{#1}{chapter}%
  \fi
  \@removefromreset{#1}{section}%
  \edef\@tempa{#2}%
  \ifx\@tempa\@empty
    \def\@tempa{none}%
  \fi
  \def\@tempb{none}%
  \ifx\@tempa\@tempb
    \ifcsname c@chapter\endcsname
      \@chapterlistsgap@off{#1}%
    \fi
    \newfloat@@setwithin{#1}{}{}%
  \else
    \def\@tempb{chapter}%
    \ifx\@tempa\@tempb
      \@addtoreset{#1}{chapter}%
      \@chapterlistsgap@on{#1}%
    \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@SepMa
    \else
      \def\@tempb{section}%
      \ifx\@tempa\@tempb
        \@addtoreset{#1}{section}%
        \ifcsname c@chapter\endcsname
          \@addtoreset{#1}{chapter}%
          \@chapterlistsgap@on{#1}%
       \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
        \else
       \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\@Se
        \fi
      \else
        \newfloat@Error{Invalid value `#2' for option `within'}%
      \fi
    \fi
  \fi}
```

7.86 ntheorem-xetex-bidi.def

```
\ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package fo
\gdef\@thm#1#2#3{%
  \if@thmmarks
    \stepcounter{end\InTheoType ctr}%
  \fi
  \renewcommand{\InTheoType}{#1}%
  \if@thmmarks
    \stepcounter{curr#1ctr}%
```

```
      \setcounter{end#1ctr}{0}%
    \fi
    \refstepcounter{#2}%
    \theorem@prework
    \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
    \ifvmode \advance\thm@topsepadd\partopsep\fi
    \trivlist
    \@topsep \theorempreskipamount
    \@topsepadd \thm@topsepadd        % used by \@endparenv
    \advance\linewidth -\theorem@indent
    \advance\@totalleftmargin \theorem@indent
  \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
    \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

7.87 ntheorem-hyper-xetex-bidi.def

```
\ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hype
\gdef\@thm#1#2#3{%
    \if@thmmarks
      \stepcounter{end\InTheoType ctr}%
    \fi
    \renewcommand{\InTheoType}{#1}%
    \if@thmmarks
      \stepcounter{curr#1ctr}%
      \setcounter{end#1ctr}{0}%
    \fi
    \refstepcounter{#2}%
    \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
    \ifvmode \advance\thm@topsepadd\partopsep\fi
    \trivlist
    \@topsep \theorempreskipamount
    \@topsepadd \thm@topsepadd        % used by \@endparenv
    \advance\linewidth -\theorem@indent
    \advance\@totalleftmargin \theorem@indent
   \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
    \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

7.88 overpic-xetex-bidi.def

```
\ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package for X
\renewenvironment{overpic}[2][]{%
  \sbox{\z@}{\includegraphics[#1]{#2}}%
  \settodepth{\@tempcnta}{\usebox{\z@}}%
  \settoheight{\@tempcntb}{\usebox{\z@}}%
  \advance\@tempcntb\@tempcnta%
  \settowidth{\@tempcnta}{\usebox{\z@}}%
  \setlength{\@tempdima}{\unitlength}%
  \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
%
  \OVP@calc%
%
```

```
  \begin{picture}(\@tempcnta,\@tempcntb)%
    \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}%
    \ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi\fi%
    % reset the graphics parameter
    \let\Gin@outer@scalex\relax
    \let\Gin@outer@scaley\relax
    \let\Gin@angle\relax
    \let\Gin@ewidth\Gin@exclamation
    \let\Gin@eheight\Gin@ewidth
    \def\Gin@scalex{1}
    \let\Gin@scaley\Gin@exclamation
}{%
    \if@RTL\ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi%
    \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
  \end{picture}%
}%
```

7.89 pdfpages-xetex-bidi.def

```
\ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package fo
\renewcommand*{\includepdf}[2][]{%
  \begingroup
  \@RTLfalse
  \let\AM@threadname\relax
  \AM@split@options{pdfpages}{#1}%
  \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
  \expandafter\setkeys\AM@temp
  \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
    \let\AM@currentdocname\relax
    \renewcommand\includegraphics[2][]{Survey in draft-mode}%
    \def\AM@pagecount{0}%
  }{%
    \AM@findfile{#2}%
    \if\AM@threadname\relax
      \def\AM@threadname{\AM@currentdocname}%
    \fi
  }%
  \ifAM@survey
    \def\AM@pagestemp{}%
    \@tempcnta=0
    \def\foo{%
      \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
         {\let\foo\relax}
         {\expandafter\ifx\expandafter\\\AM@pagestemp\\
```

```
              \edef\AM@pagestemp{%
                 \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
           \else
             \edef\AM@pagestemp{\AM@pagestemp,%
                \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
           \fi
           \advance\@tempcnta 1\relax
         }%
       \foo
     }%
     \foo
     \expandafter\ifx\expandafter\\\AM@pagestemp\\
       \def\AM@pagestemp{1}%
     \fi
   \fi
   \ifAM@output
     \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
     \AM@output{#1}%
   \fi
   \AM@CheckAtEnd
   \endgroup
   \AM@ClearShipoutPicture
}
```

7.90 pgfcorescopes.code-xetex-bidi.def

```
\ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf packa
\def\pgfpicture{%
  \begingroup%
   \ifmmode\else\@RTLfalse\beginL\fi%
    \pgfpicturetrue%
    \global\advance\pgf@picture@serial@count by1\relax%
    \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
    \let\pgf@nodecallback=\pgfutil@gobble%
    \pgf@picmaxx=-16000pt\relax%
    \pgf@picminx=16000pt\relax%
    \pgf@picmaxy=-16000pt\relax%
    \pgf@picminy=16000pt\relax%
    \pgf@relevantforpicturesizetrue%
    \pgf@resetpathsizes%
    \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
\def\endpgfpicture{%
              \ifpgfrememberpicturepositiononpage%
                \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
              \fi%
              % ok, now let's position the box
              \ifdim\pgf@picmaxx=-16000pt\relax%
                % empty picture. make size 0.
                \global\pgf@picmaxx=0pt\relax%
                \global\pgf@picminx=0pt\relax%
```

```
                \global\pgf@picmaxy=0pt\relax%
                \global\pgf@picminy=0pt\relax%
              \fi%
              % Shift baseline outside:
              \pgf@relevantforpicturesizefalse%
              \pgf@process{\pgf@baseline}%
              \xdef\pgf@shift@baseline{\the\pgf@y}%
              %
              \pgf@process{\pgf@trimleft}%
              \global\advance\pgf@x by-\pgf@picminx
              % prepare \hskip\pgf@trimleft@final.
              % note that \pgf@trimleft@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimleft@final{-\the\pgf@x}%
              %
              \pgf@process{\pgf@trimright}%
              \global\advance\pgf@x by-\pgf@picmaxx
              % prepare \hskip\pgf@trimright@final.
              % note that \pgf@trimright@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimright@final{\the\pgf@x}%
        %
        \pgf@remember@layerlist@globally
            \endgroup%
            \hss%
          \egroup%
      \pgf@restore@layerlist@from@global
          \pgf@insertlayers%
        \endgroup%
        \pgfsys@discardpath%
        \endgroup%
      \pgfsys@endscope%
    \pgfsys@endpicture%
    \endgroup%
    \hss
  \egroup%
  \pgfsys@typesetpicturebox\pgfpic%
  \ifmmode\else\endL\fi%
  \endgroup%
}
```

7.91 picinpar-xetex-bidi.def

```
\ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package fo
\long\def\@makewincaption#1#2{%
   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
   \ifdim\wd\@tempboxa>\picwd
      {\footnotesize{\bf #1:\enspace}{#2\par}}
   \else
    \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
```

```
   \fi}
\def\endwindow{%
    \global\tcd=\tcdsav
    \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
    \vbadness=10000
    \splittopskip=0pt
%
% Typeset the lines above the window
%
\ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
\tcn=\tcd
\loop\advance\tcn -1
\setbox\fslice=\vsplit\holder to\baselineskip
\prune\fslice\linewidth
\topheight=0pt
\ifnum\dp\fslice>\dp\wstrutbox
       \advance\topheight-\dp\fslice
       \advance\topheight\dp\wstrutbox
       \advance\topheight\ilg\fi
\hbox to\linewidth{\box\fslice}
\vskip-\topheight
\ifdim\ht\holder>0pt\repeat
\fi
%
% Now we build the boxes beside the window
%
\global\topheight=\tcl\baselineskip
\ifnum\cumpartcl>0\global\tcl=\cumtcl
      \global\topheight=\vpic
\fi
\ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
\ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
\else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
\tcn=\tcl \na=0 \nb=0
\ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
\ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
\ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
\ifnum\na=0\ifnum\nb=0
      \setbox\waslice=\vbox to\vpic{\vss}
      \setbox\wbslice=\vbox to\vpic{\vss}
      \bl=1\br=1
      \vskip\ilg
\fi\fi
%
% both sides
%
\ifnum\na>0 \ifnum\nb>0
\loop\advance\nb -1
\advance\na -1
\if@RTL%
```

```
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\else%
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\fi%
\ifnum\nb>0\repeat
\fi\fi
%
% only text on the left side
%
\ifnum\na>0
    \loop\advance\na -1
    \setbox\aslice=\vsplit\holder to\baselineskip
    \prune\aslice\lftside
    \setbox\waslice=\vbox{\unvbox\waslice\hbox
    to\lftside{\box\aslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% only text on the right side
%
\ifnum\nb>0
    \loop\advance\nb -1
    \setbox\bslice=\vsplit\holder to\baselineskip
    \prune\bslice\rtside
    \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
    to\rtside{\box\bslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% fixing the dimensions of the window part
%
\ifnum\bl=0\topheight=\ht\wbslice
\else\ifnum\br=0\topheight=\ht\waslice
      \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
            \else\topheight=\ht\wbslice\fi\fi\fi
%
```

```
% ship out the window material to the main vertical list
%
\ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
\setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
\fi\fi\fi
\setbox\windowbox=\vbox{\hbox to\linewidth{%
\ifnum\bl>0\box\waslice\hfill\fi%
\vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
\vfill\unvbox\picbox%
\ifnum\picwd>0\vfill\fi%
\vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
\unvbox\windowbox%
\loop
 \setbox\bslice=\vsplit\rawtext to\baselineskip
 \prune\bslice\linewidth
 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
 \unvbox\wbslice
 \ifdim\ht\rawtext>0pt
\repeat
}% FINITO
```

7.92 plain-xetex-bidi.def

```
\def\TeXXeTOn{\TeXXeTstate=1 }
\def\TeXXeTOff{\TeXXeTstate=0 }
\TeXXeTOn
\def\usebox#1{\leavevmode\copy #1\relax}
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \bgroup
```

```
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
  \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\let\setRL=\setRTL
```

```
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
```

7.93 pstricks-xetex-bidi.def

```
\ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package fo
\def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
\def\endpspicture{%
  \ifshowgrid\ifnum\showgridp@s>0
   \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
  \pst@killglue
%  \global\pst@shift=\pst@shift% in fact of the following endgroup
  \endgroup
  \egroup
  \ifdim\wd\pst@hbox=\z@\else
    %\@pstrickserr{Extraneous space in the pspicture environment}%
    %{Type \space <return> \space to proceed.}%
  \fi
  \ht\pst@hbox=\pst@dimd
  \dp\pst@hbox=-\pst@dimb
  \setbox\pst@hbox=\hbox{%
    \kern-\pst@dima
% Orig version ----------
%\ifx\pst@tempa\@empty\else
%\advance\pst@dimd-\pst@dimb
%\pst@dimd=\pst@tempa\pst@dimd
%\advance\pst@dimd\pst@dimb
%\lower\pst@dimd
%\fi
%----- end Orig
   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%    shift=*
      \advance\pst@dimd-\pst@dimb
      \pst@dimd=0.5\pst@dimd
    \else\pst@dimd-\pst@shift\fi
    \advance\pst@dimd\pst@dimb
    \lower\pst@dimd
    \box\pst@hbox
    \kern\pst@dimc}%
  \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
  \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
  \fboxsep=0pt
 \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
  \ifmmode\else\endL\fi
```

```
  \endgroup%
  \psset[pstricks]{shift=0}% reset value
}
```

7.94 quotchap-xetex-bidi.def

```
\ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package fo
\renewcommand{\qauthor}[1]{%
  \par\smallskip
  {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
\renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
  {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
      {\chapnumfont
        \ifnum \c@secnumdepth >\m@ne%
        \if@mainmatter\thechapter%
        \fi\fi
        \par\nobreak}%
    {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10em
     \nobreak\chapterheadendvskip}}
\renewcommand*{\@iprintcites}{%
  \vbox to\z@{\leavevmode\copy\@quotebox\vss}
  \global\let\@printcites\relax}
```

7.95 ragged2e-xetex-bidi.def

```
\ProvidesFile{ragged2e-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for ragged2e package fo
\renewcommand{\Centering}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
   \@rightskip\CenteringRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\CenteringParfillskip
   \parindent\CenteringParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedLeft}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
   \@rightskip\RaggedLeftRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\RaggedLeftParfillskip
   \parindent\RaggedLeftParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
```

```
  }
\renewcommand{\RaggedRight}{%
  \ifx\\\@raggedtwoe@savedcr
     \let\\\@centercr
  \fi
  \let\@gnewline\@raggedtwoe@gnewline
  \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
  \@rightskip\RaggedRightRightskip
  \if@RTL\leftskip\else\rightskip\fi\@rightskip
  \parfillskip\RaggedRightParfillskip
  \parindent\RaggedRightParindent
  \@raggedtwoe@spaceskiptrue
  \@raggedtwoe@everyselectfont
  }
\renewcommand{\justifying}{%
  \let\\\@raggedtwoe@savedcr
  \let\@gnewline\@raggedtwoe@saved@gnewline
  \if@RTL\rightskip\else\leftskip\fi\z@
  \@rightskip\z@
  \if@RTL\leftskip\else\rightskip\fi\@rightskip
  \parfillskip\JustifyingParfillskip
  \parindent\JustifyingParindent
  \@raggedtwoe@spaceskipfalse
  \@raggedtwoe@everyselectfont
  }
\renewcommand*{\@raggedtwoe@raggedrightboxes@opt}{
 \CheckCommand*{\@arrayparboxrestore}{%
   \let\if@nobreak\iffalse
   \let\if@noskipsec\iffalse
   \let\par\@@par
   \let\-\@dischyph
   \let\'\@acci\let\`\@accii\let\=\@acciii
   \parindent\z@ \parskip\z@skip
   \everypar{}%
   \linewidth\hsize
   \@totalleftmargin\z@
  \if@RTL\rightskip\else\leftskip\fi\z@skip \if@RTL\leftskip\else\rightskip\fi\z@skip \@right
   \parfillskip\@flushglue \lineskip\normallineskip
   \baselineskip\normalbaselineskip
   \sloppy}%
 \renewcommand{\@arrayparboxrestore}{%
   \let\if@nobreak\iffalse
   \let\if@noskipsec\iffalse
   \let\par\@@par
   \let\-\@dischyph
   \let\'\@acci\let\`\@accii\let\=\@acciii
   \parskip\z@skip
   \everypar{}%
   \linewidth\hsize
   \@totalleftmargin\z@
```

```
    \RaggedRight
    \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \let\@raggedtwoe@raggedrightboxes@opt\relax
  }
\let\origin@RaggedLeft=\RaggedLeft
\let\origin@RaggedRight=\RaggedRight
\def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
\def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}
```

7.96 rapport1-xetex-bidi.def

```
\ProvidesFile{rapport1-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for rapport1 class for X
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
```

```
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
```

```
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
```

```
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
     \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
```

```
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
```

```
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

7.97 rapport3-xetex-bidi.def

```
\ProvidesFile{rapport3-xetex-bidi.def}[2015/11/14 v0.5 bidi adaptations for rapport3 class for X
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
```

```
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
```

```
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
```

```
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
             \def\and{%%% \begin{tabular} has already started
                      \end{tabular}\hskip 1em plus .17fil
               \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabular} will
        \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
     \vskip 1em {\large \TitleFont \@date}
 \fi
  \par
  \vskip 1.5em}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
```

```
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
```

```
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
```

7.98 refrep-xetex-bidi.def

```
\ProvidesFile{refrep-xetex-bidi.def}[2015/11/14 v0.4 bidi adaptations for refrep class for XeTeX
```




```
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
  \def\@makefnmark%
      {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
  \long\def\@makefntext##1{%
       \@setpar{\@@par
          \@tempdima = \hsize
          \advance\@tempdima -1em
          \parshape \@ne 1em \@tempdima}%
       \par\parindent 1em \noindent
       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\else
```

```
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark%
        {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{%
       \@setpar{\@@par
          \@tempdima = \hsize
          \advance\@tempdima -1em
          \parshape \@ne 1em \@tempdima}%
       \par\parindent 1em \noindent
      \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
     \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{empty}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\LTRthanks\relax
\global\let\RTLthanks\relax
\global\let\maketitle\relax
\global\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \longthickrule\vskip1.5em%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  {\secshape \parskip\z@ \parindent\z@
  \Large\bfseries \@title \par}%
  \vskip1.5em\longthickrule\vskip1.5em%
```

```
    {\normalsize
      \lineskip .5em%
      \begin{flushright}%
        {\slshape\@author\par}
        \vskip 1em%
        {\@date}%
      \end{flushright}\par}%
    \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup
  \fi}
\renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
                       \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
                       \hyphenpenalty=2000}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
```

```
{\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand\thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable%
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand\thesection       {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
         \@mkboth{\bibname}{\bibname}}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
            \sloppy
            \clubpenalty4000
            \@clubpenalty \clubpenalty
            \widowpenalty4000%
      \sfcode`\.=\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

7.99 report-xetex-bidi.def

```
\ProvidesFile{report-xetex-bidi.def}[2015/11/14 v0.7 bidi adaptations for standard report class
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
  \if@titlepage
```

```
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
```

```
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
```

```
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection  {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph   {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
```

```
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

7.100 rotating-xetex-bidi.def

```
\ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package fo
\def\end@rotfloat{%
   \end{minipage}\end{lrbox}%
   \stepcounter{r@tfl@t}%
   \rot@label{RF\ther@tfl@t}%
   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
   \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
   \rot@mess@toks\expandafter{\@tempa}
   \wd\rot@float@box\z@
   \ht\rot@float@box\z@
   \dp\rot@float@box\z@
   \vboxL to \textheight{%
```

```
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
    \ifthenelse{\isodd{\R@@page}}{%
      \if@rot@twoside
       \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \if@rot@twoside
       \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
      \fi
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}
  }%
  \end@float
}
\let\endsidewaysfigure\end@rotfloat
\let\endsidewaystable\end@rotfloat
\def\end@rotdblfloat{%
  \end{minipage}\end{lrbox}%
  \stepcounter{r@tfl@t}%
  \rot@label{RF\ther@tfl@t}%
  \rot@pageref{RF\ther@tfl@t}{\R@@page}%
  \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
  \rot@mess@toks\expandafter{\@tempa}
  \@tempdima\ht\rot@float@box
  \advance\@tempdima by \dp\rot@float@box
  \wd\rot@float@box\z@
  \ht\rot@float@box\z@
  \dp\rot@float@box\z@
  \vboxL to \textheight{%
    \setkeys{Grot}{units=360}%
    \if@rot@twoside
    \else
      \let\R@@page\rot@LR
    \fi
```

```
    \ifthenelse{\isodd{\R@@page}}{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
\fi
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
\fi
      \fi%
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}%
  }%
  \end@dblfloat
}
\def\turn#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endturn{%
  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\rotate#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endrotate{%
  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
```

```
\def\turnbox#1#2{%
  \Grot@setangle{#1}%
 \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi
  \Grot@x\z@\Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\sideways{%
  \Grot@setangle{90}%
 \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endsideways{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
```

7.101 scrartcl-xetex-bidi.def

```
\ProvidesFile{scrartcl-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrartcl class for X
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
     \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
```

```
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
     \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
    \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\leader
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
      \ifx\@titlehead\@empty \else
```

```
      \begin{minipage}[t]{\textwidth}%
      \@titlehead
      \end{minipage}\par
    \fi
    \null\vfill
    \begin{center}
      \ifx\@subject\@empty \else
        {\subject@font \@subject \par}%
        \vskip 3em
      \fi
      {\titlefont\huge \@title\par}%
      \vskip 1em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
      \vskip 2em
      {\Large \lineskip 0.75em
        \begin{tabular}[t]{c}
          \@author
        \end{tabular}\par
      }%
      \vskip 1.5em
      {\Large \@date \par}%
      \vskip \z@ \@plus3fill
      {\Large \@publishers \par}%
      \vskip 3em
    \end{center}\par
    \@thanks
    \vfill\null
    \if@twoside\next@tpage
      \begin{minipage}[t]{\textwidth}
        \@uppertitleback
      \end{minipage}\par
      \vfill
      \begin{minipage}[b]{\textwidth}
        \@lowertitleback
      \end{minipage}
    \fi
    \ifx\@dedication\@empty \else
      \next@tpage\null\vfill
      {\centering \Large \@dedication \par}%
      \vskip \z@ \@plus3fill
      \if@twoside \next@tpage\cleardoubleemptypage \fi
    \fi
  \end{titlepage}
\else
  \par
  \@tempcnta=%
  #1%
  \relax\ifnum\@tempcnta=1\else
    \ClassWarning{\KOMAClassName}{%
      Optional argument of \string\maketitle\space ignored
```

```
      at\MessageBreak
      notitlepage-mode%
    }%
  \fi
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \let\@oldmakefnmark\@makefnmark
    \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{\titlepagestyle}\@thanks
  \endgroup
\fi
\setcounter{footnote}{0}%
\let\thanks\relax
\let\LTRthanks\relax
\let\RTLthanks\relax
\let\maketitle\relax
\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\@subtitle\@empty
\global\let\@extratitle\@empty
\global\let\@titlehead\@empty
\global\let\@subject\@empty
\global\let\@publishers\@empty
\global\let\@uppertitleback\@empty
\global\let\@lowertitleback\@empty
\global\let\@dedication\@empty
\global\let\author\relax
\global\let\title\relax
\global\let\extratitle\relax
\global\let\titlehead\relax
\global\let\subject\relax
\global\let\publishers\relax
\global\let\uppertitleback\relax
\global\let\lowertitleback\relax
\global\let\dedication\relax
\global\let\date\relax
```

```
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
```

```
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \bib@heading
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \noindent\bibpreamble\par\nobreak
    \fi\fi
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
```

```
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
```

```
15871   }%
15872   \let\@footnotetext=\scr@tmp@footnotetext
15873   \let\scr@tmp@footnotetext=\undefined
15874   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
15875   \let\scr@tmp@LTRfootnotetext=\undefined
15876   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
15877   \let\scr@tmp@RTLfootnotetext=\undefined
15878   \setcounter{footnote}{\@tempcntb}%
15879   \setcounter{mpfootnote}{\@tempcnta}%
15880 \else
15881   \sbox\@tempboxa{\hspace*{2\cap@width}}%
15882 \fi
15883 \begingroup%
15884   \setlength{\@tempdima}{\cap@width}%
15885   \ifdim \wd\@tempboxa >\@tempdima
15886     \hb@xt@\hsize{%
15887       \setbox\@tempboxa\vbox{\hsize=\cap@width
15888         \ifdofullc@p
15889           {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
15890                 #1{{\caplabelfont{#2\captionformat}}}}}%
15891             {#3\unskip\strut\par}}}%
15892         \else%
15893           \ifdim\cap@indent<\z@
15894             {\capfont{\strut\ignorespaces
15895               #1{{\caplabelfont{#2\captionformat\par}}}%
15896               \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
15897           \else%
15898             \if@capbreak
15899               {\capfont{\strut\ignorespaces
15900                 #1{{\caplabelfont{#2\captionformat\par}}}%
15901                 \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
15902             \else
15903            {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
15904                   {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
15905              {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
15906             \fi
15907           \fi
15908         \fi
15909       }%
15910       \setlength{\@tempdima}{\ht\@tempboxa}%
15911       \addtolength{\@tempdima}{\dp\@tempboxa}%
15912       \addtolength{\@tempdima}{-\ht\strutbox}%
15913       \ht\@tempboxa\ht\strutbox
15914       \dp\@tempboxa\@tempdima
15915       \strut\cap@left
15916       \box\@tempboxa
15917       \cap@right\strut
15918     }%
15919   \else
15920     \global \@minipagefalse
```

```
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
    {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
```

```
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@sectionentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
  \expandafter\renewcommand%
 \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{sec
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
```

```
}

\CloneTOCEntryStyle{tocline}{subsection}
\TOCEntryStyleStartInitCode{subsection}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{subsection}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\z@,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=0pt,%
  tocnumwidth=1.5em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
```

```
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=10em,%
  tocnumwidth=5em%
]{subparagraph}
```

7.102 scrbook-xetex-bidi.def

```
\ProvidesFile{scrbook-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrbook class for XeT
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
      \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
```

```
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
      \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
       }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
    \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\leader
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
```

```
    \ifx\@titlehead\@empty \else
      \begin{minipage}[t]{\textwidth}%
      \@titlehead
      \end{minipage}\par
    \fi
    \null\vfill
    \begin{center}
      \ifx\@subject\@empty \else
        {\subject@font \@subject \par}%
        \vskip 3em
      \fi
      {\titlefont\huge \@title\par}%
      \vskip 1em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
      \vskip 2em
      {\Large \lineskip 0.75em
        \begin{tabular}[t]{c}
          \@author
        \end{tabular}\par
      }%
      \vskip 1.5em
      {\Large \@date \par}%
      \vskip \z@ \@plus3fill
      {\Large \@publishers \par}%
      \vskip 3em
    \end{center}\par
    \@thanks
    \vfill\null
    \if@twoside\next@tpage
      \begin{minipage}[t]{\textwidth}
        \@uppertitleback
      \end{minipage}\par
      \vfill
      \begin{minipage}[b]{\textwidth}
        \@lowertitleback
      \end{minipage}
    \fi
    \ifx\@dedication\@empty \else
      \next@tpage\null\vfill
      {\centering \Large \@dedication \par}%
      \vskip \z@ \@plus3fill
      \if@twoside \next@tpage\cleardoubleemptypage \fi
    \fi
  \end{titlepage}
\else
  \par
  \@tempcnta=%
  #1%
  \relax\ifnum\@tempcnta=1\else
    \ClassWarning{\KOMAClassName}{%
```

```
      Optional argument of \string\maketitle\space ignored
      at\MessageBreak
      notitlepage-mode%
    }%
  \fi
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \let\@oldmakefnmark\@makefnmark
    \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{\titlepagestyle}\@thanks
  \endgroup
\fi
\setcounter{footnote}{0}%
\let\thanks\relax
\let\LTRthanks\relax
\let\RTLthanks\relax
\let\maketitle\relax
\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\@subtitle\@empty
\global\let\@extratitle\@empty
\global\let\@titlehead\@empty
\global\let\@subject\@empty
\global\let\@publishers\@empty
\global\let\@uppertitleback\@empty
\global\let\@lowertitleback\@empty
\global\let\@dedication\@empty
\global\let\author\relax
\global\let\title\relax
\global\let\extratitle\relax
\global\let\titlehead\relax
\global\let\subject\relax
\global\let\publishers\relax
\global\let\uppertitleback\relax
\global\let\lowertitleback\relax
\global\let\dedication\relax
```

```
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
```

```
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
```

```
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
```

```
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
```

```
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
             {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                    {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
               {{\caplabelfont{#2\captionformat}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
    {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
```

```
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
```

```
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
   \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
```

```
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
```

```
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}


```

7.103 scrlettr-xetex-bidi.def

```
\ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for X
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \edef\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}
      \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}
      \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
    \fi
    \par
    \parindent #3\noindent
    \hbox to \z@{\hss\@@makefnmark}##1}
  \def\@@makefnmark{\hbox{#4}}
}
\deffootnote[1em]{1.5em}{1em}
  {\textsuperscript{\thefootnotemark}}
\def\left@footnoterule{\kern-1\p@
 \hrule width 0.4\columnwidth
 \kern .6\p@}
\def\right@footnoterule{%
  \kern-1\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
\def\@datefield{\@reffalse
 \ifx\varyourref\@empty \else \@reftrue \fi
 \ifx\varyourmail\@empty \else \@reftrue \fi
 \ifx\varmyref\@empty \else \@reftrue \fi
 \ifx\varcustomer\@empty \else \@reftrue \fi
 \ifx\varinvoice\@empty \else \@reftrue \fi
```

```
\ifx\varrefitemi\@empty \else \@reftrue \fi
\ifx\varrefitemii\@empty \else \@reftrue \fi
\ifx\varrefitemiii\@empty \else \@reftrue \fi
\vskip -\parskip
\vskip \refvskip
\if@ref
 \ifx\varyourref\@empty \else
  \settowidth{\sc@temp}{\varyourref}
  \setbox0\hbox{\scriptsize \sf \yourrefname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
 \fi
 \ifx\varyourmail\@empty \else
  \settowidth{\sc@temp}{\varyourmail}
  \setbox0\hbox{\scriptsize \sf \yourmailname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
 \fi
 \ifx\varmyref\@empty \else
  \settowidth{\sc@temp}{\varmyref}
  \setbox0\hbox{\scriptsize \sf \myrefname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
 \fi
 \ifx\varcustomer\@empty \else
  \settowidth{\sc@temp}{\varcustomer}
  \setbox0\hbox{\scriptsize \sf \customername}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
 \fi
 \ifx\varinvoice\@empty \else
  \settowidth{\sc@temp}{\varinvoice}
  \setbox0\hbox{\scriptsize \sf \invoicename}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
 \fi
 \ifx\varrefitemi\@empty \else
  \settowidth{\sc@temp}{\varrefitemi}
  \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
 \fi
 \ifx\varrefitemii\@empty \else
  \settowidth{\sc@temp}{\varrefitemii}
  \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
 \fi
 \ifx\varrefitemiii\@empty \else
  \settowidth{\sc@temp}{\varrefitemiii}
```

```
    \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
    \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
    \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill
  \fi
  \ifx\@date\@empty \else
    \settowidth{\sc@temp}{\@date}
    \setbox0\hbox{\scriptsize \sf \datename}
    \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
    \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
  \fi
  \par
  \vspace{2.5\baselineskip}
 \else
 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
  \vspace{1.5\baselineskip}
 \fi}
\long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
 -\sigindent \hspace{\sigindent}%
 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@ski
 \fromsig\strut}\par
 \vspace{1.5\baselineskip}}
```

7.104 scrreprt-xetex-bidi.def

```
\ProvidesFile{scrreprt-xetex-bidi.def}[2016/09/14 v1.0 bidi adaptations for scrreprt class for X
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
```

```
      \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
      \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2 \@t
       }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
    \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\leader
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
```

```
16862       \noindent\@extratitle\next@tpage\cleardoubleemptypage
16863       \thispagestyle{empty}%
16864     \fi
16865     \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16866     \ifx\@titlehead\@empty \else
16867       \begin{minipage}[t]{\textwidth}%
16868       \@titlehead
16869       \end{minipage}\par
16870     \fi
16871     \null\vfill
16872     \begin{center}
16873       \ifx\@subject\@empty \else
16874         {\subject@font \@subject \par}%
16875         \vskip 3em
16876       \fi
16877       {\titlefont\huge \@title\par}%
16878       \vskip 1em
16879     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16880       \vskip 2em
16881       {\Large \lineskip 0.75em
16882         \begin{tabular}[t]{c}
16883           \@author
16884         \end{tabular}\par
16885       }%
16886       \vskip 1.5em
16887       {\Large \@date \par}%
16888       \vskip \z@ \@plus3fill
16889       {\Large \@publishers \par}%
16890       \vskip 3em
16891     \end{center}\par
16892     \@thanks
16893     \vfill\null
16894     \if@twoside\next@tpage
16895       \begin{minipage}[t]{\textwidth}
16896         \@uppertitleback
16897       \end{minipage}\par
16898       \vfill
16899       \begin{minipage}[b]{\textwidth}
16900         \@lowertitleback
16901       \end{minipage}
16902     \fi
16903     \ifx\@dedication\@empty \else
16904       \next@tpage\null\vfill
16905       {\centering \Large \@dedication \par}%
16906       \vskip \z@ \@plus3fill
16907       \if@twoside \next@tpage\cleardoubleemptypage \fi
16908     \fi
16909   \end{titlepage}
16910 \else
16911   \par
```

```
    \@tempcnta=%
    #1%
    \relax\ifnum\@tempcnta=1\else
      \ClassWarning{\KOMAClassName}{%
        Optional argument of \string\maketitle\space ignored
        at\MessageBreak
        notitlepage-mode%
      }%
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
```

```
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
```

```
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \thechapter\@SepMark%
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \thechapter\@SepMark%
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \thechapter\@SepMark%
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \thechapter\@SepMark%
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
```

```
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
```

```
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
```

```
                \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
             \else
           {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                 {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
              {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
             \fi
           \fi
         \fi
       }%
       \setlength{\@tempdima}{\ht\@tempboxa}%
       \addtolength{\@tempdima}{\dp\@tempboxa}%
       \addtolength{\@tempdima}{-\ht\strutbox}%
       \ht\@tempboxa\ht\strutbox
       \dp\@tempboxa\@tempdima
       \strut\cap@left
       \box\@tempboxa
       \cap@right\strut
     }%
   \else
     \global \@minipagefalse
     \sbox\@tempboxa{%
       {\capfont{\scr@smashdp{\strut\ignorespaces
         #1{{\caplabelfont{#2\captionformat}}}}%
         #3}}%
     }%
   {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap
   \fi
 \endgroup
}
\renewcommand{\@makecaption}[2]{%
 \if@captionabove
   \vskip\belowcaptionskip
 \else
   \vskip\abovecaptionskip
 \fi
 \@@makecaption\@firstofone{#1}{#2}%
 \if@captionabove
   \vskip\abovecaptionskip
 \else
   \vskip\belowcaptionskip
 \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
 \@ifpackageloaded{caption2}{\@komalongtablefalse
   \scr@caption@before@longtable@warning{caption2}%
 }{}%
 \if@komalongtable
   \renewcommand{\LT@makecaption}[3]{%
     \noalign{%
       \if@captionabove
```

```
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
```

```
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
   \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
```

```
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}

```

7.105 sidecap-xetex-bidi.def

```
\ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for X
\renewcommand*{\SC@FLOAT}[2]{\if@RTL%
   \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
\isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
  \renewcommand*\SC@justify@caption{\if@RTL%
\isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
```

7.106 soul-xetex-bidi.def

```
\ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX e
\long\def\SOUL@start#1{{%
   \let\bidi@RTL@everypar\@empty
    \let\<\SOUL@lowerthan
    \let\>\empty
    \def\soulomit{\noexpand\soulomit}%
    \gdef\SOUL@eventuallyexhyphen##1{}%
    \let\SOUL@soeventuallyskip\relax
    \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
        \@minus\fontdimen4\font
    \SOUL@ignorespacesfalse
    \leavevmode
    \SOUL@preamble
    \SOUL@lasttoken={}%
    \SOUL@word={}%
    \SOUL@minus\z@
    \SOUL@comma\z@
    \SOUL@apo\z@
    \SOUL@grave\z@
    \SOUL@do{#1}%
    \SOUL@postamble
}}
\def\SOUL@ulunderline#1{{%
    \setbox\z@\hbox{#1}%
    \dimen@=\wd\z@
    \dimen@i=\SOUL@uloverlap
    \advance\dimen@2\dimen@i
    \if@RTL
    \unhcopy\z@
    \llap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \else
    \rlap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
```

```
    }%
    \unhcopy\z@
    \fi
}}
\def\bidi@SOUL@ulleaders{%
  \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\rela
}
\def\SOUL@uleveryspace#1{%
      \if@RTL
      #1%
      \bidi@SOUL@ulleaders
      \hskip\spaceskip
      \else
    \SOUL@ulcolor{%
       #1%
       \SOUL@ulleaders
       \hskip\spaceskip
    }%
    \fi
    \null
}
```

7.107 stabular-xetex-bidi.def

```
\ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package fo
\def\@stabular{\if@RTL\@RTLtabtrue\fi
   \leavevmode \bgroup \if@RTLtab\beginR \fi
   \let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
\def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup \if@RTLtab\endR\fi\egroup
                 \@RTLtabfalse}
\expandafter \let \csname endstabular*\endcsname = \endstabular
\def\@sarray[#1]#2{%
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
  \if@RTLtab\hbox\bgroup\beginR\if #1t\vtop \else \vbox \fi\bgroup\fi
```

```
    \@preamble}
```

7.108 subfigure-xetex-bidi.def

```
\ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package
\AtBeginDocument{%
\let\p@subfigure=\thefigure
\let\p@subtable=\thetable%
}
```

7.109 tabls-xetex-bidi.def

```
\ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for XeTeX
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup
                  \@RTLtabfalse}

\expandafter\let\csname endtabular*\endcsname=\endtabular

\def\endarray{\ifvmode\csname crcr\endcsname % just do \crcr if \\ given
  \else \\[\z@ \global\advance\@arstdepth-\@otarlinesep]%
  \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}

\def\@array[#1]#2{%  remember global variables to allow recursion:
 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
   \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
 \else \let\@tarlinesep\tablinesep \fi
 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
 \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
\@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
   \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
   \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
    \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
 \let\protect\noexpand
 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
 \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
 \bgroup \let\par\@empty
 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
 \advance\extrarulesep.5\arrayrulewidth
 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
 \if@RTLtab\hbox\bgroup\beginR\if#1t\vtop \else \vbox \fi\bgroup\fi
 \@preamble}
```

7.110 tabularx-xetex-bidi.def

```
\ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package fo
\def\TX@endtabularx{%
```

```
  \expandafter\expandafter\expandafter
    \TX@find@endtabularxa\csname end\TX@\endcsname
    \endtabularx\TX@\endtabularx\TX@find@endtabularxa
\expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
\let\verb\TX@verb
\def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
\edef\TX@ckpt{\cl@@ckpt}%
\let\@elt\relax
\TX@old@table\maxdimen
\TX@col@width\TX@target
\global\TX@cols\@ne
\TX@typeout@
  {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
\TX@trial{\def\NC@rewrite@X{%
        \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
\loop
  \TX@arith
  \ifTX@
  \TX@trial{}%
\repeat
{\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
\let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
\let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
  \csname tabular*\expandafter\endcsname\expandafter\TX@target
    \the\toks@
  \csname endtabular*\endcsname}%
\global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
\ifnum0=`{\fi}%
 \expandafter\expandafter\expandafter
 \TX@find@endtabularxbb
  \expandafter\end\expandafter{\TX@}%
  \endtabularx\TX@\endtabularx\TX@find@endtabularxb
}

\def\TX@trial#1{%
  \setbox\@tempboxa\hbox{%
    #1\relax
  \let\@footnotetext\TX@trial@ftn
  \let\@LTRfootnotetext\TX@trial@ftn
  \let\@RTLfootnotetext\TX@trial@ftn
  \let\TX@vwarn\@empty
   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
  \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
   \def\write{\begingroup
     \def\let{\afterassignment\endgroup\toks@}%
        \afterassignment\let\count@}%
    \hbadness\@M
    \hfuzz\maxdimen
    \let\hbadness\@tempcnta
    \let\hfuzz\@tempdima
```

```
    \expandafter\tabular\the\toks@
    \endtabular}%
  \TX@ckpt
  \TX@typeout@{\@spaces
     \expandafter\TX@align
        \the\wd\@tempboxa\space\space\space\space\space\@@
     \expandafter\TX@align
        \the\TX@col@width\space\space\space\space\space\@@
     \@spaces\the\TX@cols}}

\long\def\TX@LTRftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xLTRftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\TX@RTLftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xRTLftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}
```

7.111 tabulary-xetex-bidi.def

```
\ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package fo
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
 \ifnum \@lastchclass=7 5 \else
  \ifnum \@lastchclass=8 \tw@ \else
   \ifnum \@lastchclass=9 \thr@@
  \else \z@
  \ifnum \@lastchclass = 10 \else
  \edef\@nextchar{\expandafter\string\@nextchar}%
  \@chnum
  \if \@nextchar c\z@ \else
   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
    \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
  \if \@nextchar C7 \else
   \if \@nextchar L8 \else
    \if \@nextchar R9 \else
    \if \@nextchar J10 \else
  \z@ \@chclass
  \if\@nextchar |\@ne \else
   \if \@nextchar !6 \else
    \if \@nextchar @7 \else
     \if \@nextchar <8 \else
      \if \@nextchar >9 \else
 10
```

```
\@chnum
\if \@nextchar m\thr@@\else
 \if \@nextchar p4 \else
  \if \@nextchar b5 \else
 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi\fi \fi \fi\fi \fi
   \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
```

7.112 tc-xetex-bidi.def

```
\ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTeX
\def\@cliptoboxdim#1{%
   \setbox#1=\hbox{%
       \Gin@defaultbp\WIDTH{\wd#1}%
       \Gin@defaultbp\DEPTH{\dp#1}%
       \@tempdima\ht#1%
       \advance\@tempdima\dp#1%
       \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
       \beginL\special{pdf:bcontent }%
       \special{%
           pdf:literal direct
               0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
       }%
       \special{pdf:literal direct W }%
       \special{pdf:literal direct n }%
           \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
       \special{pdf:econtent }\endL%
   }%
}
```

7.113 titlesec-xetex-bidi.def

```
\ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package fo
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\def\ttlh@hang#1#2#3#4#5#6#7#8{%
  \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
  \setlength\leftskip{#6}%
  \setlength\rightskip{#7}%
  \interlinepenalty\@M
  \ttl@changecentercr
  \ttl@beginlongest
  #1{\ifhmode\ttl@hmode@error\fi
     \ttl@glcmds
     \parindent\z@
     \leavevmode
     \begingroup
       \ifttl@label
```

```
          \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
        \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
          \llap{\box\z@}%
      \fi
      #4{#8}%
      \kern\z@\strut\@@par
    \endgroup
    \nobreak\ttl@midlongest#5\@@par}%
  \ttl@endlongest}
```

7.114 titletoc-xetex-bidi.def

```
\ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package fo
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\renewcommand\contentspush[1]{%
  \sbox\z@{#1}%
  \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
  \aftergroup\ttl@b
  \leavevmode\llap{\box\z@}}
\def\ttl@outnoblock#1#2#3{%
  \begingroup
  \ifnum\ttl@b>\ttl@a
    \nobreak
  \else\ifnum\ttl@b<\ttl@a
    \addpenalty{\@secpenalty}%
  \else
    \addpenalty{\z@}%
  \fi\fi
  \ttl@contentsstretch
  \nobreak
  \ifcase#1\relax\else\interlinepenalty\@M\fi
  \parindent\z@
  \ifx\@nil#2%
    \PackageError{titletoc}{Unimplemented}%
    {The optional argument is currently mandatory}%
  \else
    \if@RTL\setlength\rightskip{#2}\else
    \setlength\leftskip{#2}\fi%
  \fi
\if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
  \let\contentsmargin\ttl@margin
  \def\ttl@makeline##1{##1}%
 #3%
  \addtolength{\parfillskip}{-\ttl@corr}%
\if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
```

```
  \let\ttl@leaders\leaders}
\renewcommand\ttl@margin[2][\z@]{%
  \def\ttl@corr{#1}%
  \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
  \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
  \def\@pnumwidth{#2}}
\let\ttl@savel@part\l@part
\def\l@part{\ttl@lselect{part}}

\let\ttl@savel@chapter\l@chapter
\def\l@chapter{\ttl@lselect{chapter}}
```

7.115 tocbibind-xetex-bidi.def

```
\ProvidesFile{tocbibind-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for tocbibind package
\if@dotocbib
  \@ifpackageloaded{natbib}{}{% natbib not loaded
    \renewcommand{\bibsection}{\t@cb@bchapsec}
    \renewenvironment{thebibliography}[1]{%
      \bibsection
      \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}
  \renewenvironment{thebibitemlist}[1]{
   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \list{\@biblabel{\@arabic\c@enumiv}}%
         {\settowidth\labelwidth{\@biblabel{#1}}%
          \leftmargin\labelwidth
          \advance\leftmargin\labelsep
          \@openbib@code
          \usecounter{enumiv}%
          \let\p@enumiv\@empty
          \renewcommand\theenumiv{\@arabic\c@enumiv}}%
    \sloppy
    \clubpenalty4000
    \@clubpenalty \clubpenalty
    \widowpenalty4000%
    \sfcode`\.\@m}
   {\def\@noitemerr
     {\@latex@warning{Empty `thebibliography' environment}}%
     \endlist}

  \@ifpackagewith{chapterbib}{sectionbib}%
    {\renewcommand{\sectionbib}[2]{}}%
    {}

\fi
\if@inltxdoc\else
  \renewenvironment{theindex}%
    {\if@twocolumn
       \@restonecolfalse
     \else
```

```
      \@restonecoltrue
    \fi
    \if@bibchapter
       \if@donumindex
         \refstepcounter{chapter}
         \twocolumn[\vspace*{2\topskip}%
                    \@makechapterhead{\indexname}]%
      \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
         \chaptermark{\indexname}
       \else
         \if@dotocind
           \twocolumn[\vspace*{2\topskip}%
                      \@makeschapterhead{\indexname}]%
           \prw@mkboth{\indexname}
           \addcontentsline{toc}{chapter}{\indexname}
         \else
           \twocolumn[\vspace*{2\topskip}%
                      \@makeschapterhead{\indexname}]%
           \prw@mkboth{\indexname}
         \fi
       \fi
    \else
       \if@donumindex
         \twocolumn[\vspace*{-1.5\topskip}%
                    \@nameuse{\@tocextra}{\indexname}]%
         \csname \@tocextra mark\endcsname{\indexname}
       \else
         \if@dotocind
           \twocolumn[\vspace*{-1.5\topskip}%
                      \toc@headstar{\@tocextra}{\indexname}]%
           \prw@mkboth{\indexname}
           \addcontentsline{toc}{\@tocextra}{\indexname}
         \else
           \twocolumn[\vspace*{-1.5\topskip}%
                      \toc@headstar{\@tocextra}{\indexname}]%
           \prw@mkboth{\indexname}
         \fi
       \fi
     \fi
   \thispagestyle{plain}\parindent\z@
   \parskip\z@ \@plus .3\p@\relax
   \let\item\@idxitem}
   {\if@restonecol\onecolumn\else\clearpage\fi}
\fi
```

7.116 tocloft-xetex-bidi.def

```
\ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for X
\let\cftdot\@SepMark
\if@cfthaspart
```

```
\renewcommand*{\l@part}[2]{
  \@cftdopartfalse
  \ifnum \c@tocdepth >-2\relax
    \if@cfthaschapter
      \@cftdoparttrue
    \fi
    \ifnum \c@tocdepth >\m@ne
      \if@cfthaschapter\else
        \@cftdoparttrue
      \fi
    \fi
  \fi
  \if@cftdopart
    \if@cfthaschapter
      \addpenalty{-\@highpenalty}
    \else
      \addpenalty\@secpenalty
    \fi
    \addvspace{\cftbeforepartskip}
    \begingroup
      {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \cftpartindent\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \cftpartnumwidth\relax
       \let\@cftbsnum \cftpartpresnum
       \let\@cftasnum \cftpartaftersnum
       \let\@cftasnumb \cftpartaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
       {\cftpartfont \cftpartpresnum #1}
       \cftpartfillnum{#2}}
      \nobreak
      \if@cfthaschapter
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}
      \else
        \if@compatibility
          \global\@nobreaktrue
          \everypar{\global\@nobreakfalse\everypar{}}
        \fi
      \fi
    \endgroup
  \fi}
\fi
\if@cfthaschapter
\renewcommand*{\l@chapter}[2]{
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}
```

```
    \vskip \cftbeforechapskip
    {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftchapindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftchapnumwidth\relax
     \let\@cftbsnum \cftchappresnum
     \let\@cftasnum \cftchapaftersnum
     \let\@cftasnumb \cftchapaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
     {\cftchapfont #1}\nobreak
     \cftchapfillnum{#2}}
  \fi}
\fi
\renewcommand*{\l@section}[2]{%
  \ifnum \c@tocdepth >\z@
    \if@cfthaschapter
      \vskip \cftbeforesecskip
    \else
      \addpenalty\@secpenalty
      \addvspace{\cftbeforesecskip}
    \fi
    {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsecnumwidth\relax
     \let\@cftbsnum \cftsecpresnum
     \let\@cftasnum \cftsecaftersnum
     \let\@cftasnumb \cftsecaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
     {\cftsecfont #1}\nobreak
     \cftsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsection}[2]{%
  \ifnum \c@tocdepth >\@ne
    \vskip \cftbeforesubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubsecnumwidth\relax
     \let\@cftbsnum \cftsubsecpresnum
     \let\@cftasnum \cftsubsecaftersnum
```

```
      \let\@cftasnumb \cftsubsecaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
      {\cftsubsecfont #1}\nobreak
      \cftsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsubsection}[2]{%
  \ifnum \c@tocdepth >\tw@
    \vskip \cftbeforesubsubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
      \parindent \cftsubsubsecindent\relax\@afterindenttrue
      \interlinepenalty\@M
      \leavevmode
      \@tempdima \cftsubsubsecnumwidth\relax
      \let\@cftbsnum \cftsubsubsecpresnum
      \let\@cftasnum \cftsubsubsecaftersnum
      \let\@cftasnumb \cftsubsubsecaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
      {\cftsubsubsecfont #1}\nobreak
      \cftsubsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@paragraph}[2]{%
  \ifnum \c@tocdepth >3\relax
    \vskip \cftbeforeparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
      \parindent \cftparaindent\relax\@afterindenttrue
      \interlinepenalty\@M
      \leavevmode
      \@tempdima \cftparanumwidth\relax
      \let\@cftbsnum \cftparapresnum
      \let\@cftasnum \cftparaaftersnum
      \let\@cftasnumb \cftparaaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
      {\cftparafont #1}\nobreak
      \cftparafillnum{#2}}
  \fi}
\renewcommand*{\l@subparagraph}[2]{%
  \ifnum \c@tocdepth >4\relax
    \vskip \cftbeforesubparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
      \parindent \cftsubparaindent\relax\@afterindenttrue
      \interlinepenalty\@M
      \leavevmode
      \@tempdima \cftsubparanumwidth\relax
      \let\@cftbsnum \cftsubparapresnum
```

```
17930      \let\@cftasnum \cftsubparaaftersnum
17931      \let\@cftasnumb \cftsubparaaftersnumb
17932    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
17933      {\cftsubparafont #1}\nobreak
17934      \cftsubparafillnum{#2}}
17935   \fi}
17936 \renewcommand*{\l@figure}[2]{%
17937   \ifnum \c@lofdepth >\z@
17938     \vskip \cftbeforefigskip
17939     {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
17940      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
17941      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
17942      \parindent \cftfigindent\relax\@afterindenttrue
17943      \interlinepenalty\@M
17944      \leavevmode
17945      \@tempdima \cftfignumwidth\relax
17946      \let\@cftbsnum \cftfigpresnum
17947      \let\@cftasnum \cftfigaftersnum
17948      \let\@cftasnumb \cftfigaftersnumb
17949    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
17950      {\cftfigfont #1}\nobreak
17951      \cftfigfillnum{#2}}
17952    \fi
17953   }
17954 \renewcommand*{\l@table}[2]{%
17955   \ifnum\c@lotdepth >\z@
17956     \vskip \cftbeforetabskip
17957     {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
17958      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
17959      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
17960      \parindent \cfttabindent\relax\@afterindenttrue
17961      \interlinepenalty\@M
17962      \leavevmode
17963      \@tempdima \cfttabnumwidth\relax
17964      \let\@cftbsnum \cfttabpresnum
17965      \let\@cftasnum \cfttabaftersnum
17966      \let\@cftasnumb \cfttabaftersnumb
17967    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
17968      {\cfttabfont #1}\nobreak
17969      \cfttabfillnum{#2}}
17970    \fi
17971   }
17972 \renewcommand{\@cftl@subfig}{
17973 \renewcommand*{\l@subfigure}[2]{%
17974   \ifnum \c@lofdepth > \toclevel@subfigure
17975     \vskip \cftbeforesubfigskip
17976     {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
17977      \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
17978      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
17979      \parindent \cftsubfigindent\relax\@afterindenttrue
```

```
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubfignumwidth\relax
    \let\@cftbsnum \cftsubfigpresnum
    \let\@cftasnum \cftsubfigaftersnum
    \let\@cftasnumb \cftsubfigaftersnumb
   \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
    {\cftsubfigfont ##1}\nobreak
    \cftsubfigfillnum{##2}}
  \fi
  }
}
\renewcommand{\@cftl@subtab}{
\renewcommand*{\l@subtable}[2]{%
  \ifnum \c@lotdepth > \toclevel@subtable
    \vskip \cftbeforesubtabskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubtabindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubtabnumwidth\relax
     \let\@cftbsnum \cftsubtabpresnum
     \let\@cftasnum \cftsubtabaftersnum
     \let\@cftasnumb \cftsubtabaftersnumb
   \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
    {\cftsubtabfont ##1}\nobreak
    \cftsubtabfillnum{##2}}
  \fi
  }
}
\renewcommand{\newlistentry}[4][\@empty]{%
  \@ifundefined{c@#2}{%    check & set the counter
    \ifx \@empty#1\relax
      \newcounter{#2}
    \else
      \@ifundefined{c@#1}{\PackageWarning{tocloft}%
                          {#1 has no counter for use as a `within'}
        \newcounter{#2}}%
      {\newcounter{#2}[#1]%
       \expandafter\edef\csname the#2\endcsname{%
      \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
    \fi
    \setcounter{#2}{0}
  }
  {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}

  \@namedef{l@#2}##1##2{%
    \ifnum \@nameuse{c@#3depth} > #4\relax
```

```
      \vskip \@nameuse{cftbefore#2skip}
      {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \@nameuse{cft#2numwidth}\relax
    \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
    \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
    \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\rightsk
      {\@nameuse{cft#2font}##1}\nobreak
      \@nameuse{cft#2fillnum}{##2}}
  \fi
}  % end of \l@#2

\expandafter\newlength\csname cftbefore#2skip\endcsname
  \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
\expandafter\newlength\csname cft#2indent\endcsname
\expandafter\newlength\csname cft#2numwidth\endcsname
\ifcase #4\relax  % 0
  \setlength{\@nameuse{cft#2indent}}{0em}
  \setlength{\@nameuse{cft#2numwidth}}{1.5em}
\or               % 1
  \setlength{\@nameuse{cft#2indent}}{1.5em}
  \setlength{\@nameuse{cft#2numwidth}}{2.3em}
\or               % 2
  \setlength{\@nameuse{cft#2indent}}{3.8em}
  \setlength{\@nameuse{cft#2numwidth}}{3.2em}
\or               % 3
  \setlength{\@nameuse{cft#2indent}}{7.0em}
  \setlength{\@nameuse{cft#2numwidth}}{4.1em}
\else             % anything else
  \setlength{\@nameuse{cft#2indent}}{10.0em}
  \setlength{\@nameuse{cft#2numwidth}}{5.0em}
\fi
\@namedef{cft#2font}{\normalfont}
\@namedef{cft#2presnum}{}
\@namedef{cft#2aftersnum}{}
\@namedef{cft#2aftersnumb}{}
\@namedef{cft#2dotsep}{\cftdotsep}
\@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
\@namedef{cft#2pagefont}{\normalfont}
\@namedef{cft#2afterpnum}{}
\@namedef{toclevel@#2}{#4}
\@namedef{cft#2fillnum}##1{%
  {\@nameuse{cft#2leader}}\nobreak
 \hb@xt@\@pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
} % end \newlistentry
```

```
\renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
  {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
   \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
   \textit{#1}\protect\par}}}
```

7.117 tocbasic-xetex-bidi.def

```
\ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package fo
\bidi@undef\scr@dte@def@l@undottedtocline
\bidi@undef\scr@dte@undottedtocline@init
\DeclareTOCEntryStyle{undottedtocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \DefineTOCEntryLengthOption{numwidth}%
    {scr@tso@}{@numwidth}{entry number width}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                 \expandafter\let\csname #1tocdepth\expandafter\endcsname
                       \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
               \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
            \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{3.8em}%
                    }{%
```

```
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{7em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }{%
               \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                      \ifstr{#1}{subsubsection}{%
                        \@namedef{scr@tso@#1@indent}{7.0em}%
                      }{%
                        \ifstr{#1}{paragraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                          \ifstr{#1}{subparagraph}{%
                            \@namedef{scr@tso@#1@indent}{12em}%
                          }{%
                          }%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@numwidth}{%
    \@ifundefined{scr@#1@tocnumwidth}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
            \scr@ifundefinedorrelax{chapter}{%
           \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
           \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@numwidth}{3.2em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@numwidth}{4.1em}%
```

```
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{5m}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
          \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
          \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.1em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{6em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{1.0em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \vskip 1.0em \@plus\p@
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{1.0em \@plus\p@}%
    \fi
    \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
    \begingroup
```

```
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \bfseries
      \advance\bidi@leftskip\@tempdima
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
     \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
      ##1%
      \nobreak
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \penalty\@highpenalty
    \endgroup
  \fi
}

\bidi@undef\scr@dte@def@l@largetocline
\bidi@undef\scr@dte@largetocline@init
\DeclareTOCEntryStyle{largetocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
        \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
          \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
            \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
              \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
                \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                  \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                    \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
               \expandafter\let\csname #1tocdepth\expandafter\endcsname
                      \csname #1numdepth\endcsname
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
```

```
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                      \ifstr{#1}{subsubsection}{%
                        \@namedef{scr@tso@#1@indent}{3.8em}%
                      }{%
                        \ifstr{#1}{paragraph}{%
                          \@namedef{scr@tso@#1@indent}{7em}%
                        }{%
                          \ifstr{#1}{subparagraph}{%
                            \@namedef{scr@tso@#1@indent}{10em}%
                          }{%
                          }%
                        }%
                      }%
                    }%
                  }%
                }{%
               \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                      \ifstr{#1}{subsubsection}{%
                        \@namedef{scr@tso@#1@indent}{7.0em}%
                      }{%
                        \ifstr{#1}{paragraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                          \ifstr{#1}{subparagraph}{%
                            \@namedef{scr@tso@#1@indent}{12em}%
                          }{%
                          }%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{2.25em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
```

```
        \addvspace{2.25em \@plus\p@}%
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{2.25em \@plus\p@}%
    \fi
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \large
      \bfseries
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      ##1%
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \nobreak
      \ifnum 0=
     \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi
}

\renewcommand*{\scr@dte@tocline}[3]{%
  \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
  \else
    \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
    \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
    {%
      \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
      \bidi@rightskip \@tocrmarg
      \parfillskip -\bidi@rightskip
      \@nameuse{Ifscr@tso@#1@raggedpage}{%
        \addtolength{\parfillskip}{\z@ \@plus 1fil}%
      }{}%
      \parindent \@nameuse{scr@tso@#1@indent}\relax
      \@afterindenttrue
      \interlinepenalty\@M
      \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
        \addtolength\bidi@rightskip\@flushglue
      \else
        \def\reserved@a{\raggedright}%
        \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
          \addtolength\bidi@rightskip\@flushglue
        \else
          \renewcommand\reserved@a{\raggedright}%
```

```
      \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
        \addtolength\bidi@rightskip\@flushglue
      \fi
    \fi
  \fi
  \leavevmode
  \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
  \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
    \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
      \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
        \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
      \fi
    }%
  }{}%
  \advance\bidi@leftskip \@tempdima
  \null\nobreak\hskip -\bidi@leftskip
  {%
    \usetocbasicnumberline
    \let\scr@dte@numberline@box\numberline@box
    \def\numberline@box##1{%
   \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
      \global\scr@dte@tocline@numberwidth
   \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
      \ifdim \scr@dte@tocline@numberwidth
            >\@nameuse{scr@dte@#1@maxnumwidth}\relax
    \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
      \fi
      \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
        \ifdim \scr@dte@tocline@numberwidth
              >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
                       +\@nameuse{scr@tso@#1@numsep}\relax
          \PackageWarning{tocbasic%
          }{%
            number width of #1 toc entries should be
            increased!\MessageBreak
            Currently used number width =
            \the\wd\scr@dte@tocline@numbox,\MessageBreak
            Wanted number separation
            \space\space\space =
       \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
        Reserved number width \space\space\space\space\space\space =
            \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
          }%
        \fi
      }%
   \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
      \@nameuse{Ifscr@tso@#1@breakafternumber}{%
        {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
      }{}%
    }%
```

```
        \@nameuse{scr@tso@#1@entryformat}{%
          #2%
          \nobreak
          {%
            \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
            \nobreak
            \@nameuse{scr@tso@#1@pagenumberbox}{%
              \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
            }%
          }%
          \@par
        }%
      }%
    }%
    \tocbasic@SetPenaltyByTOCLevel{#1}%
  \fi
}

\bidi@undef\scr@dte@def@l@tocline
\bidi@undef\scr@dte@tocline@init
\DeclareTOCEntryStyle{tocline}[{%
  \DefineTOCEntryLengthOption{beforeskip}%
    {scr@tso@}{@beforeskip}{vertical skip before the entry}%
  \DefineTOCEntryIfOption{breakafternumber}%
    {scr@tso@}{@breakafternumber}{line break after number flag}%
  \DefineTOCEntryIfOption{dynnumwidth}%
    {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
  \DefineTOCEntryCommandOption{entryformat}%
    {scr@tso@}{@entryformat}[1]{entry format}%
  \DefineTOCEntryCommandOption{entrynumberformat}%
    {scr@tso@}{@numberformat}[1]{entry number format}%
  \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
    {scr@tso@}{@linefill}{filling between text and page number}%
  \DefineTOCEntryLengthOption{numsep}%
    {scr@tso@}{@numsep}{entry number separation}%
  \DefineTOCEntryCommandOption{onstarthigherlevel}%
    {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
  \DefineTOCEntryCommandOption{onstartlowerlevel}%
    {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
  \DefineTOCEntryCommandOption{onstartsamelevel}%
    {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
  \DefineTOCEntryCommandOption{pagenumberbox}%
    {scr@tso@}{@pagenumberbox}[1]{page number box}%
  \DefineTOCEntryCommandOption{pagenumberformat}%
    {scr@tso@}{@pagenumberformat}[1]{page number format}%
  \DefineTOCEntryOption{raggedentrytext}[true]{%
    \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
    \ifx\FamilyKeyState\FamilyKeyStateProcessed
      \if@tempswa
        \expandafter\let\csname ragged\scr@dte@current entry\endcsname
```

```
      \raggedright
    \else
      \expandafter\let\csname ragged\scr@dte@current entry\endcsname
      \relax
    \fi
  \fi
}%
\DefineTOCEntryIfOption{raggedpagenumber}%
  {scr@tso@}{@raggedpage}{page number ragged flag}%
\DefineTOCEntryLengthOption{indent}%
  {scr@tso@}{@indent}{entry indent}%
\DefineTOCEntryLengthOption{numwidth}%
  {scr@tso@}{@numwidth}{entry number width}%
\scr@ifundefinedorrelax{#1tocdepth}{%
  \ifstrstart{#1}{sub}{%
    \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}{%
      \expandafter\edef\csname #1tocdepth\endcsname{%
     \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
      }%
    }%
  }{}%
}{}%
\@ifundefined{#1tocdepth}{%
  \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
    \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
          \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
            \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
              \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                  \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
             \expandafter\let\csname #1tocdepth\expandafter\endcsname
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
```

```
        \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
            \relax
          }%
        }%
      }{%
       \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
       \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
            \relax
          }%
        }{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
        \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
             +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
            \relax
          }%
        }%
      }%
    }{}%
  }{%
    \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@indent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \scr@ifundefinedorrelax{l@chapter}{%
             \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
          \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
             \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{7.0em}%
```

```
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
  \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
    \ifstrstart{#1}{sub}{%
     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
        \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
      \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
                    +.9em%
          \relax
        }%
      }%
    }{}%
  }{%
    \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@numwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
          \scr@ifundefinedorrelax{chapter}{%
         \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
         \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.2em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{4.1em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5m}%
                    }{%
                    }%
```

```
                    }%
                  }%
                }%
              }%
            }{%
          \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
          \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.1em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{6em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
 }{}%
 \expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
 \expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
 \expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
 \@ifundefined{scr@tso@#1@beforeskip}{%
   \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
   }{%
     \ifstr{#1}{chapter}{%
     \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
     }{%
       \ifstr{#1}{section}{%
         \scr@ifundefinedorrelax{l@chapter}{%
       \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
         }{}%
       }{}%
     }%
   }%
   \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
 }{}%
 \@ifundefined{scr@dte@#1@maxnumwidth}{%
```

```
    \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
    \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
  }{}%
  \renewcommand*{\scr@dte@donumwidth}{}%
  \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@numsep\endcsname{.4em}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
  \ifstr{#1}{part}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
  }{%
    \ifstr{#1}{chapter}{%
      \expandafter\renewcommand%
      \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
    }{%
      \scr@ifundefinedorrelax{l@chapter}{%
        \ifstr{#1}{section}{%
          \expandafter\renewcommand%
          \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
        }{}%
      }{}%
      \expandafter\renewcommand%
      \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
    }%
  }%
  \expandafter\renewcommand
  \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
  \@ifundefined{scr@tso@#1@linefill}{%
    \ifstr{#1}{part}{%
      \@namedef{scr@tso@#1@linefill}{\hfill}%
    }{%
      \ifstr{#1}{chapter}{%
        \@namedef{scr@tso@#1@linefill}{\hfill}%
      }{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \ifstr{#1}{section}{%
            \@namedef{scr@tso@#1@linefill}{\hfill}%
          }{}
        }{}
        \expandafter\renewcommand%
       \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
      }%
    }%
  }{}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
  \ifstr{#1}{part}{%
    \expandafter\renewcommand%
   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
```

```
  }{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
      {\normalfont\normalcolor ##1}}%
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
    \hb@xt@\@pnumwidth{\hfil ##1}}%
 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
}]{%
  \scr@dte@tocline{#1}{##1}{##2}%
}

```

7.118 tocstyle-xetex-bidi.def

```
\ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package fo
\renewcommand*{\tocstyle@dottedtocline}[5]{%
  \let\numberline\tocstyle@numberline
  \ifnum #1>\c@tocdepth \else
    \if@tocstyle@penalties
      \begingroup
        \@tempcnta 20010
        \advance \@tempcnta by -#1
        \ifnum \@tempcnta>\lastpenalty
          \aftergroup\penalty\aftergroup\@lowpenalty
        \fi
      \endgroup
    \fi
    \edef\tocstyledepth{#1}%
    \tocstyle@activate@features
    \ifx\tocstyle@feature@entryvskip\relax
      \vskip \z@ \@plus.2\p@
    \else
      \addvspace{\tocstyle@feature@entryvskip}%
    \fi
    {%
    \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else\ri
      \tocstyle@feature@raggedhook
      \@tempdima #3\relax
      \@tempdimb #2\relax
      \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
      \ifnum #1>\z@\relax
        \@tempcnta #1\relax \advance\@tempcnta \m@ne
     \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
      \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
           \@tempdimb
        \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
           \advance\@tempdimb
        \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
```

```
      \fi
    \fi
  \fi
  \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
    \ifdim \@tempdimb>
    \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
      \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
      @#1\endcsname{\the\@tempdimb}%
    \fi
  \else
    \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
    @#1\endcsname{\the\@tempdimb}%
  \fi
  \iftocstyle@autolength
    \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
   \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
      \relax
    \fi
    \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
   \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
      \relax
    \fi
    \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \else
    \@tempdimb #2\relax
    \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
    \ifdim \@tempdima>
    \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
      \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
      @\endcsname{\the\@tempdima}%
    \fi
  \else
    \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
    @\endcsname{\the\@tempdima}%
  \fi
  \ifcase\tocstyle@indentstyle\relax\else
    \@tempdimb \z@
    \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
   \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \relax
    \fi
    \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \advance\parindent \@tempdimb\@afterindenttrue
  \advance\if@RTL\rightskip\else\leftskip\fi \parindent
```

```
      \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
      \parfillskip -\if@RTL\leftskip\else\rightskip\fi
      \ifx\tocstyle@feature@parfillskip\relax\else
        \advance\parfillskip \tocstyle@feature@parfillskip\relax
      \fi
      \interlinepenalty\@M
      \leavevmode
      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
      \null\nobreak
      \iftocstyle@indentnotnumbered\else
        \hskip -\if@RTL\rightskip\else\leftskip\fi
      \fi
      \tocstyle@feature@entryhook
      {#4}\nobreak
      \ifx\tocstyle@feature@leaders\relax
        \leaders\hbox{$\m@th
          \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
          \mkern \@dotsep mu$}\hfill
      \else
        \tocstyle@feature@leaders
      \fi
      \nobreak
      \ifx\tocstyle@feature@pagenumberbox\relax
        \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
      \else
     \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
      \fi
      \par
    }%
    \if@tocstyle@penalties
      \bgroup
        \@tempcnta 20009
        \advance\@tempcnta by -#1
        \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
      \reserved@a
    \fi
  \fi}
\renewcommand*{\tocstyle@numberline}[1]{%
  \begingroup
    \ifx\tocstyle@feature@spaceafternumber\relax
      \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
    \else
      \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
      \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
    \fi
    \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
      \ifdim \@tempdima >
    \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
        \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
        @\tocstyledepth\endcsname{\the\@tempdima}%
```

```
      \fi
    \else
      \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
      @\tocstyledepth\endcsname{\the\@tempdima}%
    \fi
  \endgroup
  \iftocstyle@indentnotnumbered
    \hskip -\if@RTL\rightskip\else\leftskip\fi
  \fi
  \ifcase \tocstyle@indentstyle
    \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
  \or
    \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
  \else
    \ifx\tocstyle@feature@spaceafternumber\relax
      \hbox{\tocstyle@@numberline{#1}\enskip}%
    \else
      \hbox{\tocstyle@@numberline{#1}\hskip
        \tocstyle@feature@spaceafternumber\relax}%
    \fi
  \fi
}
\AtBeginDocument{%
  \ifcsname l@part\endcsname
    \ifcsname l@chapter\endcsname
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{-1}}{}}%
    \else
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{0}}{}}%
    \fi
  \fi
  \ifcsname l@chapter\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
  \fi
  \ifcsname l@section\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@section{\tocstyle@l@define{section}{1}}{}}%
  \fi
  \ifcsname l@subsection\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
  \fi
  \ifcsname l@subsubsection\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
  \fi
  \ifcsname l@paragraph\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
```

```
      \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
  \fi
  \ifcsname l@subparagraph\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
  \fi
  \ifcsname l@table\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@table{\tocstyle@l@define{table}{1}}{}}%
  \fi
  \ifcsname l@figure\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@figure{\tocstyle@l@define{figure}{1}}{}}%
  \fi
  \def\@tempa#1#2#3#4#5{%
    \ifnum #1>\c@tocdepth \else
      \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parindent #2\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightsk
       {#4}\nobreak
       \leaders\hbox{$\m@th
          \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
          mu$}\hfill
       \nobreak
       \hb@xt@\@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
       \par}%
    \fi}%
  \ifx\@dottedtocline\@tempa\else
    \tocstyle@macrochangewarning\@dottedtocline
  \fi
  \let\tocstyle@saved@dottedtocline\@dottedtocline
  \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
  \ifx\numberline\@tempa\else
    \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
    \ifx\numberline@tempa\else
      \tocstyle@macrochangewarning\numberline
    \fi
  \fi
  \let\tocstyle@saved@numberline\numberline
}
\renewcommand*{\tocstyle@l@define}[2]{%
  \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
  \edef\@tempa{%
    \noexpand\global\noexpand\let
    \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
    \expandafter\noexpand\csname l@#1\endcsname
```

```
    \noexpand\gdef
    \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
    \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
    \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
      \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
      \expandafter\noexpand\csname tocstyle@l@#1\endcsname
    }%
  }%
  \PackageInfo{tocstyle}{prepare \expandafter\string
    \csname l@#1\endcsname\space for redefinition}%
  \@tempa
}
```

7.119 todonotes-xetex-bidi.def

```
\ProvidesFile{todonotes-xetex-bidi.def}[2015/06/17 v0.3 bidi adaptations for todonotes package
\newif\if@bidi@todonotes@textdirection@RTL
\newif\if@bidi@todonotes@figposition@right
\newcommand{\@bidi@todonotes@align}{}%
\define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
\newcommand{\@bidi@todonotes@textdirection}{}%
\define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@textdirection@RTLtrue
    \let\@bidi@todonotes@textdirection\RLE
  \or
    \@bidi@todonotes@textdirection@RTLfalse
    \let\@bidi@todonotes@textdirection\LRE
  \fi}
\define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,l
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@figposition@righttrue
  \or
    \@bidi@todonotes@figposition@rightfalse
  \fi}
\if@todonotes@disabled%
\else % \if@todonotes@disabled
\renewcommand{\@todonotes@drawInlineNote}{%
    \if@todonotes@dviStyle%
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
            \if@todonotes@authorgiven%
           {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
            \else%
                {\noindent \@todonotes@sizecommand \@todonotes@text}%
            \fi
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
    \else%
        {\par\noindent\begin{tikzpicture}[remember picture]%
```

```
            \if@bidi@todonotes@textdirection@RTL\else\setLTR\fi%
          \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@align]
                  \if@todonotes@authorgiven%
                {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
                  \else%
                    {\noindent \@todonotes@sizecommand \@todonotes@text}%
                  \fi};%
              \end{tikzpicture}\par}%
    \fi}%
\renewcommand{\@todonotes@drawMarginNoteWithLine}{%
\begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
    \node [coordinate] (inText) {};%
\end{tikzpicture}%
\marginpar[{% Draw note in left margin
    \@todonotes@drawMarginNote%
  \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
}]{% Draw note in right margin
    \@todonotes@drawMarginNote%
  \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
}%
}%
\renewcommand{\@todonotes@drawMarginNote}{%
\if@todonotes@dviStyle%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] {};%
    \end{tikzpicture}\\%
    \begin{minipage}{\@todonotes@textwidth}%
    \if@todonotes@authorgiven%
      \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
    \else%
      \@todonotes@sizecommand \@todonotes@text%
    \fi%
    \end{minipage}\\%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] (inNote) {};%
    \end{tikzpicture}%
\else%
    \let\originalHbadness\hbadness%
    \hbadness 100000%
    \begin{tikzpicture}[remember picture,baseline=(X.base)]%
       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
       \node(X){\vphantom{X}};%
     \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@al
           {\@todonotes@text};%
       \if@todonotes@authorgiven%
       \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes
               {\@todonotes@sizecommand\@todonotes@author};%
           \node(Y)[below=of X]{};%
       \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes
               {\@todonotes@text};%
```

```
        \else%
        \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes
                {\@todonotes@text};%
        \fi%
    \end{tikzpicture}%
    \hbadness \originalHbadness%
\fi}%
\renewcommand{\missingfigure}[2][]{%
\setkeys{todonotes}{#1}%
\addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
\par
\noindent
\begin{tikzpicture}
\draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
  (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
\if@bidi@todonotes@figposition@right%
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw[red, fill=white, rounded corners = 5pt, line width=10pt]
    (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=-3.8cm]
\fi%
\if@bidi@todonotes@textdirection@RTL\setRTL\fi%
\draw (2, -0.3) node[right, text
  width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
\draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
\if@bidi@todonotes@figposition@right%
\end{scope}
\fi%
\end{tikzpicture}\hfill
}% Ending \missingfigure command
\fi % Ending \@todonotes@ifdisabled
\presetkeys%
    {todonotes}%
    {align=left,%
    textdirection=lefttoright,%
    figposition=left}{}%
```

7.120 wrapfig-xetex-bidi.def

```
\ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for X
\let\WF@@everypar\bidi@n@everypar
\def\WF@putfigmaybe{%
```

```
\ifinner
  \vskip-\parskip \global\WF@floatfalse
  \let\pagetotal\maxdimen % kludge flag for "not top of page"
\else % outer page
  \@tempdima\pagedepth % save page depth
  {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
   \penalty\interlinepenalty % update pg. parameters
   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
      \global\WF@floatfalse
      \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
   \else
      \ifdim\WF@size>\@tempdimb
      \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
         \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
         \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
         \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
         \advance\dimen@.5\baselineskip
      \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
            \global\WF@floatfalse \pagebreak
         \fi
      \else % \WF@info{Fits in \the\@tempdimb;}%
         \global\WF@floatfalse
   \fi\fi
   \vskip\@tempdima\relax % (return erased page depth)
\fi
\noindent
\ifWF@float
  \WF@fltmes
\else % putting here;
  \WF@info{Put \WF@wfname here:}%
  {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
    \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
   \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
  \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
   \@tempdima\wd\WF@box \@tempdimb\WF@ovh
   \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
   \@tempdimb\hsize \advance\@tempdimb-\@tempdima
   \xdef\WF@adjlw{\the\@tempdima}%
   \ifnum `l=\WF@place % fig on left
    \if@RTL%
     \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% position to left of the gap
     \else%
    \hss % figure overlaps space to the left
    \def\@tempa{\kern\columnsep}% position to left of the gap
    \fi%
   \else  %  fig on right
    \if@RTL%
     \hss
```

```
      \@tempdima\z@
      \def\@tempa{\kern\columnsep}
     \else%
    \@tempdima\z@ % no left indentation
    \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% figure overlaps space to the right
    \fi%
   \fi
   \ifdim\@tempdimb<\hsize
   \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
    \xdef\WF@adjtlm{\the\@tempdima}%
   \else
    \xdef\WF@wrapil{\z@ \the\hsize}%
    \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
   \fi
   \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
    \global\advance\WF@size-\intextsep
   \else % \WF@info{Putting \WF@wfname in middle of page}%
    \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
   \fi \dp\WF@box\z@ \box\WF@box \@tempa
  }% end \hbox to 0pt
 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
\fi}
```

7.121 xcolor-xetex-bidi.def

```
\ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for XeT
\long\def\color@b@x#1#2#3%
 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
  \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
   \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
   \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
  {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi
\DeclareRobustCommand\color
 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@undeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
```

```
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\@declaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@declaredcolor\else
    \expandafter\XC@declaredc@lor\fi}
\def\XC@undeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\XC@declaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor
 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
```

```
    \expandafter\endgroup\@@tmp}}
\def\XC@bidiundeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}}
\def\@bidideclaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@bidideclaredcolor\else
    \expandafter\XC@bidideclaredc@lor\fi}
\def\XC@bidideclaredcolor
 {\XC@split\XC@@tmp
  \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
  \expandafter\endgroup\@@tmp}
\def\XC@bidideclaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3#{\protect\color@fb@x{#1}{#2}{#3}}
\def\color@fb@x#1#2#3#4%
 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
   {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode
```

7.122 latex-xetex-bidi.def

```
\ProvidesFile{latex-xetex-bidi.def}[2016/09/11 v1.2.8 bidi adaptations  for `latex.ltx' for XeTe
\newcommand{\TeXXeTOn}{\TeXXeTstate=1 }
\newcommand{\TeXXeTOff}{\TeXXeTstate=0 }
\TeXXeTOn
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
```

```
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
\newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
```

```
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\let\@@LaTeX\LaTeX
\def\LaTeX{\@ensure@LTR{\@@LaTeX}}
\let\@@LaTeXe\LaTeXe
\def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}%
  \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\def\bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
\@ifpackageloaded{array}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
  \leavevmode
  \hbox \bgroup $\left.\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                      \let\d@llarend\endgroup
  \@tabarray}
\def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup\@RTLtabfalse}
}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
   \leavevmode \hbox \bgroup
   $\left.\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}

\def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup\right\rbrace $\egroup
                  \@RTLtabfalse}
}
\def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
    \ialign{$##\hfil$&\quad{##}\hfil\crcr#1\crcr}}\,\right\}}
\renewenvironment{RTLcases}{%
  \bidi@matrix@check\RTLcases\env@RTLcases
}{%
  \endbidi@tabular@RTLcases%
}
\def\env@RTLcases{%
  \let\@ifnextchar\bidi@new@ifnextchar
  \def\arraystretch{1.2}%
  \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
```

```
}
\def\SepMark#1{\gdef\@SepMark{#1}}
\SepMark{.}
\def\@thmcountersep{\@SepMark}
\def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
\def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
\def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
\def\list#1#2{%
  \ifnum \@listdepth >5\relax
    \@toodeep
  \else
    \global\advance\@listdepth\@ne
  \fi
  \rightmargin\z@
  \listparindent\z@
  \itemindent\z@
  \csname @list\romannumeral\the\@listdepth\endcsname
  \def\@itemlabel{#1}%
  \let\makelabel\@mklab
  \@nmbrlistfalse
  #2\relax
  \@trivlist
  \parskip\parsep
  \parindent\listparindent
  \advance\linewidth -\rightmargin
  \advance\linewidth -\leftmargin
  \if@bidi@list@minipage@parbox
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi
  \else
  \if@RTLtab
  \if@bidi@list@minipage@parbox@not@nob
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi
  \else
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi\fi
  \else
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
```

```
    \advance\@totalleftmargin \leftmargin
  \fi\fi\fi
  \parshape \@ne \@totalleftmargin \linewidth
  \ignorespaces}
\long\def\@iiiparbox#1#2[#3]#4#5{%
  \leavevmode
  \@pboxswfalse
  \if@RTLtab\@bidi@list@minipage@parbox@not@nobtrue\fi
 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
  \setlength\@tempdima{#4}%
  \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@@par}%
    \ifx\relax#2\else
      \setlength\@tempdimb{#2}%
      \edef\@parboxto{to\the\@tempdimb}%
    \fi
    \if#1b\vbox
    \else\if #1t\vtop
    \else\ifmmode\vcenter
    \else\@pboxswtrue $\vcenter
    \fi\fi\fi
    \@parboxto{\let\hss\vss\let\unhbox\unvbox
       \csname bm@#3\endcsname}%
    \if@pboxsw \m@th$\fi
  \@end@tempboxa}
\def\bidi@lrbox#1{%
  \edef\reserved@a{%
    \endgroup
    \setbox#1\hbox{%
      \begingroup\aftergroup}%
        \def\noexpand\@currenvir{\@currenvir}%
        \def\noexpand\@currenvline{\on@line}}%
  \reserved@a
    \@endpefalse
    \color@begingroup
      \ignorespaces}
\def\endbidi@lrbox{\unskip\color@endgroup}
\newenvironment{LTRitems}
                 {\par\@RTLfalse
                  \if@bidi@list@minipage@parbox
            \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
            \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
            \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
            \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\fi
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLitems}
                 {\par\@RTLtrue
                  \if@bidi@list@minipage@parbox
            \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
```

```
            \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
            \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
            \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\fi
                  \ignorespaces}{\vskip\z@}
\newenvironment{LTRbibitems}
                 {\par\@RTLfalse
                  \if@bidi@list@minipage@parbox
            \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
            \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
            \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
            \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\fi
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLbibitems}
                 {\par\@RTLtrue
                  \if@bidi@list@minipage@parbox
            \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@RTLtab\if@bidi@list@minipage@parbox@not@nob
            \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
            \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
            \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\fi
                  \ignorespaces}{\vskip\z@}
\def\raggedright{%
  \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
  \leftskip\z@skip
  \parindent\z@\parfillskip\z@skip}
\let\bidi@orig@raggedleft\raggedleft
\let\bidi@orig@raggedright\raggedright
\renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@RTLtab\b
\renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@RTLtab\b
\newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\def\centerline#1{%
\if@RTL\@@line{\hss\beginR#1\endR\hss}
\else\@@line{\hss#1\hss}\fi}
\def\leftline#1{%
\if@RTL\@@line{\beginR#1\endR\hss}
\else\@@line{#1\hss}\fi}
\def\rightline#1{%
\if@RTL\@@line{\hss\beginR#1\endR}
\else\@@line{\hss#1}\fi}
\let\bidi@orig@leftline\leftline
\let\bidi@orig@rightline\rightline
\def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\i
\def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\
\def\bidirlap#1{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
\def\bidillap#1{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
\def\@hangfrom#1{\setbox\@tempboxa\hbox{{#1}}%
      \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
\def\narrower{%
```

```
  \advance\if@RTL\rightskip\else\leftskip\fi\parindent
  \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
\def\underline#1{%
  \relax
  \ifmmode\@@underline{#1}%
  \else
\if@RTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
\else
$\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
\if@compatibility
   \let\undertext=\underline
\fi
\global\@RTLtabfalse
\def\@tabular{\if@RTL\@RTLtabtrue\fi
   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup $\if@RTLtab\endR\fi\egroup
                 \@RTLtabfalse}
\expandafter \let \csname endtabular*\endcsname = \endtabular
\def\@array[#1]#2{%
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\par\@empty
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
    \ifhmode \@preamerr\z@ \@@par\fi
  \if@RTLtab\hbox\bgroup\beginR\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
\def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
 \let\@classiv\@arrayclassiv
 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
    \ifnum \@lastchclass=3 5 \else
     \z@ \if #1c\@chnum \z@ \else
                           \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                           \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
```

```
          \@chclass \if #1|\@ne \else
                    \if #1@\tw@ \else
                    \if #1p3 \else \z@ \@preamerr 0\fi
  \fi  \fi  \fi  \fi  \fi  \fi
\fi}
\def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
\def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
\def\bm@t{\unhbox\@tempboxa\hss}
\def\bm@b{\hss\unhbox\@tempboxa}
\def\@dottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth \else
    \vskip \z@ \@plus.2\p@
   {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightski
     {#4}\nobreak
     \leaders\hbox{$\m@th
        \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
        mu$}\hfill
     \nobreak
     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
     \par}%
  \fi}


\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
```

```
    \hb@xt@\textwidth{%
      \hskip \columnwidth
      \hfil
      {\normalcolor\vrule \@width\columnseprule}%
      \hfil
       \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
       \hskip -\textwidth
      \hb@xt@\columnwidth{\box\@outputbox \hss}%
      \hskip \columnsep
     \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
  \@combinedblfloats
```

```
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
       \@startdblcolumn}%
    \endgroup
  \fi}%


\renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
\newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
\newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
\def\LTRmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRxmpar\@LTRympar}
\long\def\@LTRxmpar[#1]#2{%
  \@LTRsavemarbox\@marbox{#1}%
  \@LTRsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRympar#1{%
  \@LTRsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
```

```
    \color@endbox
}
\def \@LTRmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLxmpar\@RTLympar}
\long\def\@RTLxmpar[#1]#2{%
  \@RTLsavemarbox\@marbox{#1}%
  \@RTLsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLympar#1{%
  \@RTLsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
```

```
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
    \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
    \if@twocolumn
        \if@firstcolumn \@tempcnta\m@ne \fi
    \else
      \if@mparswitch
         \ifodd\c@page \else\@tempcnta\m@ne \fi
      \fi
      \if@reversemargin \@tempcnta -\@tempcnta \fi
    \fi
    \ifnum\@tempcnta <\z@  \global\setbox\@marbox\box\@currbox \fi
    \@tempdima\@mparbottom
    \advance\@tempdima -\@pageht
    \advance\@tempdima\ht\@marbox
    \ifdim\@tempdima >\z@
      \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
    \else
      \@tempdima\z@
    \fi
    \global\@mparbottom\@pageht
    \global\advance\@mparbottom\@tempdima
    \global\advance\@mparbottom\dp\@marbox
    \global\advance\@mparbottom\marginparpush
    \advance\@tempdima -\ht\@marbox
    \global\setbox \@marbox
                    \vbox {\vskip \@tempdima
                           \box \@marbox}%
    \global \ht\@marbox \z@
    \global \dp\@marbox \z@
    \kern -\@pagedp
    \nointerlineskip
    \hb@xt@\columnwidth
    {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
          \hskip\columnwidth \hskip\marginparsep
       \else
          \hskip -\marginparsep \hskip -\marginparwidth
       \fi
     \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else
    \nointerlineskip
    \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
\long\def\@ympar#1{%
  \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
   \global\setbox\@currbox\copy\@marbox
   \@xympar}
\def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
\def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
\def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
\def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
```

```
   \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
\hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
   \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
\fi}
\def\@outputpage{%
\begingroup           % the \endgroup is put in by \aftergroup
  \let \protect \noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
  \global\@newlistfalse
  \@parboxrestore
  \shipout \vbox{%
    \set@typeset@protect
    \aftergroup \endgroup
    \aftergroup \set@typeset@protect
                                % correct? or just restore by ending
                                % the group?
  \if@specialpage
    \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
  \fi
  \if@twoside
    \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
         \let\@themargin\oddsidemargin
    \else \let\@thehead\@evenhead
       \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
    \fi
    \ifx\@thehead\@empty \let\@thehead\hfil \fi
    \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
    \else %% not @twoside
    \ifx\@oddhead\@empty \let\@thehead\hfil \fi
    \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
  \fi
  \reset@font
  \normalsize
  \normalsfcodes
  \let\label\@gobble
  \let\index\@gobble
  \let\glossary\@gobble
  \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
    \@begindvi
    \vskip \topmargin
    \moveright\@themargin \vbox {%
      \setbox\@tempboxa \vbox to\headheight{%
        \vfil
        \color@hbox
          \normalcolor
       \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTL
        \color@endbox
```

```
        }%                          %% 22 Feb 87
      \dp\@tempboxa \z@
      \box\@tempboxa
      \vskip \headsep
      \box\@outputbox
      \baselineskip \footskip
      \color@hbox
        \normalcolor
     \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTLma
      \color@endbox
      }%
    }%
  \global\let\if@newlist\@@if@newlist
  \global \@colht \textheight
  \stepcounter{page}%
  \let\firstmark\botmark
}
\long\def\@makecaption#1#2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{#1: #2}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
   \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
  \fi
  \vskip\belowcaptionskip}
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\@ifpackageloaded{amsmath}{}{
\def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
}
\input{footnote-xetex-bidi.def}
\if@twocolumn
  \let\autofootnoterule\relax
  \let\leftfootnoterule\relax
  \let\rightfootnoterule\relax
  \textwidthfootnoterule
\fi
\if@bidi@csundef{@idxitem}{}{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
}
\@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
\@ifclassloaded{article}{\@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}
\@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
\@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
\@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
\@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
```

```
\@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
\@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
\@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
\@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
\@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
\@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
\@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
\@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
\@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
\@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
\@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
\@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
\@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
\@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
\@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
\@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
\@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
\@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
\@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
\@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
\@ifpackageloaded{amsmath}{}{%
\@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
\@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
}
\@ifpackageloaded{mathtools}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
\@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
\@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
\@ifpackagewith{algorithm2e}{algonl}{%
\renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Alg
}{}
\@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}
\@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
\@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
\@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
\@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
\@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
\@ifpackageloaded{animate}{\input{animate-xetex-bidi.def}}{}
\@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
\@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
\@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
\@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
\@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
\@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}
\@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
\@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
\@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
\@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
\@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}
\@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
\@ifpackageloaded{xltxtra}{\input{xltxtra-xetex-bidi.def}}{}
\@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
\@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
\@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
\@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
\@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
\@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
\@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
\@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
\@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
\@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
\@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
\@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
\@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
\@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
\@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
\@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
\@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
\@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
\@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
\@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
\@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
\@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
\@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
\@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
\@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
\@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
\@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
\@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
\@ifpackagewith{sidecap}{innercaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{%
   \isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
  \renewcommand*{\SC@FLOAT}[2]{%
   \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
}{}
\@ifpackagewith{sidecap}{rightcaption}{%
  \if@RTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\fi%
}{}
\@ifpackagewith{sidecap}{leftcaption}{%
```

```
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\fi%
}{}
\@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
\@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
\@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
\@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
\@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
\@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
\@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
\@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
\@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
\@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
\@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
\@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
\@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
\@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
\@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
\@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
\@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
\@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
\@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}
\@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}
\@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
\@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
```

7.123 xltxtra-xetex-bidi.def

```
\ProvidesFile{xltxtra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxtra package for X
\let\@@XeTeX\XeTeX
\def\XeTeX{\@ensure@LTR{\@@XeTeX}}
\let\@@XeLaTeX\XeLaTeX
\def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}
```

8 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\# 2932, 2978, 3087, 3095
\% 10734
\' 10854, 12624, 14470, 14484
\(. 12725
\) 12726
\, ... 4656, 10980, 15048, 15091, 19013, 19024, 19402
\- 10853, 12623, 14469, 14483
\. . 89, 298, 805, 936, 1198, 1447, 1844, 5846, 6033, 6344, 7719, 7992, 9978, 13905, 14617, 15010, 15206, 15408, 15815, 16394, 17076, 17718
\/ 2007

\: 12767, 12826
\; 180, 199
\< 17371
\= 10854, 12624, 14470, 14484
\> 17372
\@ 3002
\@@ 17552, 17554
\@@@bidi@AfterClass 3338, 3343
\@@@bidi@AfterPackage 3383, 3387
\@@LTR 14333, 14335, 19360, 19362
\@@LaTeX . . 19365, 19366
\@@LaTeXe . 19367, 19368
\@@RTL 14332, 14335, 19359, 19362
\@@TeX 14336, 14337, 19363, 19364
\@@XeLaTeX 20092, 20093
\@@XeTeX . . 20090, 20091
\@@author 5269, 5272, 5275
\@@bidi@AfterClass 3337, 3354
\@@bidi@AfterPackage 3382, 3397
\@@bidi@PreventPackageFromLoading . . 3428, 3430, 3432
\@@clr . . 19208, 19213, 19216, 19218, 19219, 19221, 19251, 19256, 19259, 19261, 19262, 19264, 19283
\@@cls 19203, 19246
\@@date 5270, 5273, 5276
\@@end 3176, 3177
\@@endpbox . . . 12537, 17448, 17487, 19595
\@@if@newlist 10290, 10310, 19872, 19924
\@@input 3236, 3253
\@@italiccorr . 338, 6388
\@@line 8261, 8265, 15434, 15443, 15481, 15492, 19545, 19546, 19548, 19549, 19551, 19552
\@@makecaption 15857, 15936, 15958, 16436, 16515, 16537, 17118, 17197, 17219
\@@makefnmark . 15580, 15582, 16128, 16130, 16697, 16698, 16826, 16828
\@@math 6379
\@@mix 19207, 19250
\@@mod . . 19208, 19212, 19213, 19216, 19217, 19218, 19221, 19251, 19255, 19256, 19259, 19260, 19261, 19264, 19283
\@@par . . 12622, 14468, 14482, 15043, 15086, 15563, 15570, 16111, 16118, 16683, 16688, 16809, 16816, 17644, 17646, 19472, 19601
\@@protect 2863
\@@startpbox . . 12536, 17448, 17487, 19595
\@@title 5268, 5271, 5274
\@@tmp 19212, 19213, 19218, 19219, 19221, 19222, 19255, 19256, 19261, 19262, 19264, 19265, 19283, 19284
\@@underline 19566, 19568, 19570
\@DEBUGfalse 2357
\@False 6367, 6369
\@LTRbibitemsfalse 19416, 19418
\@LTRbibitemstrue 19417
\@LTRbidituftesidenote@sidenote . . 4769, 4828, 4832
\@LTRbidituftesidenotemarginparreset 4407, 4414
\@LTRbidituftesidenotesavemarbox 4394, 4395, 4398, 4401
\@LTRbidituftesidenotexmpar 4392, 4393
\@LTRbidituftesidenoteympar 4392, 4397
\@LTRfootnotetext 62, 78, 151, 152, 153, 270, 287, 2143, 2266, 4700, 4781, 4788, 5504, 5515, 5728, 5742, 7311, 7312, 8071, 8127, 8134, 8276, 8425, 8567, 8716, 8865, 9014, 9163, 9312, 9461, 9652, 10530, 10536, 10574, 10599, 10654, 10679, 10685, 11450, 11478, 11557, 11576, 11770, 11774, 11794, 11795, 12597, 12680, 13797, 13798, 13799, 15545, 15551, 15863, 15864, 15874, 16093, 16099, 16442, 16443, 16453, 16791, 16797, 17124, 17125, 17135, 17518, 17535
\@LTRmarginparfalse 19858, 19860
\@LTRmarginparreset 19757, 19764
\@LTRmarginpartrue 19859
\@LTRsavemarbox 19744, 19745, 19748, 19751
\@LTRxmpar . 19742, 19743
\@LTRympar . 19742, 19747
\@M 6, 88, 101, 207, 231, 297, 778, 841, 866, 969, 1092, 1147, 1148, 1220, 1340, 1341, 1347, 1469, 2070,

2075, 5000, 5768, 5769, 5775, 5888, 5944, 5945, 5951, 6064, 6114, 6309, 6317, 6383, 7687, 7700, 7956, 7965, 8261, 8265, 9945, 9953, 10263, 13666, 13678, 13690, 14408, 14516, 14517, 14541, 14650, 14789, 14912, 14965, 14966, 15026, 15027, 15380, 15388, 17543, 17630, 17671, 17804, 17835, 17858, 17875, 17892, 17909, 17926, 17943, 17961, 17980, 18000, 18035, 18368, 18829, 18943, 19626
\@MM . . 40, 53, 68, 249, 262, 276, 7309, 7330, 7377, 7384, 7429, 7436, 8214, 10548, 10564, 10579
\@Mi 2328, 6379
\@Mii 2219, 4335, 4379, 4423, 6842, 6851, 6861, 7006, 7015, 7025, 19729, 19773
\@Miii 2221, 4337, 4381, 4425, 19731, 19775
\@RTL@footnotefalse . . . 1820, 10373, 10540, 14316, 14321, 19343, 19348
\@RTL@footnotetrue . . . 1818, 10373, 10539, 14318, 14320, 19345, 19347
\@RTLbibitemsfalse 19417, 19418
\@RTLbibitemstrue 19416
\@RTLbidituftesidenote@sidenote . . 4798, 4829, 4833
\@RTLbidituftesidenotemarginparreset 4451, 4458
\@RTLbidituftesidenotesavemarbox 4438, 4439, 4442, 4445
\@RTLbidituftesidenotexmpar 4436, 4437
\@RTLbidituftesidenoteympar 4436, 4441
\@RTLcolumnfootnotesfalse 8141
\@RTLcolumnfootnotestrue 8140
\@RTLfalse 36, 64, 84, 245, 272, 293, 792, 926, 1188, 1437, 1790, 1802, 2583, 5836, 6023, 6331, 6349, 6361, 6374, 7709, 7979, 8041, 8073, 8088, 8101, 8287, 8297, 8332, 8344, 8436, 8445, 8478, 8489, 8578, 8588, 8623, 8635, 8727, 8737, 8772, 8784, 8876, 8886, 8920, 8932, 9025, 9035, 9069, 9081, 9174, 9184, 9219, 9231, 9323, 9333, 9368, 9380, 9472, 9482, 9517, 9529, 9627, 9638, 9968, 10544, 10575, 10616, 10629, 12171, 12193, 12197, 12204, 12613, 13424, 13897, 14034, 14082, 14280, 14312, 14316, 14321, 14357, 14607, 15000, 15193, 15395, 15794, 16373, 17055, 17705, 19305, 19337, 19343, 19348, 19519, 19517, 19855, 19910, 19920
\@RTLfootnotetext 47, 77, 155, 156, 157, 256, 286, 2144, 2267, 4717, 4810, 4817, 5505, 5516, 5729, 5743, 7332, 7333, 8055, 8128, 8135, 8277, 8426, 8568, 8717, 8866, 9015, 9164, 9313, 9462, 9653, 10521, 10527, 10559, 10598, 10655, 10694, 10700, 11449, 11467, 11542, 11577, 11769, 11773, 11791, 11792, 12598, 12681, 13801, 13802, 13803, 15546, 15555, 15865, 15866, 15876, 16094, 16103, 16444, 16445, 16455, 16792, 16801, 17126, 17127, 17137, 17519, 17536
\@RTLmainfalse 1769, 1773, 1887, 1891
\@RTLmaintrue 1772, 1890
\@RTLmarginparfalse 19859, 19860
\@RTLmarginparreset 19801, 19808
\@RTLmarginpartrue 19858
\@RTLsavemarbox 19788, 19789, 19792, 19795
\@RTLtabfalse . . 602, 629, 1584, 2159, 2326, 6428, 17436, 17462, 19389, 19399, 19574, 19582, 19606
\@RTLtabtrue 597, 2140, 2287,

6405, 17429, 19384, 19391, 19575
\@RTLtrue . . . 36, 49, 84, 245, 258, 293, 792, 926, 1188, 1437, 1788, 1800, 2583, 5836, 6023, 6331, 6388, 6390, 7709, 7979, 8041, 8057, 8088, 8114, 8287, 8307, 8332, 8357, 8436, 8454, 8478, 8501, 8578, 8598, 8623, 8648, 8727, 8747, 8772, 8797, 8876, 8896, 8920, 8945, 9025, 9045, 9069, 9094, 9174, 9194, 9219, 9244, 9323, 9343, 9368, 9393, 9472, 9492, 9517, 9542, 9627, 9638, 9968, 10544, 10560, 10603, 10629, 12171, 12193, 12204, 12616, 13424, 13897, 14281, 14304, 14318, 14320, 14607, 15000, 15193, 15395, 15794, 16373, 17055, 17705, 19306, 19329, 19345, 19347, 19508, 19526, 19855, 19910, 19920
\@RTLxmpar . 19786, 19787
\@RTLympar . 19786, 19791
\@SepMark . . . 19, 20, 21, 22, 164, 220, 221, 222, 223, 336, 345, 766, 767, 768, 769, 919, 920, 921, 922, 1172, 1173, 1174, 1175, 1430, 1431, 1432, 1433, 5861, 5862, 5863, 5864, 5865, 5867, 5869, 5871, 6037, 6038, 6039, 6040, 6041, 6043, 6045, 6047, 6288, 6290, 6292, 6294, 6295, 6296, 6297, 6298, 7819, 7820, 7821, 7822, 7935, 7937, 7939, 7941, 7942, 7943, 7944, 7945, 10070, 10071, 10072, 10073, 10074, 10076, 10078, 10080, 10230, 10236, 10343, 10345, 10347, 10349, 10350, 10351, 10352, 10353, 10356, 10358, 10360, 10362, 10363, 10364, 10365, 10366, 12219, 13311, 13313, 13315, 13317, 13319, 13320, 13322, 13323, 13324, 13939, 13947, 13949, 14621, 14622, 14623, 14624, 14625, 14627, 14629, 14631, 14986, 14987, 14988, 14989, 14990, 14992, 14994, 14996, 15180, 15182, 15184, 15185, 15186, 15187, 15188, 15189, 15361, 15363, 15365, 15367, 15368, 15369, 15370, 15371, 15768, 15769, 15771, 15773, 15775, 16315, 16318, 16320, 16324, 16326, 16328, 16330, 16334, 16336, 16342, 16344, 16350, 16352, 17013, 17015, 17018, 17020, 17022, 17024, 17027, 17031, 17035, 17778, 18022, 19413, 19415, 19992
\@True . 6362, 6368, 6400
\@Undottedtocline 13673
\@Undottedtoclinep 13685
\@acci 10854, 12624, 14470, 14484
\@accii 10854, 12624, 14470, 14484
\@acciii 10854, 12624, 14470, 14484
\@acol 1653, 1661, 2152, 12533, 17431, 19393, 19577, 19604
\@acolampacol . . 1651, 1653, 1659, 1661
\@addamp 1652, 1660
\@addfield 19864
\@addmarginpar . . . 19814
\@address 2475, 7166, 7167, 7264, 7266
\@addresscolour 2444, 2461, 7165, 7263
\@addtofilelist 3236, 3252
\@addtopreamble 1624, 1687, 6453
\@addtoreset 334, 10233, 13937, 13943, 13945
\@addviper 6789
\@afterheading 788, 2053, 2063, 7697, 7705, 12636
\@afterindentfalse . 2053, 2063, 12635
\@afterindenttrue . 866, 1092, 1347, 4999, 5775, 5951, 13665, 13677,

13689, 14541, 14912, 17803, 17834, 17857, 17874, 17891, 17908, 17925, 17942, 17960, 17979, 17999, 18034, 18367, 18822, 18942, 19625
\@algocf@finish . . . 186
\@algocf@post@boxed 168
\@algocf@post@boxruled 170
\@algocf@pre@boxed 167
\@algocf@pre@boxruled 169
\@algocf@start 171
\@algoinsideskip 183, 187
\@algoskip 172, 195
\@ampacol . . . 1651, 1659
\@anim@@newframe . . 539
\@anim@animategraphics 491, 492
\@anim@animateinline 569, 570
\@anim@base 395, 399, 428, 461
\@anim@beginframe . 541
\@anim@bgcolour 438, 440, 483, 528, 530, 558
\@anim@box 431
\@anim@buildtmln 476, 555
\@anim@checkmultipage 399
\@anim@curframe 419, 453, 457, 461, 467
\@anim@curframe@zb 420, 456, 464, 468, 470, 522, 545, 547, 549
\@anim@draftbox . . . 433
\@anim@endframe . . . 545
\@anim@endsanitize . 356, 484, 500, 559
\@anim@every . . . 415, 467
\@anim@fgcolour 438, 440, 483, 528, 530, 558
\@anim@filebox . 425, 429
\@anim@first 396, 406, 413, 414, 419, 425, 428
\@anim@fps 450
\@anim@frames 470, 471, 549, 550
\@anim@ftype 399, 428, 462
\@anim@getkeyval 483, 558
\@anim@getpath . 428, 460
\@anim@insertwidgets 482, 557
\@anim@keytoaux 479, 562
\@anim@label . . . 389, 516
\@anim@last . . . 397, 406, 414, 417, 453
\@anim@makebuttons 439, 529
\@anim@maxframe . . . 473, 479, 552, 562
\@anim@missing 365, 368, 370
\@anim@mone . . . 478, 561
\@anim@multiframe . 540
\@anim@newkey . 440, 530
\@anim@nfps 443, 444, 445, 447, 450, 534
\@anim@num . 439, 440, 456, 464, 476, 479, 482, 488, 529, 530, 545, 555, 557, 562, 567
\@anim@numtemplate 413, 417, 461
\@anim@pad 461
\@anim@pathtofile . 425, 429, 457, 465
\@anim@poster . . 478, 561
\@anim@processfpsarg 535
\@anim@relop 412, 416, 453
\@anim@reset . . 375, 502
\@anim@sanitizeColon 492, 570
\@anim@sanitizeJS 475, 554
\@anim@scale 431
\@anim@skipfram . . . 523
\@anim@tmpcnt 471, 472, 473, 550, 551, 552
\@anim@ximage . . 456, 464
\@arabic 164, 766, 767, 768, 769, 793, 800, 919, 920, 921, 922, 927, 934, 1172, 1173, 1174, 1175, 1189, 1196, 1430, 1431, 1432, 1433, 1438, 1445, 2594, 5837, 5844, 5861, 5862, 5863, 5864, 5865, 5867, 5869, 5871, 6024, 6031, 6037, 6038, 6039, 6040, 6041, 6043, 6045, 6047, 6288, 6290, 6292, 6293, 6294, 6295, 6296, 6297, 6298, 6332, 6339, 7710, 7717, 7819, 7820, 7821, 7822, 7935, 7937, 7939, 7940, 7941, 7942, 7943, 7944, 7945, 7980, 7987, 9969, 9976, 10070, 10071, 10072, 10073, 10074, 10076, 10078, 10080, 10343, 10345, 10347, 10348, 10349, 10350, 10351, 10352, 10353, 10356, 10358, 10360, 10361, 10362, 10363, 10364, 10365, 10366, 12219, 12221, 13311, 13313, 13315, 13317, 13319, 13322, 13323, 13324, 14608, 14615, 14621, 14622, 14623, 14624, 14625, 14627, 14629, 14631, 14986, 14987,

14988, 14989, 14990, 14992, 14994, 14996, 15001, 15008, 15180, 15182, 15184, 15185, 15186, 15187, 15188, 15189, 15194, 15201, 15361, 15363, 15365, 15366, 15367, 15368, 15369, 15370, 15371, 15396, 15403, 15769, 15771, 15773, 15775, 15796, 15812, 16322, 16324, 16326, 16328, 16330, 16338, 16346, 16354, 16375, 16391, 17016, 17018, 17020, 17022, 17024, 17028, 17032, 17036, 17057, 17073, 17706, 17713
\@argdef 2823
\@array 604, 625, 1586, 1587, 17470, 19584
\@arrayacol 19604
\@arrayclassiv . . 19605
\@arrayclassz 1651, 17474, 19604
\@arraycr 624, 12542, 19606
\@arrayleft 617
\@arrayparboxrestore 12600, 14465, 14479
\@arrayright 626
\@arrayrule 1606, 1607, 1608, 1644, 1645, 1646
\@arstdepth 17467, 17472, 17490
\@arstheight 17472, 17490
\@arstrut 614, 12556, 17447, 19594
\@arstrutbox . . . 607, 12544, 12601, 17440, 17482, 17486, 17490, 19587
\@author 648, 662, 698, 719, 980, 982, 1000, 1045, 1064, 1231, 1233, 1251, 1296, 1315, 1480, 1482, 1500, 1545, 1565, 1576, 1952, 5201, 5203, 5272, 5899, 5901, 5919, 6075, 6077, 6095, 6170, 6184, 6220, 6241, 7746, 7758, 7792, 7811, 7841, 7855, 7891, 7912, 9997, 10009, 10043, 10062, 13280, 14661, 14663, 14681, 14726, 14745, 14800, 14802, 14822, 14869, 14891, 14902, 15057, 15071, 15112, 15133, 15243, 15257, 15293, 15314, 15637, 15700, 15751, 16185, 16248, 16299, 16883, 16946, 16997
\@auxout 2310, 5675
\@badmath . . 10195, 10209
\@begin@tempboxa . . 11076, 11083, 19472
\@begindvi . 10261, 19903
\@beginparpenalty 2066, 2075, 10198, 10212
\@bib@break 15789, 16368, 17050
\@biblabel 85, 294, 793, 794, 927, 928, 1189, 1190, 1438, 1439, 5837, 5838, 6024, 6025, 6332, 6333, 7710, 7711, 7980, 7981, 9969, 9970, 13898, 14608, 14609, 15001, 15002, 15194, 15195, 15396, 15397, 15796, 15798, 16375, 16377, 17057, 17059, 17706, 17707
\@bibsetup 13898
\@bibtitlestyle . 81, 290
\@bidi@AfterClass 3338, 3359, 3364, 3371
\@bidi@AfterPackage 3383, 3402, 3406, 3413
\@bidi@PreventPackageFromLoading . . 3423, 3424, 3426
\@bidi@UnPreventPackageFromLoading . . 3515, 3516, 3519
\@bidi@emptytoks 2618, 2623, 2647
\@bidi@envbody 2617, 2619, 2621, 2622, 2623, 2643, 2645, 2646, 2647
\@bidi@info 1722, 1745, 1747, 1855, 1878, 1880
\@bidi@list@minipage@parbox@not@nobtrue 10643, 19469
\@bidi@list@minipage@parboxtrue 10644, 19470
\@bidi@lst@makecaption . . 12162, 12184, 12185, 12211, 12213
\@bidi@mdf@RTLtrue 12612
\@bidi@removefromreset . . . 2712, 2713, 2715
\@bidi@replacefilewithext . . 3300, 3304, 3307
\@bidi@saveprimitive 2605
\@bidi@tabular@RTLcases 19382, 19384, 19391
\@bidi@todonotes@align 18989, 18990, 19022,

19063, 19066, 19069, 19072, 19097, 19102, 19103
\@bidi@todonotes@figposition@rightfalse 19004
\@bidi@todonotes@figposition@rightfalse 19002
\@bidi@todonotes@textdirection . . 18991, 18995, 18998, 19102, 19103
\@bidi@todonotes@textdirection@RTLfalse 18997
\@bidi@todonotes@textdirection@RTLtrue 18994
\@bidi@unreplacefilewithext . . 3309, 3315, 3318
\@bidideclaredcolor 6505, 6512, 19243, 19272
\@bidituftelTRsidenote@citation@font . . 4468, 4472, 4573
\@bidituftelTRsidenote@normal@cite . . . 4567, 4646, 4763, 4792, 4821, 4843, 4852, 4861
\@bidituftelTLsidenote@normal@cite . . . 4586, 4647, 4764, 4793, 4822, 4844, 4853, 4862
\@bidituftefloat@caption 3946, 3979
\@bidituftefloat@caption@box 3938, 3997, 4008, 4009, 4032, 4267, 4272
\@bidituftefloat@caption@fill 3887, 3896, 3897, 4272
\@bidituftefloat@caption@font 3852, 3853, 3907, 4098, 4269, 4275, 4288
\@bidituftefloat@caption@justification . . 3785, 3910, 4098
\@bidituftefloat@caption@vertical@offset 3941, 3942, 3950, 4008, 4009, 4036
\@bidituftefloat@checkoddpage 3869, 3966
\@bidituftefloat@figure@box . . . 3937, 3990, 4008, 4009, 4031
\@bidituftefloat@float@contents@width 3958, 3988, 3989, 3991
\@bidituftefloat@float@debug 3927, 3933, 3935, 3936, 3968, 3969, 3972, 3974, 3975, 4046, 4053, 4060, 4064, 4065
\@bidituftefloat@float@debug@info 3926, 3928, 3929, 3930, 4021, 4028
\@bidituftefloat@float@fullwidth 4008, 4056
\@bidituftefloat@float@textwidth 4009, 4038
\@bidituftefloat@fps 3956, 3971
\@bidituftefloat@fullwidth . . . 3886, 3892, 3893, 3894, 3988
\@bidituftefloat@justification 3854
\@bidituftefloat@justification@autodetect 3785, 3924
\@bidituftefloat@label 3953, 3980
\@bidituftefloat@margin@floatbox . . 3902, 3905, 3916
\@bidituftefloat@margin@par 3824, 3911
\@bidituftefloat@marginfont 3851, 3852
\@bidituftefloat@orig@caption . . 3977, 3999, 4029
\@bidituftefloat@orig@endfloat . . 3940, 4012, 4263
\@bidituftefloat@orig@float . . 3939, 3986, 4262
\@bidituftefloat@orig@label 3978, 3984, 4000, 4030
\@bidituftefloat@overhang 3885, 3889, 3890, 4082, 4083, 4122, 4123
\@bidituftefloat@pkgname . . . 3759, 3760, 3762
\@bidituftefloat@stored@caption 3944, 3951, 3999, 4034
\@bidituftefloat@stored@label 3945, 3954, 4000, 4016, 4018, 4035
\@bidituftefloat@stored@shortcaption . . . 3943, 3948, 3949, 3999, 4033
\@bidituftegeneralstructure@reset@par 5045, 5051
\@bidituftheading@newlinetospace 4104, 4113
\@bidituftheading@newlinetospace@i 4105, 4107
\@bidituftheading@orig@cr 4112, 4116
\@bidituftesidenote@add@citation 4608, 4641
\@bidituftesidenote@check@multiple@sidenotes 4666, 4674
\@bidituftesidenote@citation@font 4467, 4471, 4554, 4592, 4620
\@bidituftesidenote@citation@justification 4475, 4621
\@bidituftesidenote@citations 4607, 4609, 4610, 4612, 4617, 4626, 4742, 4771, 4800, 4839, 4848, 4857
\@bidituftesidenote@infootnote@cite 4640, 4741, 4770, 4799, 4838, 4847, 4856
\@bidituftesidenote@justification@autodetect 4473, 4474, 4475, 4476
\@bidituftesidenote@margin@par . . . 4477, 4622, 4688, 4705, 4722, 4840, 4849, 4858
\@bidituftesidenote@marginfont . . . 4464, 4465, 4466, 4467, 4468

\@bidituftesidenote@marginnote@fonf ... 4466, 4470, 4840, 4849, 4858
\@bidituftesidenote@marginnote@justification 4474, 4840, 4849, 4858
\@bidituftesidenote@normal@cite ... 4548, 4645, 4762, 4791, 4820, 4842, 4851, 4860
\@bidituftesidenote@print@citations 4614, 4761, 4790, 4819, 4841, 4850, 4859
\@bidituftesidenote@sidenote .. 4740, 4827, 4831
\@bidituftesidenote@sidenote@citations 4639
\@bidituftesidenote@sidenote@font ... 4465, 4469, 4652, 4653, 4656
\@bidituftesidenote@sidenote@justification .. 4473, 4652, 4653
\@bidituftesidenote@sidenote@vertical@offset ... 4737, 4738, 4744, 4746, 4752, 4759, 4773, 4775, 4781, 4788, 4802, 4804, 4810, 4817
\@bidituftesidenote@trim@b 4518, 4525
\@bidituftesidenote@trim@c .. 4522, 4525, 4530
\@bidituftesidenote@trim@spaces 4507, 4510, 4559, 4561, 4578, 4580, 4597, 4599, 4629, 4631
\@bidituftesidenotemarginparreset 4363, 4370
\@bidituftesidenotesavemarbox 4350, 4351, 4354, 4357
\@bidituftesidenotexmpar 4348, 4349
\@bidituftesidenoteympar 4348, 4353
\@bidituftetoc@lof@line 4992, 5008
\@bidituftetoc@pkgname 4868, 4869
\@bidiundeclaredcolor 6501, 6506, 19243, 19244, 19283
\@bscontmark 13303
\@bsmarkseries ... 13284
\@bsmtitlempty ... 13272
\@bsphack 2218, 4334, 4378, 4422, 19728, 19772
\@bsthanksheadpost 13286
\@bsthanksheadpre 13286
\@caption 4089, 13406, 13409
\@captionabovefalse 15976, 16555, 17237
\@captionabovetrue 15974, 16553, 17235
\@captype 2157, 2206, 2254, 3908, 13399, 13403, 13406, 15418, 15461
\@cclv 2332, 2337, 2349, 7344, 7401, 9857, 9858, 9881, 9891
\@centercr 5073, 14416, 14429, 14442, 17623, 17652, 19535
\@cftasnum ... 17808, 17839, 17862, 17879, 17896, 17913, 17930, 17947, 17965, 17984, 18004, 18039
\@cftasnumb .. 17809, 17840, 17863, 17880, 17897, 17914, 17931, 17948, 17966, 17985, 18005, 18040
\@cftbsnum ... 17807, 17838, 17861, 17878, 17895, 17912, 17929, 17946, 17964, 17983, 18003, 18038
\@cftdopartfalse . 17781
\@cftdoparttrue 17784, 17788
\@cftl@subfig 17972
\@cftl@subtab 17992
\@chapapp 6109, 6304, 7951, 9941, 15376
\@chapterlistsgap@off 13931
\@chapterlistsgap@on 13938, 13946
\@chclass .. 572, 584, 595, 1593, 1605, 1618, 1638, 1643, 17571, 17587, 17598, 19607, 19612
\@checkend ... 2636, 2660, 3593, 3594
\@chnum 573, 580, 591, 1594, 1601, 1614, 1624, 1640, 1641, 1642, 1655, 1663, 1689, 6455, 17572, 17579, 17594, 19609, 19610, 19611
\@circlefnt 10099
\@classiv 2154, 12534, 17433, 19395, 19579, 19605
\@classx 1621, 1680, 6449
\@classz . 1621, 1680, 1714, 1715, 2153, 6449, 12534, 17432, 17474, 19394, 19578, 19604
\@cleartopmattertags 125
\@cliptoboxdim ... 17601
\@clsextension 3307, 3318, 3334, 3344, 3353, 3356, 3365
\@clubpenalty 803, 6342, 7990, 15204, 15406, 17716
\@colht .. 2343, 2344, 6866, 6867, 6877, 6878, 6885, 6900, 6934, 6937, 6959, 6960, 7019, 7031, 7032, 7042, 7043, 7050, 7067, 7071,

9847, 10284, 13446, 13449, 13451, 13453, 13458, 13459, 13460, 13479, 13480, 13481, 13485, 13544, 13547, 13549, 13551, 13556, 13557, 13558, 13577, 13578, 13579, 13583, 19925
\@colourfalse 2387
\@colourgreenfalse 7084, 7182
\@colourgreentrue 7085, 7183
\@colourgreyfalse 7088, 7186
\@colourgreytrue 7089, 7187
\@colourorangefalse 7082, 7180
\@colourorangetrue 7083, 7181
\@colourredfalse 7086, 7184
\@colourredtrue 7087, 7185
\@colourtrue 2386
\@colroom 2343, 2352, 6855, 6878, 6881, 6883, 6884, 7043, 7046, 7048, 7049, 7344, 7401
\@combinedblfloats 6714, 6769, 10152, 10184, 10265, 10912, 10960, 13508, 13603, 19672, 19711
\@combinefloats . . 9842
\@compactenum@ . . . 5055
\@cons 19814, 19815
\@contcshortstyle 13354
\@contcstyle 13359, 13365, 13370
\@contcwidth 13348, 13349
\@contdelim 13342, 13353, 13357, 13364, 13369
\@contfield 5692, 5707, 5739
\@contfinal 13342, 13354, 13360, 13366, 13370
\@contfmark 13341, 13344
\@contfnote 13340, 13343
\@contindw 13365
\@contnfont 13342, 13353, 13357, 13364, 13369
\@contpost 13374
\@contpre 13352, 13358, 13363, 13368
\@conttfont 13342, 13354, 13360, 13366, 13370
\@curfield 5691, 5706, 5726, 5740, 5750, 19864
\@curline 5689, 5704, 19864, 19866
\@currbox 2226, 2257, 2261, 4299, 4302, 4343, 4346, 4351, 4355, 4387, 4390, 4395, 4399, 4431, 4434, 4439, 4443, 19737, 19740, 19745, 19749, 19781, 19784, 19789, 19793, 19815, 19824, 19856
\@currentHlabel . . . 11535, 11550, 11565
\@currentHref 11536, 11551, 11566, 11625, 11663, 11696, 11727, 11758, 11980, 11991, 11993
\@currentlabel . . 42, 55, 70, 251, 264, 278, 4690, 4707, 4724, 8047, 8063, 8079, 8092, 8105, 8118, 8291, 8301, 8311, 8337, 8350, 8362, 8389, 8402, 8440, 8449, 8458, 8483, 8495, 8506, 8532, 8544, 8582, 8592, 8602, 8628, 8641, 8653, 8680, 8693, 8731, 8741, 8751, 8777, 8790, 8802, 8829, 8842, 8880, 8890, 8900, 8926, 8939, 8951, 8978, 8991, 9029, 9039, 9049, 9075, 9088, 9100, 9127, 9140, 9178, 9188, 9198, 9224, 9237, 9249, 9276, 9289, 9327, 9337, 9347, 9373, 9386, 9398, 9425, 9438, 9476, 9486, 9496, 9522, 9535, 9547, 9574, 9587, 9674, 9686, 9698, 9724, 9738, 9752, 9787, 9801, 10550, 10566, 10581, 10608, 10621, 10634
\@currentlabelname 11537, 11552, 11567, 11626, 11664, 11697, 11728, 11759
\@currenvir 2622, 2625, 2626, 2646, 2649, 2650, 2677, 19491
\@currenvline 19492
\@currlist 19814
\@curtabmar 19863, 19866
\@cvtheme . . . 2467, 2470
\@cvthemeoptions 2468, 2470
\@date 651, 663, 699, 722, 988, 990, 1002, 1047, 1067, 1239, 1241, 1253, 1298, 1318, 1488, 1490, 1502, 1547, 1568, 1577, 1953, 5219,

5273, 5907, 5909, 5921, 6083, 6085, 6097, 6173, 6185, 6221, 6244, 7749, 7759, 7793, 7814, 7844, 7856, 7892, 7915, 7999, 8004, 10000, 10010, 10044, 10065, 12007, 12012, 13281, 14669, 14671, 14683, 14728, 14748, 14808, 14810, 14824, 14871, 14894, 14903, 15060, 15072, 15113, 15135, 15246, 15258, 15294, 15317, 15641, 15701, 15755, 16189, 16249, 16303, 16769, 16770, 16773, 16778, 16887, 16947, 17001
\@datefield 16709
\@dblarg 13406
\@dblfloatplacement 6718, 6773, 10153, 10188, 10272, 10916, 10964, 13512, 13607, 19676, 19715
\@declaredcolor 6490, 6491, 19200, 19223
\@dedication 15657, 15659, 15710, 15758, 15760, 16205, 16207, 16258, 16306, 16308, 16903, 16905, 16956, 17004, 17006
\@dedicatory 325
\@defaultskiptotal 198
\@definitionfileextension 2691, 2694
\@depth . . 609, 12546, 17412, 17442, 17483, 19589, 19853
\@dgroup 6361
\@dischyph . . . 10853, 12623, 14469, 14483
\@displaypagenumbersfalse 2566
\@displaypagenumberstrue 2565
\@dmath 6349, 6378
\@docolbox 10323
\@dodynamicthefoot 10262
\@dodynamicthehead 10262
\@dofilelist 3604, 3605, 3607
\@dotsep 18840, 18841, 18949, 19632
\@dottedtocline 18955, 18956, 18958, 18976, 19621
\@dseries 6374
\@eha 2613, 18026
\@ehc 2296, 2330, 2839, 3796, 3798, 4497, 4499, 12143, 12150, 13648, 13654
\@ehd 13400
\@eightcol@footgroupv@r 9168
\@eightcolLTRfootfmt . . 9191, 9212, 9240
\@eightcolLTRfootnotetext 9163, 9184
\@eightcolRTLfootfmt . . 9201, 9215, 9252
\@eightcolRTLfootnotetext 9164, 9194
\@eightcolfootfmt . . . 9181, 9209, 9227
\@eightcolfootnotetext 9162, 9174
\@elt 2714, 2717, 4187, 4188, 4189, 4190, 4191, 4192, 4193, 4194, 4195, 4196, 4197, 4198, 4228, 4229, 4230, 4231, 4232, 4233, 4234, 4235, 4236, 4237, 4238, 4239, 4240, 4241, 4242, 4243, 4244, 4245, 6400, 7310, 7331, 7337, 7372, 7374, 7376, 7382, 7394, 7424, 7426, 7428, 7434, 17502, 17504
\@email . 2479, 7172, 7270
\@emathdisplay . 184, 200
\@empty 83, 111, 130, 132, 292, 444, 624, 661, 662, 663, 664, 697, 698, 699, 700, 799, 933, 999, 1000, 1001, 1002, 1044, 1045, 1046, 1047, 1195, 1250, 1251, 1252, 1253, 1295, 1296, 1297, 1298, 1444, 1499, 1500, 1501, 1502, 1544, 1545, 1546, 1547, 1951, 1952, 1953, 1954, 2213, 2593, 2602, 2634, 2658, 3420, 3433, 3434, 3440, 3463, 3493, 3501, 3520, 3523, 3534, 3538, 3548, 3554, 3555, 3556, 3569, 3581, 3585, 3652, 3663, 4550, 4569, 4588, 4609, 4616, 5201, 5268, 5269, 5270, 5843, 5918, 5919, 5920, 5921, 6030, 6094, 6095, 6096, 6097, 6183, 6184, 6185, 6186, 6219, 6220, 6221, 6222, 6338, 6364, 6686, 6745, 7371, 7423, 7716, 7757, 7758, 7759, 7760, 7791, 7792, 7793, 7794, 7854, 7855, 7856, 7857, 7890, 7891, 7892, 7893, 7986, 7997, 8013, 8017, 9670,

9682, 9694, 9719, 9733, 9747, 9841, 9975, 10008, 10009, 10010, 10011, 10042, 10043, 10044, 10045, 10136, 10168, 10690, 10705, 10895, 10939, 10973, 10974, 10975, 10976, 10977, 11537, 11552, 11567, 11626, 11664, 11697, 11728, 11759, 12005, 12188, 12194, 12211, 12213, 12560, 13278, 13279, 13280, 13281, 13439, 13537, 13925, 14374, 14614, 14680, 14681, 14682, 14683, 14725, 14726, 14727, 14728, 14821, 14822, 14823, 14824, 14868, 14869, 14870, 14871, 15007, 15070, 15071, 15072, 15073, 15111, 15112, 15113, 15114, 15200, 15256, 15257, 15258, 15259, 15292, 15293, 15294, 15295, 15402, 15562, 15615, 15620, 15627, 15633, 15657, 15699, 15700, 15701, 15702, 15703, 15704, 15705, 15706, 15707, 15708, 15709, 15710, 15728, 15732, 15740, 15746, 15758, 15782, 15811, 15836, 15837, 16110, 16163, 16168, 16175, 16181, 16205, 16247, 16248, 16249, 16250, 16251, 16252, 16253, 16254, 16255, 16256, 16257, 16258, 16276, 16280, 16288, 16294, 16306, 16360, 16390, 16415, 16416, 16682, 16710, 16711, 16712, 16713, 16714, 16715, 16716, 16717, 16721, 16727, 16733, 16739, 16745, 16751, 16757, 16763, 16769, 16778, 16808, 16861, 16866, 16873, 16879, 16903, 16945, 16946, 16947, 16948, 16949, 16950, 16951, 16952, 16953, 16954, 16955, 16956, 16974, 16978, 16986, 16992, 17004, 17042, 17072, 17097, 17098, 17370, 17489, 17537, 17712, 18012, 18014, 19203, 19206, 19246, 19249, 19382, 19597, 19606, 19652, 19695, 19890, 19891, 19893, 19894

\@emptycol 6870, 6873, 6889, 6892, 7035, 7038, 7054, 7057
\@emptytoks 6363
\@end@tempboxa 11081, 11098, 19485
\@endalgoln 180
\@endfloatbox 2278
\@endmodernpoem 5702, 5722
\@endparenv . . 5606, 5719, 13972, 13992
\@endparpenalty 2070, 2079, 10199, 10213
\@endpbox 1631, 1632, 1673, 1697, 1698, 1699, 6463, 6464, 6465, 12531, 12537, 17448, 17487, 19595
\@endpefalse 19494
\@endtraditionalpoem 5586, 5658
\@ensure@LR 14329, 19356
\@ensure@LTR . . 14327, 14329, 14337, 19354, 19356, 19364, 19366, 19368, 20091, 20093
\@ensure@RL 14328, 19355
\@ensure@RTL . . 14326, 14328, 19353, 19355
\@ensure@dir . . 14330, 14331, 19357, 19358
\@ensure@maindir 14331, 19358
\@enumctr . . . 5056, 5057
\@eqnnum 10220, 12001, 19944
\@evenfoot 1915, 10255, 19888
\@evenhead 10254, 19887
\@expandtwoargs . . 3539
\@extrafootnotefeaturesfalse 1832
\@extrafootnotefeaturestrue 1830
\@extrainfo 2480, 7173, 7271

\@extratitle 15615, 15616, 15704, 15728, 15729, 16163, 16164, 16252, 16276, 16277, 16861, 16862, 16950, 16974, 16975
\@familyname . . 2412, 2414, 2415, 2473, 7147, 7237, 7258
\@familynamecolour 2442, 2459
\@fancyfoot 10118
\@fancyhead 10112
\@fancyvbox 10113, 10119
\@fax . . . 2478, 7171, 7269
\@ff@do@allframes 10264, 10269
\@ff@fbox 10332
\@ff@setoffset . . 10329
\@ffbackground . . . 10319
\@filebordercolor 11838, 11840
\@filecolor 11856
\@filef@und . 3236, 3253
\@finalstrut . . 8052, 8068, 8084, 8098, 8111, 8124, 10555, 10571, 10586, 10612, 10625, 10638
\@firstampfalse 1653, 1661
\@firstcolfirstmark . . . 6685, 6686, 6690, 6744, 6745, 6749, 10135, 10136, 10140, 10167, 10168, 10172, 10894, 10895, 10899, 10938, 10939, 10943, 13438, 13439, 13443, 13536, 13537, 13541, 19651, 19652, 19656, 19694, 19695, 19699
\@firstcoltopmark . 6683, 6691, 6742, 6750, 10133, 10141, 10165, 10173, 10892, 10900, 10936, 10944, 13436, 13444, 13534, 13542, 19649, 19657, 19692, 19700
\@firstcolumnfalse 6676, 6735, 7075, 10127, 10159, 10279, 10883, 10927, 13429, 13527, 19642, 19685
\@firstcolumntrue 6694, 6753, 7029, 10143, 10176, 10243, 10904, 10948, 13488, 13586, 19660, 19703
\@firstdetailselementfalse 7252
\@firstdetailselementtrue 7249
\@firstfooterelementfalse 7168, 7169, 7170, 7171, 7172, 7173
\@firstfooterelementtrue 7153
\@firstname . . 2412, 2414, 2415, 2472, 7147, 7237, 7258
\@firstnamecolour 2441, 2458
\@firstofone . . 3146, 3153, 3159, 3172, 3178, 3706, 11962, 11963, 11964, 11965, 13404, 15936, 16515, 17197
\@firstoftwo 2723, 2731, 2737, 2741, 2749, 2755, 2758, 2761, 2775, 2782, 2948, 2966, 2972, 2996, 3023, 3053, 3113, 3123, 3244, 13906
\@fivecol@footgroupv@r 8721
\@fivecolLTRfootfmt . . 8744, 8765, 8793
\@fivecolLTRfootnotetext 8716, 8737
\@fivecolRTLfootfmt . . 8754, 8768, 8805
\@fivecolRTLfootnotetext 8717, 8747
\@fivecolfootfmt 8734, 8762, 8780
\@fivecolfootnotetext 8715, 8727
\@float 3939, 4262
\@floatboxreset . . 2276
\@floatpenalty 2219, 2221, 2224, 4335, 4337, 4341, 4345, 4379, 4381, 4385, 4389, 4423, 4425, 4429, 4433, 19729, 19731, 19735, 19739, 19773, 19775, 19779, 19783
\@fltovf 2259, 4346, 4390, 4434, 19740, 19784
\@flushglue . . 5488, 5489, 12629, 14476, 15169, 18370, 18374, 18378, 18424, 19535
\@fnsymbol 673, 963, 1022, 1214, 1273, 1463, 1522, 1939, 5882, 6058, 6195, 7769, 7866, 10020, 14644, 14703, 14783, 14844, 15039, 15082, 15268, 15612, 15676, 16160, 16224, 16858, 16922
\@footgroupv@r 8204, 8254, 8281, 8430, 8572, 8721,

8870, 9019, 9168, 9317, 9466, 9657
\@footnote 5150
\@footnotemark 2186, 2194, 2202, 4662, 4752, 4759, 4781, 4788, 4810, 4817, 5640, 5647, 5654, 10521, 10527, 10530, 10536, 11578, 11767, 11771, 11785, 11786
\@footnotetext . . 34, 76, 147, 148, 149, 243, 285, 2142, 2265, 4683, 4752, 4759, 5503, 5514, 5727, 5741, 7290, 7291, 8039, 8126, 8133, 8275, 8424, 8566, 8715, 8864, 9013, 9162, 9311, 9460, 9651, 10543, 10597, 10653, 11448, 11456, 11527, 11575, 11768, 11772, 11788, 11789, 12596, 12679, 13793, 13794, 13795, 15544, 15547, 15861, 15862, 15872, 16092, 16095, 16440, 16441, 16451, 16790, 16793, 17122, 17123, 17133, 17517, 17534
\@footstartv@r . . . 8204
\@for 3461, 3522, 3535, 3557, 3561, 4551, 4556, 4570, 4575, 4589, 4594, 4617, 4626, 6654
\@fourcol@footgroupv@r 8572
\@fourcolLTRfootfmt . . 8595, 8616, 8644
\@fourcolLTRfootnotetext 8567, 8588
\@fourcolRTLfootfmt . . 8605, 8619, 8656
\@fourcolRTLfootnotetext 8568, 8598
\@fourcolfootfmt 8585, 8613, 8631
\@fourcolfootnotetext 8566, 8578
\@fps 2207, 2208, 2210, 2213, 2230
\@fpsadddefault 2211, 2214
\@freelist 2226, 4187, 4228, 4343, 4344, 4387, 4388, 4431, 4432, 9840, 19737, 19738, 19781, 19782, 19814, 19815
\@fs@capt 4276, 4289, 4297
\@fs@cfont . . . 4269, 4275, 4285, 4288, 4296, 10224, 10225
\@fs@iftopcapt 4280, 4293, 4306
\@fs@mid 4279, 4292, 4304
\@fs@post 4278, 4291, 4305
\@fs@pre 4277, 4290, 4298
\@g@tnextcol 10241
\@getcirc 10095
\@gnewline . . . 14418, 14431, 14444, 14455
\@gobble 2122, 2633, 2657, 2679, 2684, 3076, 3077, 3078, 3079, 3080, 3148, 3161, 3165, 3192, 3206, 3218, 3232, 3450, 3585, 3762, 5323, 5388, 10298, 10299, 10300, 13401, 15862, 15864, 15866, 16441, 16443, 16445, 17123, 17125, 17127, 19207, 19250, 19899, 19900, 19901
\@gobbletwo 2704, 2705, 2708, 2709, 12049
\@gtempa 2799, 2800
\@halignto . 613, 628, 17446, 17485, 19382, 19593, 19606
\@hangfrom . . . 15889, 15901, 15903, 16468, 16480, 16482, 17150, 17162, 17164, 19559
\@height 608, 1711, 6477, 10834, 12545, 12601, 12649, 15590, 15597, 16138, 16145, 16836, 16843, 17412, 17441, 17483, 19588, 19853
\@highpenalty . 5789, 5805, 5812, 5822, 5965, 5981, 5988, 5998, 6251, 6266, 6276, 7922, 9909, 9924, 9934, 14555, 14571, 14578, 14588, 14926, 14942, 14949, 14959, 15141, 15155, 15165, 15324, 15339, 15349, 17794, 17829, 18218, 18238, 18326
\@hintcolour . 2449, 2465
\@holdpg . 6800, 6806, 6813, 6824, 6834, 6934, 6935, 6937, 6940, 6944, 6949, 6954, 6958, 6966, 6978, 6991, 6998
\@hyper@launch . . . 11861
\@idxitem 98, 103, 228, 233, 822, 837, 1085, 1336, 5114, 5121, 5764, 5940, 6150, 14512, 14766,

15224, 17774, 19954
\@ifclasslater 3748, 3753
\@ifclassloaded 3368, 3747, 3752, 3783, 5163, 5165, 6152, 8139, 10341, 10354, 19957, 19958, 19959, 19960, 19961, 19962, 19963, 19964, 19965, 19966, 19967, 19968, 19969, 19970, 19971, 19972, 19973, 19974, 19975, 19976, 19977, 19978, 19979, 19980, 19981, 20006, 20085, 20086
\@ifdefinable . 2787, 2790, 2793, 2802, 2826, 2841, 10444
\@ifdefinitionfileloaded 2694, 20087
\@ifempty 7, 208
\@ifl@aded 2693, 2694, 2695
\@ifnextchar 159, 625, 2090, 2120, 2135, 2299, 2816, 3337, 3338, 3382, 3383, 3427, 4348, 4392, 4436, 6490, 6505, 10519, 10528, 10677, 10692, 11053, 11775, 11799, 13805, 13976, 13996, 19200, 19243, 19409, 19742, 19786
\@ifpackagelater . . . 3746, 3751, 10390
\@ifpackageloaded . 1670, 3009, 3410, 3470, 3705, 3723, 3745, 3750, 4255, 4260, 4313, 7622, 7623, 8258, 9625, 11572, 11592, 11670, 11969, 12322, 12573, 13380, 15944, 16523, 17205, 17699, 19383, 19943, 19956, 19969, 19979, 19982, 19986, 19987, 19988, 19989, 19990, 19997, 19998, 19999, 20000, 20001, 20002, 20003, 20004, 20005, 20006, 20007, 20008, 20009, 20010, 20011, 20012, 20013, 20014, 20015, 20016, 20017, 20018, 20019, 20020, 20021, 20022, 20023, 20024, 20025, 20026, 20027, 20028, 20029, 20030, 20031, 20032, 20033, 20034, 20035, 20036, 20037, 20038, 20041, 20042, 20043, 20044, 20067, 20068, 20069, 20070, 20071, 20072, 20073, 20074, 20075, 20076, 20077, 20078, 20079, 20080, 20081, 20082, 20083, 20084, 20085, 20086, 20088
\@ifpackagewith 6631, 17723, 19991, 19994, 19995, 19996, 20045, 20055, 20061
\@ifstar . 2933, 3336, 3381, 3423, 3515, 4105, 7626, 11056
\@iftagsloaded 2693, 19983, 19984
\@iftexfileloaded . 2695, 20039, 20040
\@ifundefined 332, 333, 2569, 3325, 3329, 3479, 3572, 3795, 3797, 4485, 4493, 4496, 4498, 4977, 4985, 5100, 5102, 5107, 5197, 5214, 6492, 6499, 6507, 6513, 10227, 10437, 11972, 11973, 12153, 12210, 12212, 12216, 14053, 18013, 18017, 18093, 18115, 18116, 18164, 18165, 18248, 18270, 18271, 18499, 18522, 18550, 18610, 18659, 18676, 18706
\@ifundefinedmodel 19233, 19267
\@ifxempty 19293
\@ignoretrue 6385
\@iiiminipage . . . 10640
\@iiiparbox 8241, 10671, 19466
\@indextitlestyle 96, 226
\@inlabelfalse . . . 6352
\@insertfalse 6791, 6899
\@inserttrue . 6864, 7028
\@iprintcites 14410
\@itemfudge 19863, 19865
\@itemlabel 19429
\@ixpt 5014
\@keywords 326
\@kludgeins 9844
\@komalongtablefalse 15944, 16523, 17205
\@lastchclass 573, 574, 575, 576, 578,

1594, 1595, 1596, 1597, 1599, 1638, 1639, 1651, 1659, 17572, 17573, 17574, 17575, 17577, 19607, 19608
\@lastvipertrue 6875, 6894, 7040, 7059
\@latex@error 2612, 3444, 13400, 13648, 13654
\@latex@warning . 91, 300, 807, 938, 1200, 1449, 2598, 5848, 6035, 6346, 7721, 7994, 9980, 14619, 15012, 15208, 15410, 15819, 15826, 16398, 16405, 17080, 17087, 17720
\@latex@warning@no@line . . . 6868, 6886, 7033, 7051, 19829
\@latexbug 19815
\@leftcolumn . . 6677, 6701, 6736, 6756, 6907, 6935, 6941, 6950, 10128, 10147, 10160, 10179, 10884, 10907, 10928, 10955, 13430, 13489, 13501, 13528, 13587, 13595, 19643, 19667, 19686, 19706
\@let@token . 2670, 2673
\@lettrine 12027
\@listI 3809
\@listdepth 10503, 10656, 10858, 10862, 19420, 19423, 19428
\@listi . 3809, 3817, 5018
\@loadwithoptions . . 3260, 3262, 3269
\@lowertitleback 15654, 15709, 16202, 16257, 16900, 16955
\@lowpenalty 2066, 18749
\@m 89, 298, 805, 936, 1198, 1447, 5846, 6033, 6344, 7719, 7992, 9978, 10885, 10929, 13905, 14617, 15010, 15206, 15408, 15815, 16394, 17076, 17718
\@mainmatterfalse 5350, 5380, 6327, 7975
\@mainmattertrue 5347, 5363
\@makecaption 4100, 6438, 13337, 13387, 13419, 15930, 16509, 17191, 19929
\@makechapterhead 303, 6104, 6299, 7946, 9937, 14401, 15372, 17739
\@makecol 2338, 2350, 9900, 9901
\@makefnmark 674, 1023, 1523, 1940, 4658, 4669, 6196, 7295, 7316, 7770, 7867, 10021, 13285, 14704, 14845, 15040, 15083, 15269, 15613, 15614, 15677, 15678, 16161, 16162, 16225, 16226, 16859, 16860, 16923, 16924
\@makefntext 44, 57, 72, 253, 266, 280, 675, 960, 1025, 1211, 1274, 1460, 1525, 1941, 4656, 4694, 4711, 4728, 5879, 6055, 6197, 7771, 7868, 8050, 8066, 8082, 8096, 8109, 8122, 10022, 10554, 10570, 10585, 10611, 10624, 10637, 10978, 13287, 14641, 14706, 14780, 14847, 15042, 15085, 15270, 15560, 16108, 16681, 16806
\@makeother . . 2932, 2978, 3087, 3095
\@makeschapterhead 5760, 5936, 6124, 6145, 6313, 7961, 9949, 14508, 14762, 15219, 15384, 17745, 17750
\@makespecialcolbox 9845
\@maketitle 116, 318, 322, 680, 682, 687, 696, 706, 1029, 1031, 1036, 1043, 1053, 1280, 1282, 1287, 1294, 1304, 1529, 1531, 1536, 1543, 1553, 1944, 1950, 6202, 6204, 6209, 6218, 6228, 7776, 7778, 7783, 7790, 7800, 7873, 7875, 7880, 7889, 7899, 10027, 10029, 10034, 10041, 10051, 13290, 13292, 13299, 14710, 14712, 14717, 14724, 14734, 14851, 14853, 14858, 14867, 14877, 15094, 15096, 15101, 15110, 15120, 15275, 15277, 15282, 15291, 15301,

15681, 15683, 15688, 15698, 15723, 16229, 16231, 16236, 16246, 16271, 16927, 16929, 16934, 16944, 16969
\@maketitle@hook . . . 114
\@makewincaption . 14144
\@marbox . 4344, 4346, 4350, 4354, 4355, 4388, 4390, 4394, 4398, 4399, 4432, 4434, 4438, 4442, 4443, 19738, 19740, 19744, 19748, 19749, 19782, 19784, 19788, 19792, 19793, 19814, 19824, 19827, 19835, 19837, 19838, 19840, 19841, 19842, 19851, 19855, 19856
\@mathmargin . . 7578, 7585, 7593, 7600
\@mathsemicolon 180, 199
\@maxdepth 8202, 9856, 9869, 9888, 9899
\@memtempa . . . 13337, 13339, 13353, 13360, 13364, 13369
\@menubordercolor 11932, 11934
\@menucolor 11943
\@midlist . . . 9840, 9841
\@minipagefalse 2280, 4365, 4374, 4409, 4418, 4453, 4462, 8238, 10668, 12180, 13393, 15920, 16499, 17181, 19759, 19768, 19803, 19812, 19935
\@minipagerestore 10657
\@minipagetrue 4373, 4417, 4461, 19767, 19811
\@minus 2516, 2601, 3805, 3807, 3814, 3816, 3818, 3819, 5015, 5017, 5019, 5020, 10772, 10810, 13902, 16043, 16053, 16063, 16073, 16083, 16631, 16641, 16651, 16661, 16671, 17313, 17323, 17333, 17343, 17353, 17377
\@mkboth . . . 791, 818, 834, 925, 1082, 1187, 1333, 1436, 5761, 5835, 5937, 6022, 6146, 6330, 7708, 7978, 9967, 14509, 14606, 14763, 14999, 15192, 15220, 15394
\@mklab 19430
\@mkpream 612, 12550, 17444, 17477, 19591
\@mobile 2476, 7169, 7267
\@modernpoem . 5678, 5722
\@mpLTRfootnotetext 8100, 8130, 8137, 8283, 8432, 8574, 8723, 8872, 9021, 9170, 9319, 9468, 9659, 10614, 10654, 11478, 11493, 11516, 11580, 12680
\@mpRTLfootnotetext 8113, 8131, 8138, 8284, 8433, 8575, 8724, 8873, 9022, 9171, 9320, 9469, 9660, 10601, 10655, 11467, 11492, 11505, 11581, 12681
\@mparbottom . . 2323, 19825, 19833, 19834, 19835, 19836
\@mpargs 8241, 10646, 10671
\@mparswitchfalse 3779
\@mparswitchtrue . 3774
\@mpeightcol@footgroupv@r 9173
\@mpeightcolLTRfootnotetext 9170, 9230
\@mpeightcolRTLfootnotetext 9171, 9243
\@mpeightcolfootnotetext 9169, 9218
\@mpfivecol@footgroupv@r 8726
\@mpfivecolLTRfootnotetext 8723, 8783
\@mpfivecolRTLfootnotetext 8724, 8796
\@mpfivecolfootnotetext 8722, 8771
\@mpfn 2161, 2164, 2167, 2183, 2191, 2199, 4750, 4756, 4779, 4785, 4808, 4814, 5617, 5620, 5623, 5637, 5644, 5651, 10519, 10524, 10528, 10533, 10652, 10682, 10697, 11453, 11464, 11475, 11675, 11706, 11737, 11800, 12676, 17559, 17566
\@mpfootins . . 8088, 8089, 8101, 8102, 8114, 8115, 8222, 8231, 8232, 8235, 10603, 10604, 10616, 10617, 10629, 10630, 10662, 10663, 10666, 12665, 12670
\@mpfootinsv@r 8221, 8255, 8332, 8333, 8344, 8345, 8357, 8358, 8478, 8479, 8489, 8490, 8501, 8502, 8623, 8624, 8635, 8636, 8648, 8649, 8772, 8773, 8784,

8785, 8797, 8798, 8921, 8922, 8933, 8934, 8946, 8947, 9070, 9071, 9082, 9083, 9095, 9096, 9219, 9220, 9231, 9232, 9244, 9245, 9368, 9369, 9380, 9381, 9393, 9394, 9517, 9518, 9529, 9530, 9542, 9543, 9718, 9721, 9732, 9735, 9746, 9749
\@mpfootnotetext 8087, 8129, 8136, 8282, 8431, 8573, 8722, 8871, 9020, 9169, 9318, 9467, 9658, 10627, 10653, 11456, 11491, 11494, 11579, 12679
\@mpfourcol@footgroupv@r 8577
\@mpfourcolLTRfootnotetext 8574, 8634
\@mpfourcolRTLfootnotetext 8575, 8647
\@mpfourcolfootnotetext 8573, 8622
\@mplistdepth 10503, 10656
\@mpninecol@footgroupv@r 9322
\@mpninecolLTRfootnotetext 9319, 9379
\@mpninecolRTLfootnotetext 9320, 9392
\@mpninecolfootnotetext 9318, 9367
\@mppara@footgroupv@r 9662
\@mpparaLTRfootnotetext 9659, 9731
\@mpparaRTLfootnotetext 9660, 9745
\@mpparafootnotetext 9658, 9717
\@mpsevencol@footgroupv@r 9024
\@mpsevencolLTRfootnotetext 9021, 9081
\@mpsevencolRTLfootnotetext 9022, 9094
\@mpsevencolfootnotetext 9020, 9069
\@mpsixcol@footgroupv@r 8875
\@mpsixcolLTRfootnotetext 8872, 8932
\@mpsixcolRTLfootnotetext 8873, 8945
\@mpsixcolfootnotetext 8871, 8920
\@mptencol@footgroupv@r 9471
\@mptencolLTRfootnotetext 9468, 9528
\@mptencolRTLfootnotetext 9469, 9541
\@mptencolfootnotetext 9467, 9516
\@mpthreecol@footgroupv@r 8435
\@mpthreecolLTRfootnotetext 8432, 8488
\@mpthreecolRTLfootnotetext 8433, 8500
\@mpthreecolfootnotetext 8431, 8477
\@mptwocol@footgroupv@r 8286
\@mptwocolLTRfootnotetext 8283, 8343
\@mptwocolRTLfootnotetext 8284, 8356
\@mptwocolfootnotetext 8282, 8331
\@namedef 3329, 3480, 5675, 8243, 8274, 8379, 8380, 8408, 8413, 8418, 8423, 8522, 8523, 8555, 8560, 8565, 8670, 8671, 8699, 8704, 8709, 8714, 8819, 8820, 8848, 8853, 8858, 8863, 8968, 8969, 8997, 9002, 9007, 9012, 9117, 9118, 9146, 9151, 9156, 9161, 9266, 9267, 9295, 9300, 9305, 9310, 9415, 9416, 9444, 9449, 9454, 9459, 9564, 9565, 9593, 9598, 9603, 9650, 9770, 9771, 9772, 9815, 9824, 9832, 18028, 18067, 18068, 18069, 18070, 18071, 18072, 18073, 18074, 18075, 18076, 18094, 18095, 18096, 18097, 18098, 18099, 18100, 18101, 18102, 18117, 18118, 18119, 18120, 18122, 18123, 18125, 18128, 18131, 18139, 18140, 18142, 18145, 18148, 18161, 18166, 18167, 18168, 18170, 18171, 18173, 18176, 18179, 18187, 18188, 18190, 18193, 18196, 18208, 18249, 18250, 18251, 18252, 18253, 18254, 18255, 18256, 18257, 18272, 18273, 18274, 18275, 18277, 18278, 18280, 18283, 18286, 18294, 18295, 18297, 18300, 18303, 18316, 18500, 18501, 18502, 18503, 18504, 18505, 18506,

18507, 18508, 18547, 18551, 18552, 18553, 18554, 18556, 18557, 18559, 18562, 18565, 18573, 18574, 18576, 18579, 18582, 18607, 18611, 18612, 18613, 18615, 18616, 18618, 18621, 18624, 18632, 18633, 18635, 18638, 18641, 18661, 18664, 18668, 18708, 18711, 18715
\@nameuse 3326, 5673, 7508, 7558, 7561, 7607, 8376, 8378, 8379, 8380, 8385, 8387, 8390, 8392, 8397, 8398, 8400, 8403, 8405, 8410, 8411, 8415, 8416, 8420, 8421, 8519, 8521, 8522, 8523, 8528, 8530, 8533, 8535, 8539, 8540, 8542, 8545, 8547, 8552, 8553, 8557, 8558, 8562, 8563, 8667, 8669, 8670, 8671, 8676, 8678, 8681, 8683, 8688, 8689, 8691, 8694, 8696, 8701, 8702, 8706, 8707, 8711, 8712, 8816, 8818, 8819, 8820, 8825, 8827, 8830, 8832, 8837, 8838, 8840, 8843, 8845, 8850, 8851, 8855, 8856, 8860, 8861, 8965, 8967, 8968, 8969, 8974, 8976, 8979, 8981, 8986, 8987, 8989, 8992, 8994, 8999, 9000, 9004, 9005, 9009, 9010, 9114, 9116, 9117, 9118, 9123, 9125, 9128, 9130, 9135, 9136, 9138, 9141, 9143, 9148, 9149, 9153, 9154, 9158, 9159, 9263, 9265, 9266, 9267, 9272, 9274, 9277, 9279, 9284, 9285, 9287, 9290, 9292, 9297, 9298, 9302, 9303, 9307, 9308, 9412, 9414, 9415, 9416, 9421, 9423, 9426, 9428, 9433, 9434, 9436, 9439, 9441, 9446, 9447, 9451, 9452, 9456, 9457, 9561, 9563, 9564, 9565, 9570, 9572, 9575, 9577, 9582, 9583, 9585, 9588, 9590, 9595, 9596, 9600, 9601, 9605, 9606, 9767, 9769, 9770, 9771, 9772, 9776, 9783, 9785, 9788, 9791, 9796, 9797, 9799, 9802, 9805, 9812, 9813, 9816, 9821, 9825, 9829, 9837, 10247, 16317, 16333, 16341, 16349, 17757, 18029, 18030, 18031, 18034, 18037, 18042, 18043, 18048, 18052, 18053, 18055, 18056, 18058, 18059, 18061, 18062, 18064, 18065, 18072, 18077, 18078, 18161, 18208, 18212, 18213, 18225, 18232, 18233, 18316, 18320, 18321, 18340, 18355, 18358, 18360, 18363, 18366, 18383, 18384, 18386, 18387, 18397, 18399, 18401, 18402, 18404, 18406, 18407, 18416, 18418, 18422, 18423, 18427, 18431, 18433, 18434, 18494, 18527, 18534, 18539, 18540, 18547, 18600, 18607, 18678, 19235, 19269, 19882
\@ne 133, 138, 468, 472, 488, 547, 551, 567, 573, 582, 585, 679, 1028, 1279, 1528, 1594, 1603, 1606, 1607, 1608, 1641, 1644, 1645, 1646, 1841, 1845, 1846, 2236, 2291, 3687, 3696, 6201, 6642, 7775, 7872, 10026, 10602, 10615, 10628, 10872, 11809, 11814, 12129, 12141, 12148, 12157, 12166, 12552, 13289, 13366, 13624, 13975, 13995, 14709, 14850, 15046, 15089, 15093, 15274, 15566, 15680, 16114, 16228, 16686, 16812, 16926, 17507, 17511,

17572, 17581, 17588, 17869, 18212, 18213, 18320, 18321, 18494, 19149, 19423, 19464, 19501, 19503, 19504, 19505, 19510, 19512, 19513, 19514, 19519, 19521, 19522, 19523, 19528, 19530, 19531, 19532, 19610, 19612, 19815
\@newlistfalse 10291, 19873
\@next 2226, 4343, 4344, 4387, 4388, 4431, 4432, 19737, 19738, 19781, 19782, 19814
\@nextchar 579, 581, 582, 583, 585, 586, 587, 588, 589, 592, 593, 594, 1600, 1602, 1603, 1604, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1615, 1616, 1617, 1629, 1631, 1632, 1697, 1698, 1699, 6463, 6464, 6465, 17578, 17580, 17581, 17582, 17583, 17584, 17585, 17586, 17588, 17589, 17590, 17591, 17592, 17595, 17596, 17597
\@nil 1682, 1683, 1685, 1686, 6452, 7338, 7395, 11975, 11984, 11986, 11998, 17673
\@ninecol@footgroupv@r 9317
\@ninecolLTRfootfmt .. 9340, 9361, 9389
\@ninecolLTRfootnotetext 9312, 9333
\@ninecolRTLfootfmt .. 9350, 9364, 9401
\@ninecolRTLfootnotetext 9313, 9343
\@ninecolfootfmt 9330, 9358, 9376
\@ninecolfootnotetext 9311, 9323
\@nmbrlistfalse .. 19431
\@nobreakfalse . 740, 891, 1134, 1372, 5799, 5975, 6261, 7931, 9919, 14565, 14936, 15150, 15334, 17816, 17820, 18348
\@nobreaktrue 739, 890, 1133, 1371, 5798, 5974, 6260, 7930, 9918, 14564, 14935, 15149, 15333, 17815, 17819, 18347
\@nocnterr 333
\@nocounterr 332
\@nodocument 2205
\@noitemerr 91, 300, 806, 937, 1199, 1448, 2598, 5847, 6034, 6345, 7720, 7993, 9979, 13912, 14618, 15011, 15207, 15409, 15818, 15825, 16397, 16404, 17079, 17086, 17719
\@nonlatinfalse 1794, 12167
\@nonlatintrue 1796, 12164
\@normalcr 12632
\@notprerr .. 3148, 3161
\@nx 120, 121, 336
\@nxtcol 10239, 10241, 10282
\@oddfoot 1910, 10252, 10259, 19885, 19894
\@oddhead 10251, 10258, 19885, 19893
\@oldmakefnmark 15613, 15614, 15677, 15678, 16161, 16162, 16225, 16226, 16859, 16860, 16923, 16924
\@onefilewithoptions .. 3276, 3277, 3284
\@onelevel@sanitize 2208
\@onlypreamble 3499, 3509, 3513
\@openbib@code 797, 931, 1193, 1442, 2591, 2602, 5841, 6028, 6336, 7714, 7984, 9973, 14612, 15005, 15198, 15400, 15801, 16380, 17062, 17710
\@otarlinesep 17467, 17473
\@outerparskip 5603, 5716
\@outputbox .. 6677, 6680, 6681, 6695, 6703, 6708, 6710, 6736, 6739, 6740, 6754, 6760, 6763, 6765, 8201, 8203, 9847, 9849, 9850, 9855, 9868, 9870, 9881, 9891, 10128, 10131, 10144, 10149, 10160, 10163, 10177, 10183, 10264, 10269, 10308, 10884, 10889, 10890, 10905, 10911, 10928, 10933, 10934, 10949, 10957, 13430, 13433, 13434, 13464, 13489, 13492,

13494, 13504, 13528, 13531, 13532, 13562, 13587, 13590, 13592, 13600, 19643, 19646, 19647, 19661, 19669, 19686, 19689, 19690, 19704, 19710, 19916
\@outputdblcol 10238, 19723, 19724, 19725
\@outputpage 2339, 2351, 6716, 6720, 6771, 6775, 10152, 10155, 10186, 10190, 10266, 10270, 10275, 10286, 10914, 10918, 10962, 10966, 13510, 13515, 13605, 13610, 19674, 19678, 19713, 19717, 19868
\@ovbtrue 10084
\@ovdx 10097, 10105
\@ovdy 10098, 10106
\@ovhorz . . . 10103, 10104
\@ovltrue 10084
\@ovri 10096
\@ovro 10096, 10105, 10106
\@ovrtrue 10084
\@ovttrue 10084
\@ovvert . . . 10101, 10102
\@ovxx 10086, 10087, 10090, 10097, 10102, 10103, 10107, 10108
\@ovyy . 10088, 10089, 10090, 10098, 10104
\@pagedp . . 19843, 19853
\@pageht 6792, 6901, 19826, 19833
\@par 18437
\@para@footgroupv@r 9657
\@paraLTRfootfmt 9690, 9709, 9742
\@paraLTRfootnotetext 9652, 9681
\@paraRTLfootfmt 9702, 9713, 9756
\@paraRTLfootnotetext 9653, 9693
\@parafootRTLfalse 8038
\@parafootRTLtrue 8037
\@parafootfmt 9678, 9705, 9728
\@parafootnotetext 9651, 9669
\@parboxrestore . 41, 54, 69, 250, 263, 277, 2275, 4094, 4362, 4406, 4450, 6390, 8091, 8104, 8117, 8217, 8336, 8348, 8361, 8401, 8482, 8493, 8505, 8543, 8627, 8639, 8652, 8692, 8776, 8788, 8801, 8841, 8925, 8937, 8950, 8990, 9074, 9086, 9099, 9139, 9223, 9235, 9248, 9288, 9372, 9384, 9397, 9437, 9521, 9533, 9546, 9586, 9723, 9737, 9751, 9800, 9819, 10291, 10549, 10565, 10580, 10607, 10620, 10633, 10651, 13414, 13623, 19472, 19756, 19800, 19874
\@parboxto . 19475, 19482
\@parmoderr . . 2224, 4340, 4384, 4428, 19734, 19778
\@part 770, 7679
\@pboxswfalse 10642, 19468
\@pboxswtrue 19480
\@pdfm@mark 11816, 11832, 11866, 11897, 11926
\@pdfremotestartview 11847
\@phone . 2477, 7170, 7268
\@photo . . 2482, 7143, 7145, 7274, 7276
\@photowidth . . 2481, 2482, 7145, 7241
\@pkgextension 3304, 3315, 3379, 3388, 3396, 3399, 3407
\@plus 24, 99, 229, 730, 747, 821, 836, 865, 868, 881, 899, 906, 1084, 1091, 1094, 1107, 1124, 1142, 1335, 1346, 1349, 1362, 1380, 1388, 2516, 2601, 3805, 3806, 3807, 3814, 3815, 3816, 3818, 3819, 5015, 5016, 5017, 5019, 5020, 5086, 5763, 5774, 5777, 5790, 5806, 5813, 5939, 5950, 5953, 5966, 5982, 5989, 6149, 6252, 6267, 7655, 7669, 7923, 9707, 9711, 9715, 9811, 9910, 9925, 10772, 10810, 13675, 13687, 13902, 14511, 14540, 14543, 14556, 14572, 14579, 14765, 14911, 14914, 14927, 14943, 14950, 15142, 15156, 15223, 15325, 15340, 15588, 15595, 15619, 15642, 15660, 15731, 15756, 15843, 15848, 16001, 16020, 16043, 16044, 16053, 16054, 16063,

16064, 16073, 16083, 16136, 16143, 16167, 16190, 16208, 16279, 16304, 16422, 16427, 16580, 16599, 16631, 16632, 16641, 16642, 16651, 16652, 16661, 16671, 16834, 16841, 16865, 16888, 16906, 16977, 17002, 17104, 17109, 17262, 17281, 17313, 17314, 17323, 17324, 17333, 17334, 17343, 17353, 17376, 17624, 17653, 17773, 18048, 18216, 18219, 18223, 18324, 18327, 18331, 18364, 18661, 18664, 18668, 18756, 18940, 19623
\@pnumwidth 13, 15, 214, 216, 733, 734, 736, 750, 751, 755, 884, 885, 887, 909, 910, 914, 1110, 1111, 1115, 1127, 1128, 1130, 1365, 1366, 1368, 1391, 1392, 1396, 5793, 5794, 5796, 5816, 5817, 5821, 5969, 5970, 5972, 5992, 5993, 5997, 6255, 6256, 6258, 6270, 6271, 6275, 6527, 6532, 6533, 7658, 7659, 7663, 7672, 7673, 7675, 7925, 7926, 7928, 9913, 9914, 9916, 9928, 9929, 9933, 13695, 14559, 14560, 14562, 14582, 14583, 14587, 14930, 14931, 14933, 14953, 14954, 14958, 15144, 15145, 15147, 15159, 15160, 15164, 15328, 15329, 15331, 15343, 15344, 15348, 17680, 17689, 17691, 18078, 18227, 18228, 18236, 18335, 18336, 18342, 18734, 18847, 18952, 19635
\@preamble 613, 614, 624, 626, 1654, 1662, 12556, 17445, 17447, 17454, 17485, 17486, 17494, 19592, 19594, 19603
\@preameightfmt ... 9204, 9210, 9213, 9216, 9296
\@preamerr 595, 1618, 1648, 17598, 19601, 19614
\@preamfivefmt 8757, 8763, 8766, 8769, 8849
\@preamfntext 8045, 8061, 8077, 8212, 8290, 8300, 8310, 8388, 8439, 8448, 8457, 8531, 8581, 8591, 8601, 8679, 8730, 8740, 8750, 8828, 8879, 8889, 8899, 8977, 9028, 9038, 9048, 9126, 9177, 9187, 9197, 9275, 9326, 9336, 9346, 9424, 9475, 9485, 9495, 9573, 9673, 9685, 9697, 9786
\@preamfourfmt 8608, 8614, 8617, 8620, 8700
\@preamninefmt 9353, 9359, 9362, 9365, 9445
\@preamsevenfmt ... 9055, 9061, 9064, 9067, 9147
\@preamsixfmt 8906, 8912, 8915, 8918, 8998
\@preamtenfmt 9502, 9508, 9511, 9514, 9594
\@preamthreefmt ... 8463, 8469, 8472, 8475, 8551
\@preamtwofmt 8317, 8323, 8326, 8329, 8409
\@printcites 14412
\@pstrickserr 14366
\@ptsize . 2380, 2381, 2382, 2383, 2390
\@publisher . 5178, 5231
\@publishers 15643, 15707, 15757, 16191, 16255, 16305, 16889, 16953, 17003
\@quote .. 2483, 7149, 7151, 7278, 7280
\@quotebox 14411
\@quotecolour 2445, 2462, 2572
\@r@m@msize 17480
\@raggedtwoe@everyselectfont 14425, 14438, 14451, 14462
\@raggedtwoe@gnewline . 14418, 14431, 14444
\@raggedtwoe@raggedrightboxes@opt 14464, 14493
\@raggedtwoe@saved@gnewline 14455
\@raggedtwoe@savedcr 14415,

14428, 14441, 14454
\@raggedtwoe@spaceskipfalse 14461
\@raggedtwoe@spaceskiptrue 14424, 14437, 14450
\@rc@ifdefinable 2802, 2841
\@reffalse 16709
\@reftrue 16710, 16711, 16712, 16713, 16714, 16715, 16716, 16717
\@regtocline 862, 900, 917, 1088, 1118, 1143, 1343, 1381, 1399, 5771, 5807, 5825, 5947, 5983, 6001, 14537, 14573, 14591, 14908, 14944, 14962
\@rememsize 17477, 17480
\@removefromreset 13921, 13923
\@reqcolroom . . 6792, 6793, 6794, 6795, 6855, 6900, 6901, 6902, 6903, 6904, 6905, 7019
\@resetactivechars 10289, 19871
\@resetdyn@mics . . 10277
\@resetst@tics . . . 10276
\@restonecolfalse 94, 224, 811, 827, 1075, 1326, 5754, 5930, 6139, 14502, 14756, 15213, 17731
\@restonecoltrue . . 94, 224, 813, 829, 1077, 1328, 5756, 5932, 6141, 14504, 14758, 15215, 17733
\@resumename . 2415, 2471
\@revlabeltrue . 961, 1212, 1461, 5880, 6056, 14642, 14781
\@rightcolumn . 13456, 13461, 13462, 13471, 13472, 13480, 13484, 13490, 13554, 13559, 13560, 13569, 13570, 13578, 13582, 13588
\@rightskip 12628, 14420, 14421, 14433, 14434, 14446, 14447, 14457, 14458, 14475, 19535
\@rjfieldfalse . . . 19861
\@runbordercolor 11872, 11874
\@runcolor 11888
\@s@@size 17480
\@s@bidi@AfterClass 3336, 3345, 3357, 3366
\@s@bidi@AfterPackage 3381, 3389, 3400, 3408
\@sarray 17438
\@savemarbox 19855
\@secondoftwo . 2725, 2734, 2743, 2752, 2758, 2761, 2772, 2777, 2784, 2939, 2949, 2950, 2951, 2952, 2958, 2967, 2973, 2997, 3025, 3053, 3102, 3114, 3115, 3124, 3241, 3369, 3411
\@secpenalty 5, 206, 729, 746, 880, 898, 905, 1106, 1123, 1141, 1361, 1379, 1387, 7654, 7668, 17665, 17796, 17851, 18215, 18222, 18323, 18330
\@sectiontitlecolour 2446, 2463
\@seesize . . 17477, 17480
\@setcol 10283
\@setcolbox 10244, 10280
\@setcopyright 108
\@setfontsize . 3804, 3813, 5014, 5024, 5025, 5026, 5027, 5028, 5029, 5030
\@setfpsbit 2240, 2243, 2246
\@setmarks 6687, 6689, 6715, 6746, 6748, 6770, 10137, 10139, 10152, 10169, 10171, 10185, 10896, 10898, 10913, 10940, 10942, 10961, 13440, 13442, 13509, 13538, 13540, 13604, 19653, 19655, 19673, 19696, 19698, 19712
\@setminipage . 4096, 10658, 10866, 13416
\@setpar 15043, 15086, 15563, 15570, 16111, 16118, 16683, 16688, 16809, 16816
\@settab 5683
\@sevencol@footgroupv@r 9019
\@sevencolLTRfootfmt . . 9042, 9063, 9091
\@sevencolLTRfootnotetext 9014, 9035
\@sevencolRTLfootfmt . . 9052, 9066, 9103
\@sevencolRTLfootnotetext 9015, 9045
\@sevencolfootfmt . . . 9032, 9060, 9078
\@sevencolfootnotetext 9013, 9025
\@sharp 620, 1656, 1657, 1658, 1664, 1665, 1666, 11975, 11981, 12548, 17450, 17486, 17492, 19598
\@sixcol@footgroupv@r 8870

\@sixcolLTRfootfmt . . 8893, 8914, 8942
\@sixcolLTRfootnotetext 8865, 8886
\@sixcolRTLfootfmt . . 8903, 8917, 8954
\@sixcolRTLfootnotetext 8866, 8896
\@sixcolfootfmt 8883, 8911, 8929
\@sixcolfootnotetext 8864, 8876
\@skip@bove 17471, 17473
\@spaces 17509, 17550, 17555
\@spart 7698
\@specialpagefalse 10246, 19882
\@specialstyle 10247, 19882
\@stabarray 17433
\@stabular 17429
\@star@or@long 2797, 2811, 2835, 2846
\@startdblcolumn . . 6719, 6721, 6774, 6776, 10153, 10155, 10189, 10190, 10273, 10275, 10917, 10919, 10965, 10967, 13513, 13516, 13608, 13611, 19677, 19679, 19716, 19718
\@startfield 5725
\@startpbox . . . 1631, 1632, 1697, 1698, 1699, 6463, 6464, 6465, 12535, 12536, 12542, 17448, 17487, 19595
\@startsection 23
\@starttoc . . 4981, 4989
\@stopfield 5690, 5705, 5709, 5737, 19861
\@stopline . 5709, 19861
\@strip 13620
\@subjclass 326
\@subject 15627, 15628, 15706, 15740, 15741, 16175, 16176, 16254, 16288, 16289, 16873, 16874, 16952, 16986, 16987
\@subsectioncolour 2448, 2464
\@subtitle 15633, 15703, 15746, 16181, 16251, 16294, 16879, 16949, 16992
\@tabacol 2152, 12533, 17431, 19393, 19577
\@tabarray . 601, 625, 629, 2154, 12520, 12522, 19388, 19395, 19579, 19606
\@tabclassiv 2154, 12534, 17433, 19395, 19579
\@tabclassz . . 1659, 2153, 12534, 17432, 19394, 19578
\@tabcr 5686, 5696
\@tabminus 5684
\@tabplus 5683
\@tabular 597, 2140, 19575
\@tabularcr 2154, 12538, 17433, 19395, 19579
\@tagsextension 2690, 2693
\@tarlinesep . . 17473, 17474, 17475, 17476, 17479, 17481
\@temp@bibkey . 4551, 4570, 4589, 4617
\@temp@bibkeyx 4556, 4557, 4559, 4560, 4561, 4562, 4575, 4576, 4578, 4579, 4580, 4581, 4594, 4595, 4597, 4598, 4599, 4600, 4626, 4627, 4629, 4630, 4631, 4632
\@temp@last@bibkey 4550, 4551, 4557, 4569, 4570, 4576, 4588, 4589, 4595, 4616, 4617, 4627
\@tempa 119, 122, 129, 130, 131, 132, 1008, 1010, 1012, 1016, 1259, 1261, 1263, 1267, 1508, 1510, 1512, 1516, 2606, 2607, 2610, 3794, 3795, 3797, 3799, 4495, 4496, 4498, 4500, 10085, 11018, 11019, 11020, 11021, 11058, 11061, 11062, 11068, 11079, 11080, 11086, 11091, 11092, 11094, 11097, 11134, 11135, 11136, 11137, 11594, 11598, 11601, 11613, 11632, 11636, 11639, 11651, 12603, 12604, 12606, 12607, 13924, 13925, 13926, 13929, 13936, 13942, 14689, 14691, 14693, 14697, 14830, 14832, 14834, 14838, 15418, 15419, 15461, 15462, 15562, 15803, 15806, 16110, 16382, 16385, 16682, 16808, 17064, 17067, 17558, 17560, 17565, 17567, 18938, 18955, 18959, 18960, 18961,

18970, 18984, 19160, 19163, 19169, 19173, 19187
\@tempb 2606, 2607, 2609, 2610, 11018, 11019, 11059, 11061, 11089, 11091, 11092, 11094, 11097, 13928, 13929, 13935, 13936, 13941, 13942
\@tempboxa . . . 4346, 4390, 4434, 6815, 6839, 6848, 6907, 6951, 6992, 7003, 7012, 7361, 7362, 7363, 7364, 7366, 7415, 7416, 7417, 7418, 7420, 8241, 10096, 10100, 10108, 10109, 10224, 10225, 10226, 10647, 10671, 10709, 10754, 10761, 10771, 10774, 10778, 10780, 10786, 10820, 10822, 10828, 10841, 10845, 10846, 11080, 11097, 11226, 11407, 11409, 12082, 12083, 12172, 12177, 12181, 12565, 12566, 12569, 13342, 13345, 13349, 13351, 13357, 13359, 13360, 13389, 13390, 13394, 14145, 14146, 14149, 15867, 15881, 15885, 15887, 15910, 15911, 15913, 15914, 15916, 15921, 15926, 16446, 16460, 16464, 16466, 16489, 16490, 16492, 16493, 16495, 16500, 16505, 17128, 17142, 17146, 17148, 17171, 17172, 17174, 17175, 17177, 17182, 17187, 17532, 17552, 18899, 18902, 18907, 18911, 18915, 18919, 18923, 18927, 18931, 18935, 19559, 19560, 19617, 19618, 19619, 19620, 19740, 19784, 19906, 19913, 19914, 19931, 19932, 19936
\@tempc . 11060, 11062, 11068, 12059, 12064
\@tempcnta 1622, 1681, 1682, 1683, 1685, 1686, 2228, 2234, 2236, 2249, 2250, 2256, 2257, 6450, 6452, 7336, 7393, 12096, 12098, 12101, 12124, 12125, 12129, 14000, 14002, 14003, 14009, 14013, 14026, 14051, 14053, 14057, 14060, 14062, 15666, 15668, 15860, 15879, 16214, 16216, 16439, 16458, 16912, 16914, 17121, 17140, 17545, 18746, 18747, 18748, 18767, 18768, 18769, 18771, 18773, 18855, 18856, 18857, 19815, 19817, 19820, 19822, 19824, 19846
\@tempcntb . . . 2254, 2255, 2256, 14001, 14002, 14009, 14013, 14026, 15860, 15878, 16439, 16457, 17121, 17139
\@tempdima 8, 10, 12, 14, 209, 211, 213, 215, 605, 606, 608, 731, 748, 753, 870, 883, 907, 912, 1096, 1097, 1108, 1113, 1126, 1351, 1364, 1389, 1394, 1676, 1677, 1709, 1710, 1711, 2377, 2379, 5002, 5003, 5779, 5792, 5814, 5819, 5955, 5968, 5990, 5995, 6253, 6268, 6273, 6475, 6476, 6477, 6525, 6530, 6796, 6865, 6866, 6880, 6881, 6885, 6962, 7030, 7031, 7045, 7046, 7050, 7066, 7067, 7307, 7308, 7309, 7310, 7328, 7329, 7330, 7331, 7337, 7339, 7340, 7344, 7345, 7346, 7347, 7348, 7356, 7360, 7363, 7364, 7365, 7379, 7380, 7381, 7394, 7396, 7397, 7401, 7402, 7403, 7404, 7405, 7411, 7414, 7417, 7418, 7419, 7431, 7432, 7433, 7458, 7460, 7461, 7462, 7466, 7473, 7475, 7477,

7484, 7508, 7509, 7514, 7515, 7516, 7517, 7518, 7633, 7635, 7637, 7656, 7661, 7671, 9857, 9859, 9912, 9926, 9931, 10097, 10098, 10101, 10102, 10645, 10649, 11077, 11079, 11084, 11086, 11087, 11089, 11102, 11107, 11112, 11116, 12074, 12080, 12081, 12087, 12088, 12093, 12094, 12099, 12530, 12540, 12545, 13459, 13463, 13557, 13561, 13620, 13645, 13668, 13680, 13681, 13692, 13693, 14004, 14545, 14558, 14580, 14585, 14916, 14929, 14951, 14956, 15044, 15045, 15046, 15087, 15088, 15089, 15157, 15162, 15326, 15341, 15346, 15463, 15464, 15564, 15565, 15566, 15571, 15572, 15575, 15884, 15885, 15910, 15911, 15912, 15914, 16112, 16113, 16114, 16119, 16120, 16123, 16463, 16464, 16489, 16490, 16491, 16493, 16684, 16685, 16686, 16689, 16690, 16693, 16810, 16811, 16812, 16817, 16818, 16821, 17145, 17146, 17171, 17172, 17173, 17175, 17478, 17481, 17483, 17546, 17605, 17606, 17607, 17806, 17810, 17837, 17841, 17860, 17864, 17877, 17881, 17894, 17898, 17911, 17915, 17928, 17932, 17945, 17949, 17963, 17967, 17982, 17986, 18002, 18006, 18037, 18041, 18225, 18231, 18333, 18383, 18386, 18387, 18391, 18763, 18765, 18794, 18797, 18804, 18807, 18811, 18816, 18819, 18831, 18864, 18866, 18867, 18870, 18873, 18877, 18884, 18886, 18945, 18946, 18959, 18961, 18969, 18976, 19122, 19123, 19142, 19153, 19154, 19155, 19156, 19168, 19171, 19177, 19178, 19471, 19472, 19628, 19629, 19825, 19826, 19827, 19828, 19831, 19834, 19837, 19839, 19862, 19863

\@tempdimb 6444, 6798, 6801, 6802, 6803, 6804, 6807, 6808, 6809, 6810, 6811, 6812, 6813, 6964, 6967, 6968, 6970, 6972, 6975, 6979, 6982, 6985, 6989, 6991, 7307, 7308, 7328, 7329, 7380, 7382, 7385, 7432, 7434, 7437, 7464, 7466, 7479, 7480, 7481, 7482, 7484, 7511, 7514, 10090, 10091, 10092, 10093, 10095, 11078, 11079, 11085, 11086, 11088, 11089, 12094, 12095, 12097, 13620, 13645, 15573, 15574, 15575, 16121, 16122, 16123, 16691, 16692, 16693, 16819, 16820, 16821, 17478, 17481, 17483, 18764, 18770, 18772, 18777, 18779, 18782, 18786, 18790, 18798, 18800, 18801, 18814, 18820, 18822, 19125, 19126, 19128, 19130, 19133, 19134, 19136, 19139, 19153, 19154, 19155, 19159, 19172, 19176, 19177, 19474, 19475

\@tempdimc 6445, 15561, 15568, 15569, 15579, 16109, 16116, 16117, 16127, 16807,

16814, 16815, 16825
\@tempskipa .. 5602, 5603, 5604, 5715, 5716, 5717
\@tempswafalse 3516, 3563, 7348, 7405, 11025, 19207, 19250
\@tempswatrue . 3515, 3560, 7342, 7399
\@temptokena 117, 121, 14037
\@tempx 5617, 5618, 11672, 11684
\@tempxi 5620, 5621, 11703, 11715
\@tempxii 5623, 5624, 11734, 11746
\@tempy 2161, 2162
\@tempyi 2164, 2165
\@tempyii ... 2167, 2168
\@tencol@footgroupv@r 9466
\@tencolLTRfootfmt .. 9489, 9510, 9538
\@tencolLTRfootnotetext 9461, 9482
\@tencolRTLfootfmt .. 9499, 9513, 9550
\@tencolRTLfootnotetext 9462, 9492
\@tencolfootfmt 9479, 9507, 9525
\@tencolfootnotetext 9460, 9472
\@testopt 2813, 2831, 12527, 12528
\@testpach 572, 1593, 1638, 17571, 19607
\@texfileextension 2692, 2695
\@textbottom 9852, 15588, 15595, 15843, 15848, 16136, 16143, 16422, 16427, 16834, 16841, 17104, 17109
\@textsuperscript 674, 677, 962, 1024, 1026, 1213, 1277, 1462, 1524, 1526, 1940, 1943, 4656, 4658, 5881, 6057, 6196, 6199, 7770, 7773, 7867, 7870, 10021, 10024, 13285, 14643, 14705, 14707, 14782, 14846, 14848, 15041, 15048, 15084, 15091, 15269, 15272
\@texttop 9848
\@tfor 2229, 10085
\@thanks 653, 661, 689, 697, 993, 999, 1038, 1044, 1244, 1250, 1289, 1295, 1493, 1499, 1538, 1544, 1945, 1951, 5912, 5918, 6088, 6094, 6175, 6183, 6211, 6219, 7751, 7757, 7785, 7791, 7846, 7854, 7882, 7890, 10002, 10008, 10036, 10042, 10673, 10687, 10690, 13278, 13301, 14674, 14680, 14719, 14725, 14813, 14821, 14860, 14868, 15062, 15070, 15103, 15111, 15248, 15256, 15284, 15292, 15646, 15690, 15699, 16194, 16238, 16247, 16892, 16936, 16945
\@thefnmark 43, 56, 71, 252, 265, 279, 674, 677, 962, 1024, 1026, 1213, 1277, 1462, 1524, 1526, 1940, 1943, 2184, 2192, 2200, 4656, 4658, 4691, 4708, 4725, 4751, 4757, 4780, 4786, 4809, 4815, 5638, 5645, 5652, 5881, 6057, 6196, 6199, 7770, 7773, 7867, 7870, 8048, 8064, 8080, 8093, 8106, 8119, 8161, 8165, 8167, 8173, 8177, 8179, 8185, 8189, 8191, 8292, 8302, 8312, 8338, 8351, 8363, 8441, 8450, 8459, 8484, 8496, 8507, 8583, 8593, 8603, 8629, 8642, 8654, 8732, 8742, 8752, 8778, 8791, 8803, 8881, 8891, 8901, 8927, 8940, 8952, 9030, 9040, 9050, 9076, 9089, 9101, 9179, 9189, 9199, 9225, 9238, 9250, 9328, 9338, 9348, 9374, 9387, 9399, 9477, 9487, 9497, 9523, 9536, 9548, 9675, 9687, 9699, 9725, 9739, 9753, 10021, 10024, 10520, 10525, 10529, 10534, 10551, 10567, 10582, 10609, 10622, 10635, 10678, 10683, 10693, 10698, 10980, 11454, 11465, 11476, 11487, 11605, 11643, 11676, 11707, 11738, 11801, 14643, 14705, 14707, 14782, 14846, 14848, 15041,

15048, 15084, 15091, 15269, 15272
\@thefoot 10252, 10255, 10259, 19885, 19888, 19891, 19894, 19920
\@thehead 10251, 10254, 10258, 19885, 19887, 19890, 19893, 19910
\@themargin . . 10304, 19886, 19888, 19905
\@thm 13957, 13978
\@thmcountersep 345, 19415
\@threecol@footgroupv@r 8430
\@threecolLTRfootfmt . . 8452, 8471, 8498
\@threecolLTRfootnotetext 8425, 8445
\@threecolRTLfootfmt . . 8461, 8474, 8509
\@threecolRTLfootnotetext 8426, 8454
\@threecolfootfmt . . 8443, 8468, 8486
\@threecolfootnotetext 8424, 8436
\@title 322, 643, 664, 700, 714, 971, 973, 1001, 1046, 1059, 1222, 1224, 1252, 1297, 1310, 1471, 1473, 1501, 1546, 1560, 1571, 1954, 2413, 2474, 5186, 5271, 5890, 5892, 5920, 6066, 6068, 6096, 6165, 6186, 6222, 6236, 7259, 7741, 7760, 7794, 7806, 7836, 7857, 7893, 7907, 9992, 10011, 10045, 10057, 13279, 14652, 14654, 14682, 14727, 14740, 14791, 14793, 14823, 14870, 14886, 14897, 15052, 15073, 15114, 15128, 15238, 15259, 15295, 15309, 15631, 15702, 15744, 16179, 16250, 16292, 16877, 16948, 16990
\@titlecolour 2443, 2460
\@titlehead 15620, 15622, 15705, 15732, 15734, 16168, 16170, 16253, 16280, 16282, 16866, 16868, 16951, 16978, 16980
\@tocextra 17757, 17758, 17762, 17764, 17767
\@tocline 2, 203
\@tocpagenum 15, 216
\@tocrmarg . . . 13664, 13676, 13688, 17801, 17832, 17855, 17872, 17889, 17906, 17923, 17940, 17958, 17977, 17997, 18032, 18083, 18361, 18824, 18941, 19624
\@todonotes@MissingFigureDown 19103
\@todonotes@MissingFigureText 19080
\@todonotes@MissingFigureUp 19102
\@todonotes@author 19013, 19024, 19049, 19067
\@todonotes@currentfigcolor 19084
\@todonotes@currentfigheight 19085
\@todonotes@currentfigwidth 19085, 19087, 19097, 19100
\@todonotes@drawInlineNote 19008
\@todonotes@drawLineToLeftMargin 19036, 19039
\@todonotes@drawLineToRightMargin 19036, 19039
\@todonotes@drawMarginNote 19035, 19038, 19042
\@todonotes@drawMarginNoteWithLine 19030
\@todonotes@ifdisabled 19109
\@todonotes@sizecommand 19013, 19015, 19022, 19024, 19026, 19049, 19051, 19063, 19066, 19067, 19069, 19072
\@todonotes@text 19013, 19015, 19024, 19026, 19049, 19051, 19064, 19070, 19073
\@todonotes@textwidth 19047
\@toodeep 19421
\@topnum 107, 316, 686, 1035, 1286, 1535, 5264, 6208, 7782, 7879, 10033, 13298, 14716, 14857, 15100, 15281, 15687, 16235, 16933
\@topsep . . . 13971, 13991
\@topsepadd 2071, 13972, 13992
\@totalleftmargin . . 10856, 10860, 10863, 10872, 12627, 13974, 13975, 13994, 13995, 14474, 14488, 19440, 19442, 19448, 19450, 19454, 19456, 19460, 19462, 19464, 19501, 19503,

19504, 19505, 19510, 19512, 19513, 19514, 19519, 19521, 19522, 19523, 19528, 19530, 19531, 19532, 19862
\@traditionalpoem 5559, 5658
\@trivlist 13968, 13988, 19433
\@twocol@footgroupv@r 8281
\@twocolLTRfootfmt . . 8304, 8325, 8353
\@twocolLTRfootnotetext 8276, 8297
\@twocolRTLfootfmt . . 8314, 8328, 8365
\@twocolRTLfootnotetext 8277, 8307
\@twocolfootfmt 8294, 8322, 8340
\@twocolfootnotetext 8275, 8287
\@twocolumntrue . . 2292
\@twosidefalse . . . 3779
\@twosidetrue 3774
\@typeset@protect 2099, 2105, 2111, 2126
\@undeclaredcolor 6490, 6498, 19200, 19201
\@undefined . . 2157, 2289, 12532, 13399
\@undottedtocline 13661
\@unexpandable@protect 2864, 3675
\@unrecurse 17468, 17471
\@uppertitleback 15650, 15708, 16198, 16256, 16896, 16954
\@urlbordercolor 11903, 11905
\@urlcolor 11917
\@viiipt 3813, 5024, 14012, 14025
\@viipt 5024, 14012, 14025
\@viper 6722, 6724, 6726, 6777, 6779, 6781, 6794, 6858, 6904, 7022, 7071, 13621, 13636, 13638, 13643
\@viperoutput 6728, 6783
\@vipt 5025
\@vpt 5025
\@whilenum 12125
\@whilesw 6720, 6775, 10154, 10190, 10274, 10918, 10966, 13514, 13609, 19678, 19717
\@wholewidth 10087, 10089, 10107
\@width 31, 241, 610, 760, 943, 1178, 1422, 1711, 2317, 5853, 6006, 6281, 6477, 6699, 6758, 6831, 6996, 7289, 7725, 8023, 8036, 9959, 10181, 10467, 10469, 10834, 10909, 10953, 12020, 12547, 12601, 12649, 13498, 13597, 13739, 13750, 13823, 14596, 15017, 15173, 15354, 15590, 15844, 16138, 16423, 16836, 17105, 17443, 17483, 19590, 19665, 19708, 19853
\@x 5675, 5676
\@x@sf 4665, 4670, 4676, 4679
\@xLTRfootnote 2148, 2271, 5509, 5520, 5733, 5747, 10528, 10531
\@xLTRfootnotenext 2147, 2270, 5508, 5519, 5732, 5746, 10677, 10680, 11473, 17518
\@xRTLfootnote 2150, 2273, 5511, 5522, 5735, 5749, 10519, 10522
\@xRTLfootnotenext 2149, 2272, 5510, 5521, 5734, 5748, 10692, 10695, 11462, 17519
\@xaddress 323
\@xauthor 323
\@xcolor@ . . 19208, 19251
\@xcurraddr 324
\@xemail 324
\@xfloat 2204
\@xfootnote . . 2146, 2269, 5507, 5518, 5731, 5745, 11799
\@xfootnotemark . . 11484
\@xfootnotenext 2145, 2268, 5506, 5517, 5730, 5744, 11451, 17517
\@xiipt 5027
\@xipt 5026
\@xivpt 305, 5028
\@xmakefntext . 1025, 1525, 14706, 14847
\@xp 117, 310, 335, 336, 6399
\@xpt 3804
\@xthm 13976, 13996
\@xtitle 322
\@xxpt 5029
\@xxxii 2255
\@xympar 4352, 4356, 4396, 4400, 4440, 4444, 19746, 19750, 19790, 19794, 19857
\@yargdef 2833
\@ympar 19854
\@ythm 13976, 13996
\[. 5683, 10194
\\ 118, 624, 969, 1014, 1220, 1265, 1469, 1514, 2154, 2521, 2527, 2605, 4112, 4113,

4114, 4116, 5073, 5442, 5580, 5888, 6064, 7147, 7148, 7151, 7167, 7254, 7259, 7266, 7276, 7280, 8003, 8007, 8016, 11306, 11309, 11322, 11325, 11425, 11846, 11861, 11880, 12011, 12015, 12140, 12141, 12148, 12525, 12632, 14055, 14067, 14415, 14416, 14428, 14429, 14441, 14442, 14454, 14650, 14695, 14789, 14836, 16784, 17433, 17449, 17466, 17467, 17623, 17652, 19046, 19053, 19395, 19535, 19579, 19596, 19606
\{ 2016, 12769, 12813
\} ... 2017, 12769, 19402
\] . 184, 200, 5684, 10204
\^ 1854, 5459, 5460, 5462, 5463
\` 10854, 12624, 14470, 14484
\| .. 10733, 10734, 10849

Numbers

\0 1845
\1 ... 12711, 12762, 12814
\9 1845

\␣ 1777, 1895, 4558, 4562, 4577, 4581, 4596, 4600, 4628, 4632, 10726, 10728, 16778

A

\abovecaptionskip 12170, 12589, 12591, 13338, 13388, 15934, 15938, 15953, 15961, 16513, 16517, 16532, 16540, 17195, 17199, 17214, 17222, 19930
\abovedisplayshortskip .. 3806, 3815, 5016
\abovedisplayskip 3805, 3808, 3814, 3821, 3855, 5015, 5022
\abstractname .. 848, 854, 857, 1154, 1160, 1162, 1405, 1411, 1414, 5830, 6017, 14523, 14529, 14532, 14972, 14978, 14981
\Acrobatmenu 11922
\active 5459, 5460, 5462, 5463
\add@strip 13645
\addcontentsline 773, 775, 2518, 4091, 7682, 7684, 12200, 12205, 13411, 17740, 17747, 17764, 19080
\addfontfeature 2441, 2442, 2443, 2444, 2445, 2446, 2448, 2449
\addpenalty 5, 206, 729, 746, 880, 898, 905, 1106, 1123, 1141, 1361, 1379, 1387, 5789, 5805, 5812, 5965, 5981, 5988, 6251, 6266, 7654, 7668, 7922, 9909, 9924, 14555, 14571, 14578, 14926, 14942, 14949, 15141, 15155, 15324, 15339, 17665, 17667, 17794, 17796, 17829, 17851, 18215, 18218, 18222, 18323, 18326, 18330
\address 323, 2475
\addresscolour 2444, 7099, 7197, 7203, 7209, 7215, 7221
\addressfont .. 2453, 2461, 2572, 7137, 7165, 7229, 7263
\addresssymbol 2435, 7167, 7266
\addresstyle 2461
\addtocontents .. 18080
\addtocounter 11818, 12121, 12122
\addtolength ... 179, 2395, 2396, 2397, 2398, 2399, 2400, 2498, 2499, 2501, 2503, 2504, 2507, 3890, 3893, 3894, 3897, 5039, 7245, 7246, 7247, 7517, 11159, 11160, 12077, 12081, 12083, 12085, 12086, 12087, 12088, 12107, 12109, 12110, 12112, 12113, 12115, 12116, 12117, 12127, 12128, 15565, 15568, 15569, 15572, 15574, 15911, 15912, 16113, 16116, 16117, 16120, 16122, 16490, 16491, 16685, 16690, 16692, 16811, 16814, 16815, 16818, 16820, 17172, 17173, 17684, 17685, 18364, 18370, 18374, 18378

\addvspace 5, 206, 730, 747, 881, 899, 906, 1107, 1124, 1142, 1362, 1380, 1388, 2325, 5067, 5124, 5790, 5806, 5966, 5982, 6252, 7655, 7669, 7923, 9910, 14556, 14572, 14927, 14943, 15142, 15325, 17798, 17852, 18216, 18223, 18324, 18327, 18331, 18358, 18758
\adjmc@inner 130
\adjmc@outer 132
\adjmc@page@sofar@orig 160
\adjmult@cols 159
\adjmulticols 128
\adl@act@classz . . . 1714
\adl@act@CT@setup 1672, 1679
\adl@activate 1589, 1672
\adl@argarraydashrule 1608, 1646
\adl@array . . 1586, 1591
\adl@arraydashrule 1607, 1645
\adl@arrayinit . . . 1588
\adl@arrayrestore 1583
\adl@arrayrule 1606, 1644
\adl@box 1629, 1631, 1632
\adl@class@iiiorvii 1635, 1668
\adl@class@start 1634, 1667
\adl@CT@setup 1671, 1674, 1675
\adl@depth 1678
\adl@endarray 1583
\adl@endmbox 1630
\adl@everyvbox 1587, 1588
\adl@extract@arc . 1683
\adl@extract@dgc . 1686
\adl@extract@drsc 1684
\adl@height 1677
\adl@inactivate 1589, 1671
\adl@LT@array 11973
\adl@noalign 1590
\adl@org@activate 1672
\adl@org@classz . . . 1715
\adl@org@endpbox . 1673
\adl@org@inactivate 1671
\adl@putlrc 1626, 1627, 1628, 1656, 1657, 1658, 1664, 1665, 1666
\adl@startmbox . . . 1629
\advance 12, 86, 213, 295, 313, 467, 468, 472, 488, 547, 551, 567, 606, 753, 796, 912, 930, 1097, 1113, 1192, 1394, 1441, 1676, 1710, 1845, 1846, 1913, 1918, 2236, 2250, 2256, 2335, 2590, 3687, 4300, 5003, 5078, 5429, 5437, 5438, 5603, 5716, 5819, 5840, 5995, 6027, 6273, 6335, 6476, 6484, 6485, 6525, 6637, 6794, 6795, 6804, 6865, 6866, 6881, 6901, 6904, 6905, 6914, 6916, 6922, 6923, 6926, 6929, 6932, 6975, 7030, 7031, 7046, 7066, 7067, 7297, 7307, 7308, 7318, 7328, 7329, 7345, 7346, 7347, 7364, 7373, 7380, 7402, 7403, 7404, 7418, 7425, 7432, 7461, 7462, 7475, 7477, 7480, 7481, 7482, 7661, 7713, 7983, 8268, 8270, 9931, 9972, 10087, 10089, 10091, 10097, 10098, 10105, 10106, 10107, 10267, 10268, 10729, 10743, 10756, 10757, 10789, 10794, 10795, 10798, 10807, 10871, 12095, 12098, 12099, 12129, 12540, 12552, 13451, 13453, 13480, 13481, 13484, 13549, 13551, 13578, 13579, 13582, 13634, 13635, 13636, 13637, 13646, 13668, 13681, 13693, 13706, 13969, 13973, 13974, 13989, 13993, 13994, 14002, 14062, 14084, 14112, 14119, 14161, 14166, 14167, 14168, 14197, 14198, 14224, 14235, 14375, 14377, 14382, 14385, 14408, 14585, 14611, 14956, 15004, 15045, 15088, 15162, 15197, 15346, 15399, 15464, 15800, 16379, 16782, 17061, 17394, 17467, 17481, 17491, 17511, 17606, 17624, 17640, 17653, 17657, 17689, 17690, 17709, 17810, 17841, 17864, 17881, 17898,

17915, 17932, 17949, 17967, 17986, 18006, 18041, 18082, 18231, 18232, 18340, 18391, 18747, 18767, 18772, 18822, 18823, 18824, 18827, 18831, 18856, 18867, 18946, 18969, 19123, 19125, 19135, 19154, 19155, 19184, 19195, 19196, 19423, 19436, 19437, 19440, 19442, 19448, 19450, 19454, 19456, 19460, 19462, 19562, 19563, 19629, 19826, 19827, 19834, 19835, 19836, 19837, 19862
\afterassignment 1779, 1781, 1897, 1899, 2865, 4530, 17541, 17542
\aftergroup 2053, 2063, 3345, 3347, 3357, 3359, 3369, 3371, 3389, 3391, 3400, 3402, 3411, 3413, 4514, 4529, 6488, 6490, 6497, 6503, 6522, 10293, 10295, 14280, 14281, 14284, 14288, 14289, 14293, 14297, 14298, 14302, 14306, 14310, 14314, 17658, 18749, 19189, 19198, 19200, 19237, 19241, 19294, 19305, 19306, 19309, 19313, 19314, 19318, 19322, 19323, 19327, 19331, 19335, 19339, 19490, 19869, 19877, 19878
\AlFnt 181
\ALG@floatstyle 4315, 4316, 4317
\algocf@algobox . . . 173
\algocf@algoframe . . . 167, 168, 169, 170
\algocf@endline . . . 184
\algocf@float . . . 19992
\algocf@makethealgo 194
\algocf@within 162, 164, 19994, 19995, 19996
\algomargin . . . 176, 179
\algowidth . 174, 176, 197
\alignL 6430
\alignR 6434
\allowbreak 7303, 7324, 8324, 8327, 8330, 8411, 8470, 8473, 8476, 8553, 8615, 8618, 8621, 8702, 8764, 8767, 8770, 8851, 8913, 8916, 8919, 9000, 9062, 9065, 9068, 9149, 9211, 9214, 9217, 9298, 9360, 9363, 9366, 9447, 9509, 9512, 9515, 9596
\Alph 13320
\AM@CheckAtEnd . . . 14075
\AM@ClearShipoutPicture 14077
\AM@currentdocname 14040, 14046
\AM@findfile 14044
\AM@output 14073
\AM@pagecount 14042
\AM@pageref 14057, 14060
\AM@pagestemp 14050, 14055, 14056, 14059, 14067, 14068, 14072
\AM@readlist 14072
\AM@split@options 14036
\AM@temp . . . 14037, 14038
\AM@threadname 14035, 14045, 14046
\AM@xrprefix 14053, 14057, 14060
\AND 392, 519
\and . . . 668, 704, 980, 1006, 1009, 1051, 1231, 1257, 1260, 1302, 1480, 1506, 1509, 1551, 1573, 1958, 5899, 5925, 6075, 6101, 6190, 6226, 7764, 7798, 7861, 7897, 10015, 10049, 13276, 14039, 14661, 14687, 14690, 14732, 14800, 14828, 14831, 14875, 14899, 15077, 15118, 15263, 15299, 15721, 16269, 16967
\andify 112
\andname . 1014, 1265, 1514, 14695, 14836
\andnext 13277
\animategraphics 355, 403, 490, 491, 492
\animateinline 569, 570
\arabic 19, 20, 21, 22, 83, 220, 221, 222, 223, 292, 331, 10230, 10236, 18022, 19992
\array 627, 19604
\arraycolsep 627
\arraylinesep 17474
\arrayrulecolor . . 1683
\arrayrulewidth . . 17491
\arraystretch 608, 609, 2047, 2058, 12545, 12546, 17441,

17442, 17478, 19410, 19588, 19589
\aslice . 14204, 14205, 14207, 14209, 14210, 14212, 14225, 14226, 14228
\At@ViperColsBreak .. 6943, 6953, 6957
\AtBeginDocument 1770, 2410, 2470, 2567, 3152, 3740, 3899, 4120, 4254, 4259, 4312, 5120, 5320, 5385, 7176, 7290, 7311, 7332, 7621, 10589, 11423, 12209, 12215, 12296, 17456, 18896
\AtBeginPackage .. 13381
\AtEndDocument 2574, 3165, 3592, 5612, 5668, 12754, 12805, 12823
\AtEndOfClass 2409
\AtPageLowerLeft . 7451
\AtPageUpperLeft 7451, 7465, 7483
\AtTextUpperLeft 7455, 7471
\author ... 323, 666, 702, 1004, 1049, 1255, 1300, 1504, 1549, 1956, 5170, 5202, 5923, 6099, 6188, 6224, 7762, 7796, 7859, 7895, 10013, 10047, 14685, 14730, 14826, 14873, 15075, 15116, 15261, 15297, 15711, 16259, 16957
\auto@footnoterule 10483, 10494
\autodot 15768, 16315, 17013, 18959
\autofootnoterule 1806, 7283, 8030, 10492, 10976, 19948

B

\backmatter 5374, 6321, 7969
\baselineskip 622, 942, 944, 948, 950, 1421, 1423, 1427, 1429, 3832, 3834, 3837, 3839, 3841, 3844, 3993, 4623, 4689, 4706, 4723, 4840, 4849, 4858, 4939, 4946, 4953, 4960, 4967, 5067, 5124, 5467, 5528, 5592, 5598, 5852, 5854, 5858, 5860, 6005, 6007, 6011, 6013, 6638, 6639, 6656, 6660, 6867, 7032, 9665, 9777, 10301, 10744, 12074, 12093, 12101, 12561, 12571, 12630, 12647, 14159, 14162, 14176, 14200, 14204, 14209, 14213, 14225, 14236, 14263, 14477, 14491, 14595, 14597, 14601, 14603, 15016, 15018, 15022, 15024, 16776, 16779, 16781, 16786, 17452, 17492, 19123, 19131, 19135, 19600, 19902, 19917
\baselinestretch 2425, 4686, 4703, 4720, 8042, 8058, 8074, 8090, 8103, 8116, 8288, 8298, 8308, 8334, 8346, 8359, 8386, 8399, 8414, 8419, 8437, 8446, 8455, 8480, 8491, 8503, 8529, 8541, 8556, 8561, 8579, 8589, 8599, 8625, 8637, 8650, 8677, 8690, 8705, 8710, 8728, 8738, 8748, 8774, 8786, 8799, 8826, 8839, 8854, 8859, 8877, 8887, 8897, 8923, 8935, 8948, 8975, 8988, 9003, 9008, 9026, 9036, 9046, 9072, 9084, 9097, 9124, 9137, 9152, 9157, 9175, 9185, 9195, 9221, 9233, 9246, 9273, 9286, 9301, 9306, 9324, 9334, 9344, 9370, 9382, 9395, 9422, 9435, 9450, 9455, 9473, 9483, 9493, 9519, 9531, 9544, 9571, 9584, 9599, 9604, 9663, 9671, 9683, 9695, 9720, 9734, 9748, 9775, 9784, 9798, 9820, 9828
\BCmd 2052
\BDefaboveskip 2067, 2082, 2085
\BDefbelowskip 2071, 2083, 2086
\BDefinlineskip 2076, 2084, 2087
\begin 167, 169, 173, 632, 642, 647, 710, 718, 954, 967, 978, 1057, 1063, 1205, 1218, 1229, 1308, 1314, 1454, 1467, 1478, 1558, 1564, 1573, 1575, 1576, 2046, 2048,

2057, 2059, 2062, 2525, 2529, 2531, 2533, 2535, 2539, 2547, 2550, 2584, 2629, 2633, 2653, 2657, 2684, 3185, 3191, 3213, 3217, 3449, 3905, 3906, 3919, 3922, 3990, 3991, 3997, 3998, 4005, 4006, 4031, 4032, 4069, 4072, 4075, 4078, 4082, 4083, 4267, 4268, 4883, 4939, 4946, 4953, 4960, 4967, 4980, 4988, 5110, 5115, 5248, 5295, 5318, 5700, 5873, 5886, 5897, 6049, 6062, 6073, 6117, 6129, 6154, 6164, 6169, 6232, 6240, 6541, 6551, 6564, 6574, 6587, 6597, 6610, 6620, 7151, 7257, 7262, 7280, 7540, 7606, 7732, 7740, 7745, 7804, 7810, 7825, 7835, 7840, 7903, 7911, 8002, 9983, 9991, 9996, 10055, 10061, 10197, 11174, 11179, 11197, 11300, 11302, 11316, 11318, 12010, 13425, 14009, 14635, 14648, 14659, 14738, 14744, 14772, 14787, 14798, 14882, 14890, 14899, 14901, 14902, 15031, 15051, 15056, 15132, 15227, 15237, 15242, 15305, 15313, 15601, 15621, 15626, 15636, 15649, 15653, 15733, 15739, 15750, 15792, 16149, 16169, 16174, 16184, 16197, 16201, 16281, 16287, 16298, 16371, 16847, 16867, 16872, 16882, 16895, 16899, 16979, 16985, 16996, 17053, 17703, 19010, 19017, 19020, 19031, 19044, 19047, 19054, 19060, 19083, 19087, 19093, 19100

\begin@bidi@stack 2623, 2633, 2634, 2647, 2657, 2658

\begingroup . . 6, 115, 207, 304, 317, 376, 503, 599, 611, 672, 732, 749, 882, 908, 1021, 1109, 1125, 1272, 1363, 1390, 1521, 1702, 1938, 2182, 2190, 2198, 2298, 2605, 2624, 2648, 2780, 2799, 2931, 2977, 2984, 3014, 3030, 3046, 3086, 3094, 3127, 3150, 3239, 3263, 3278, 3344, 3355, 3367, 3388, 3398, 3409, 3559, 3673, 3685, 3720, 4093, 4512, 4755, 4784, 4813, 5187, 5204, 5220, 5232, 5265, 5569, 5636, 5643, 5650, 5680, 5791, 5815, 5967, 5991, 6194, 6254, 6269, 6357, 6468, 6522, 6531, 6717, 6772, 7456, 7472, 7657, 7670, 7768, 7865, 7924, 9911, 9927, 10019, 10153, 10187, 10271, 10287, 10523, 10532, 10681, 10696, 10703, 10755, 10788, 10915, 10963, 11007, 11023, 11173, 11452, 11463, 11474, 11485, 11583, 11603, 11641, 11674, 11705, 11736, 11970, 11985, 12042, 12203, 12549, 13283, 13413, 13511, 13606, 13806, 13810, 13814, 14033, 14081, 14357, 14557, 14581, 14702, 14843, 14928, 14952, 15081, 15143, 15158, 15267, 15327, 15342, 15675, 15791, 15883, 16223, 16370, 16462, 16921, 17052, 17144, 17540, 17637, 17661, 17799, 18226, 18334, 18745, 18862, 19202, 19245, 19294, 19386, 19490, 19675, 19714, 19869

\beginL 377, 504, 1687, 2572, 4374, 4418, 6453, 6482, 6488, 6490, 6522, 8297, 8349, 8445,

8494, 8588, 8640, 8737, 8789, 8886, 8938, 9035, 9087, 9184, 9236, 9333, 9385, 9482, 9534, 9678, 9690, 9728, 9742, 10100, 10201, 10216, 10368, 10982, 10988, 11008, 11024, 11034, 11807, 12173, 12869, 13202, 14082, 14274, 14280, 14295, 14357, 15511, 15522, 15529, 15539, 17608, 19193, 19198, 19200, 19294, 19299, 19305, 19320, 19768, 19846, 19910, 19920
\beginR 338, 343, 599, 624, 1688, 2151, 2346, 2349, 4374, 4462, 6388, 6454, 6483, 6488, 6497, 6503, 6522, 7449, 8261, 8265, 9678, 9702, 9728, 9756, 10226, 10984, 11037, 11076, 11083, 11432, 11440, 11822, 11858, 11890, 11919, 11945, 11951, 11958, 12003, 12173, 12565, 12695, 12703, 12891, 13217, 13389, 13391, 14149, 14274, 14281, 14286, 14353, 14354, 14355, 15505, 15515, 15526, 15533, 15926, 16505, 17187, 17430, 17453, 17493, 17615, 19194, 19198, 19237, 19241, 19294, 19299, 19306, 19311, 19545, 19548, 19551, 19568, 19576, 19602, 19812, 19846, 19863, 19865, 19910, 19920, 19933, 19936, 19944
\belowcaptionskip 12183, 12589, 12591, 13379, 13396, 15932, 15940, 15951, 15963, 16511, 16519, 16530, 16542, 17193, 17201, 17212, 17224, 19938
\belowdisplayshortskip . . 3807, 3816, 5017
\belowdisplayskip 3808, 3821, 3856, 5022
\bf 14145, 14147
\bfseries 25, 305, 736, 752, 781, 784, 887, 911, 1112, 1130, 1368, 1393, 2002, 2542, 5247, 5796, 5818, 5972, 5994, 6118, 6130, 6258, 6272, 6304, 6310, 6318, 7660, 7675, 7690, 7693, 7702, 7928, 7951, 7957, 7966, 9916, 9930, 9941, 9946, 9954, 14562, 14584, 14933, 14955, 15128, 15147, 15161, 15331, 15345, 15376, 15381, 15389, 18230, 18339, 18688, 18692, 18697, 18726
\bgroup . 175, 176, 599, 614, 619, 624, 856, 1413, 1688, 1783, 1901, 2141, 2264, 5501, 5726, 5740, 6390, 6454, 10201, 10202, 10216, 10647, 10808, 12553, 12555, 12595, 12614, 13621, 14093, 14282, 14287, 14291, 14296, 14300, 14305, 14308, 14313, 14531, 14980, 17430, 17439, 17447, 17453, 17485, 17489, 17493, 18854, 19307, 19312, 19316, 19321, 19325, 19330, 19333, 19338, 19386, 19392, 19576, 19586, 19594, 19602
\bib@after@hook 15835, 15837, 16414, 16416, 17096, 17098
\bib@before@hook 15786, 15836, 16365, 16415, 17047, 17097
\bib@beginhook 15779, 15785, 16358, 16364, 17040, 17046
\bib@endhook 15839, 16418, 17100
\bib@heading 15781, 16363, 17045
\bibcleanup 13916
\bibentry 4560, 4562, 4579, 4581, 4598, 4600, 4630, 4632
\bibfont 13896
\bibindent . . 2576, 2577
\bibitem@fin 13910

\bibliofont 82, 291
\bibliographyitemlabel 2578, 2584
\bibname . 5103, 5104, 5834, 5835, 6021, 6022, 6329, 6330, 7977, 7978, 9966, 9967, 14605, 14606, 14998, 14999, 15191, 15192, 15393, 15394
\bibpostamble 13911
\bibpreamble 13895, 15782, 15783, 16360, 16361, 17042, 17043
\bibsection 5098, 5101, 5103, 5104, 13423, 13893, 17700, 17702
\bidi@@end . . 3176, 3180
\bidi@@loadwithoptions 3258, 3265, 3268, 3272
\bidi@@onefilewithoptions . . 3280, 3283, 3286
\bidi@@patchcmd 2979, 2981
\bidi@addto@envbody . . 2619, 2637, 2639
\bidi@addto@long@envbody . . 2643, 2661, 2663
\bidi@AfterAtEndOfClass 3347, 3352
\bidi@AfterAtEndOfPackage 3391, 3395
\bidi@AfterClass . 3335
\bidi@AfterEndDocument . . . 3167, 3172, 3178
\bidi@afterenddocumenthook 3167, 3168, 3173, 3179
\bidi@AfterEndEnvironment 3222, 3232
\bidi@AfterEndPreamble 3155, 3159, 3161, 3165, 3744, 5261, 5284
\bidi@afterendpreamblehook 3155, 3156, 3160, 3162
\bidi@AfterFile 3332, 15943, 16522, 17204
\bidi@AfterPackage 3380
\bidi@AfterPreamble 3152, 3153
\bidi@AfterReadingMainAux 3662, 3665
\bidi@append . 3088, 3138
\bidi@appto . . 2867, 2911, 3158, 3702
\bidi@apptocmd 3084, 3085
\bidi@AtBeginEnvironment 3182, 3192
\bidi@AtEndEnvironment 3196, 3206
\bidi@AtEndPreamble 3141, 3146, 3148, 3153, 3742, 4544
\bidi@autofootnoterulefalse 10471, 10475, 10478
\bidi@autofootnoteruletrue 10493
\bidi@BeforeBeginEnvironment 3210, 3218
\bidi@BeforeClass 3333
\bidi@BeforeClosingMainAux 3625, 3636, 3640, 3643, 3651, 3654
\bidi@BeforeFile . 3331
\bidi@BeforePackage 3378
\bidi@collect@@body 2625, 2632
\bidi@collect@body 2620
\bidi@collect@long@@body 2649, 2656
\bidi@collect@long@body 2644
\bidi@csappto 2911
\bidi@csdefcs 2786
\bidi@cseappto 2912, 2915
\bidi@csepreto 2921, 2924
\bidi@csgappto 2913, 3183, 3197, 3211, 3223
\bidi@csgpreto . . . 2922
\bidi@cslet 2792
\bidi@csletcs 2789
\bidi@cspreto 2920
\bidi@csuse 2854, 3187, 3201, 3214, 3227
\bidi@csxappto 2914, 2916
\bidi@csxpreto 2923, 2925
\bidi@dbg@fail 2939, 2949, 2950, 2951, 2952, 2958, 2967, 2973, 3080, 3102, 3114, 3115, 3124
\bidi@dbg@info 2940, 2942, 2945, 2947, 2948, 2959, 2961, 2963, 2965, 2966, 2968, 2970, 2972, 3078, 3103, 3105, 3107, 3110, 3116, 3118
\bidi@dbg@init 2937, 2956, 3077, 3100
\bidi@dbg@succ 2983, 3079, 3111, 3119, 3121
\bidi@dbg@trce 2930, 2976, 3076, 3085, 3093
\bidi@digits 1840, 1845, 1846
\bidi@digits@charclass 1842, 1845, 1846, 1847, 1848
\bidi@dot@charclass 1843, 1844, 1847, 1848
\bidi@eappto 2871, 2884, 2912
\bidi@endpreamblehook 3141, 3142, 3147, 3149
\bidi@ensure@new@command 2797, 2798
\bidi@ensure@newcommand 2797, 8037, 8038, 8132, 8140, 8141, 8142, 8148, 8149, 8155, 8156, 8157, 8158, 8170, 8182, 8199, 8200, 8206, 8207, 8208, 8209, 8212,

8218, 8220, 8226, 8227, 8242, 8254, 8256, 8259, 8264, 8267, 8269, 8273, 8287, 8297, 8307, 8317, 8322, 8325, 8328, 8331, 8343, 8356, 8368, 8383, 8395, 8407, 8412, 8417, 8422, 8436, 8445, 8454, 8463, 8468, 8471, 8474, 8477, 8488, 8500, 8511, 8526, 8537, 8549, 8554, 8559, 8564, 8578, 8588, 8598, 8608, 8613, 8616, 8619, 8622, 8634, 8647, 8659, 8674, 8686, 8698, 8703, 8708, 8713, 8727, 8737, 8747, 8757, 8762, 8765, 8768, 8771, 8783, 8796, 8808, 8823, 8835, 8847, 8852, 8857, 8862, 8876, 8886, 8896, 8906, 8911, 8914, 8917, 8920, 8932, 8945, 8957, 8972, 8984, 8996, 9001, 9006, 9011, 9025, 9035, 9045, 9055, 9060, 9063, 9066, 9069, 9081, 9094, 9106, 9121, 9133, 9145, 9150, 9155, 9160, 9174, 9184, 9194, 9204, 9209, 9212, 9215, 9218, 9230, 9243, 9255, 9270, 9282, 9294, 9299, 9304, 9309, 9323, 9333, 9343, 9353, 9358, 9361, 9364, 9367, 9379, 9392, 9404, 9419, 9431, 9443, 9448, 9453, 9458, 9472, 9482, 9492, 9502, 9507, 9510, 9513, 9516, 9528, 9541, 9553, 9568, 9580, 9592, 9597, 9602, 9607, 9615, 9622, 9626, 9637, 9646, 9648, 9649, 9669, 9681, 9693, 9705, 9709, 9713, 9717, 9731, 9745, 9759, 9781, 9794, 9808, 9814, 9823, 9831, 9839, 9843, 9854, 9855

\bidi@ensure@newlength . . . 2804, 8152, 8153, 8154, 8210

\bidi@epreto 2893, 2906, 2921

\bidi@error . 2806, 2839

\bidi@everyjob 1746, 1747, 1879, 1880

\bidi@excludedpackages 3419, 3420, 3440, 3476, 3493, 3501, 3511, 3533, 3534, 3542, 3543, 3548, 3561

\bidi@expandonce 2859, 2870, 2874, 2878, 2882, 2892, 2896, 2900, 2904, 3122

\bidi@ff@box 10319, 10337

\bidi@footdir@footnote 76, 285, 10591, 10593, 10597

\bidi@gappto . . 2875, 2913, 3141, 3155, 3167

\bidi@gobbleopt 3582, 3591

\bidi@gpreto . 2897, 2922

\bidi@hook@acma 3606, 3650, 3663, 3664, 3669

\bidi@hook@bcma 3600, 3649, 3652, 3653, 3659

\bidi@hooktocmd 3088, 3096, 3098

\bidi@hooktocmd@i 3112, 3126

\bidi@ifblank@i 2758, 2759, 2761

\bidi@ifdefmacro 2764, 2766, 2767, 2768

\bidi@ifdefparam 3058, 3060, 3061, 3062

\bidi@ifdefprotected 3067, 3069, 3070, 3071

\bidi@ifhashcheck . . 2944, 3029, 3109

\bidi@ifhashcheck@i 3033, 3035

\bidi@ifhashcheck@ii 3037, 3040, 3041, 3042

\bidi@ifpatchable . . 2933, 2935, 2982

\bidi@ifpatchable@i 2933, 2954

\bidi@ifpattern 2946, 3045

\bidi@ifscanable 2943, 2964, 3013, 3108

\bidi@info 2808

\bidi@isloaded 3005, 12224, 12225, 12226, 12227, 12228, 12229, 12230, 12231, 12232, 12233, 12234, 12235, 12236, 12237, 12238, 12239, 12240, 12241, 12242, 12243, 12244, 12245, 12246, 12247, 12248, 12249, 12250, 12251, 12252, 12253, 12254, 12255, 12256, 12257, 12258, 12259, 12260,

12261, 12262, 12263, 12264, 12265, 12266, 12267, 12268, 12269, 12270, 12271, 12272, 12273, 12274, 12275, 12276, 12277, 12278, 12279, 12280, 12281, 12282, 12283, 12284, 12285, 12286, 12287, 12288, 12289, 12290, 12291, 12292, 12293, 12294, 12295, 12298, 12301, 12304, 12307, 12310, 12313, 12316, 12319, 12323, 12326, 12329, 12332, 12335, 12338, 12341, 12344, 12347, 12350, 12353, 12356, 12359, 12362, 12365, 12368, 12371, 12374, 12377, 12380, 12383, 12386, 12389, 12392, 12395, 12398, 12401, 12404, 12407, 12410, 12413, 12416, 12419, 12422, 12425, 12428, 12431, 12434, 12437, 12440, 12443, 12446, 12449, 12452, 12455, 12458, 12461, 12464, 12467, 12470, 12473, 12476, 12479, 12482, 12485, 12488, 12491, 12494, 12497, 12500, 12503, 12506

\bidi@leftskip 18231, 18232, 18233, 18340, 18360, 18391, 18392, 18424, 19341

\bidi@load@hook 3251, 3254, 3287, 3324

\bidi@loadwithoptions . . 3259, 3260, 3265

\bidi@lrbox 19486

\bidi@lst@caption@direction 12141, 12142, 12154, 12157

\bidi@lst@caption@script 12148, 12149, 12163, 12166

\bidi@lst@ensure@caption@direction . . . 12152, 12171, 12173, 12175, 12193, 12197, 12204

\bidi@makecolbf 9889, 9901

\bidi@matrix@check 2676, 19404

\bidi@matrix@error 2678, 2682

\bidi@mopfn@bottom . . . 8244, 9860, 9871, 9902, 9903

\bidi@mopfootnotebf 9867, 9895

\bidi@mpfootnoterule 10375, 10602, 10615, 10628, 10665, 12669

\bidi@multicol@align@columns 13721, 13771, 13774, 13776

\bidi@n@everypar 14276, 14277, 14278, 14279, 19116, 19301, 19302, 19303, 19304

\bidi@namelongdef 2795, 8375, 8377, 8384, 8396, 8518, 8520, 8527, 8538, 8550, 8666, 8668, 8675, 8687, 8815, 8817, 8824, 8836, 8964, 8966, 8973, 8985, 9113, 9115, 9122, 9134, 9262, 9264, 9271, 9283, 9411, 9413, 9420, 9432, 9560, 9562, 9569, 9581, 9766, 9768, 9782, 9795, 9809

\bidi@new@command 2811, 2813, 2842, 2850

\bidi@new@ifnch 2670, 2672

\bidi@new@ifnextchar 2667, 19409

\bidi@newcommand 2813, 2815

\bidi@newrobustcmd 1778, 1780, 2810, 2811, 2835, 2846, 2867, 2871, 2875, 2879, 2884, 2885, 2889, 2893, 2897, 2901, 2906, 2907, 2911, 2912, 2913, 2914, 2915, 2916, 2920, 2921, 2922, 2923, 2924, 2925, 2929, 2975, 3074, 3084, 3092, 3141, 3152, 3155, 3167, 3182, 3196, 3210, 3222, 19375, 19377

\bidi@notblank 2760, 2768, 3062, 3071

\bidi@o@everypar 14275, 14277, 14278, 19300, 19302, 19303

\bidi@onefilewithoptions . . 3275, 3276, 3280

\bidi@orig@leftline 19553, 19555, 19556

\bidi@orig@raggedleft 19538, 19540, 19541

\bidi@orig@raggedright 19539, 19540, 19541

\bidi@orig@rightline 19554, 19555, 19556
\bidi@p@ftn 2095, 2158, 2161, 2162, 2164, 2165, 2167, 2168, 2172, 2175, 2178, 2283
\bidi@p@ftntext 2142, 2160, 2265
\bidi@p@LTRftntext . . 2143, 2163, 2266
\bidi@p@RTLftntext . . 2144, 2166, 2267
\bidi@p@xfootnote . . 2146, 2181, 2269
\bidi@p@xftntext 2145, 2171, 2186, 2268
\bidi@p@xLTRfootnote . . . 2148, 2189, 2271
\bidi@p@xLTRftntext 2147, 2174, 2194, 2270
\bidi@p@xRTLfootnote . . 2150, 2197, 2273
\bidi@p@xRTLftntext 2149, 2177, 2202, 2272
\bidi@patch@@AfterPackage 3714, 3719
\bidi@patch@Add 3701, 3730
\bidi@patch@AfterPackage . . . 3704, 3708, 3711, 4656, 4658, 4661, 4682, 4830, 4880, 4936, 5180
\bidi@patch@counter 3682, 3686, 3689, 3695, 3696, 3715
\bidi@patch@gtemp 3722, 3729
\bidi@patch@list . . . 3700, 3702, 3740, 3742, 3749
\bidi@patch@OrgIfClassLater 3748, 3753
\bidi@patch@OrgIfClassLoaded 3747, 3752
\bidi@patch@OrgIfPackageLater 3746, 3751
\bidi@patch@OrgIfPackageLoaded 3745, 3750
\bidi@patch@stepcounter . . 3684, 3694, 3713
\bidi@patch@temp 3712, 3716
\bidi@patch@try 3731, 3734
\bidi@patchcmd 2975, 2976, 3170, 3185, 3199, 3225, 12186, 12199
\bidi@patchcmd@scantoks . . 2993, 2999, 3134
\bidi@prepend 3096, 3139
\bidi@preto 2889, 2920, 3144
\bidi@pretocmd 3092, 3093, 3213
\bidi@PreventPackageFromLoading 3422, 3436, 3466, 3499
\bidi@process@envbody . . . 2622, 2626, 2627, 2641, 2646, 2650, 2651, 2665
\bidi@protected 2862, 2884, 2885, 2906, 2907, 2915, 2916, 2924, 2925
\bidi@protected@cseappto 2915
\bidi@protected@csepreto 2924
\bidi@protected@csxappto 2916
\bidi@protected@csxpreto 2925
\bidi@protected@eappto 2884
\bidi@protected@epreto 2906
\bidi@protected@immediate@write 3655, 3666, 3672
\bidi@protected@xappto 2885
\bidi@protected@xpreto 2907
\bidi@provide@command 2846, 2848
\bidi@providerobustcmd 2846
\bidi@push@begins . . 2629, 2630, 2633
\bidi@push@long@begins . . 2653, 2654, 2657
\bidi@raggedleft 2519, 2526, 2531, 2550, 7147, 7263, 10116, 10122, 11216, 19543
\bidi@raggedright . . . 10114, 10120, 13827, 13830, 13832, 13835, 13837, 13839, 13842, 13844, 13846, 13848, 13851, 13853, 13855, 13857, 13859, 13862, 13864, 13867, 13869, 13872, 13874, 13876, 13879, 13881, 13883, 13886, 13888, 13890, 19542
\bidi@redefine@newpage 3616, 3656
\bidi@reflect@box . . 14338, 14345, 19369, 19376, 19378
\bidi@renew@command . . 2835, 2837, 2851
\bidi@renewrobustcmd 2835
\bidi@ReplaceClass 3306
\bidi@replacefile@msg 3243, 3267, 3282, 3320
\bidi@ReplaceInput 3290
\bidi@ReplacePackage 3303
\bidi@RequirePackage . . 3442, 3502, 3553
\bidi@ResetPreventPackageFromLoading 3494, 3500, 3509, 3548

\bidi@resrvda . 2985, 2986, 2987, 2990, 2991, 2992, 2993, 2994, 2995, 3000, 3003, 3015, 3016, 3017, 3018, 3019, 3021, 3022, 3031, 3033, 3047, 3048, 3050, 3052, 3053, 3128, 3129, 3130, 3131, 3132, 3133, 3134, 3135, 3136
\bidi@resrvdb 2987, 2988
\bidi@restore@newpage . . 3601, 3618, 3648
\bidi@rightskip 18227, 18335, 18361, 18362, 18370, 18374, 18378, 19342
\bidi@RTL@everypar 9670, 9682, 9694, 9719, 9733, 9747, 14274, 14278, 17370, 19299, 19303
\bidi@s@tfftextcol 10316, 10320
\bidi@saved@checkend . . 3593, 3596, 3614
\bidi@saved@clearpage . . 3598, 3599, 3602
\bidi@saved@dofilelist 3604, 3607, 3608, 3615
\bidi@saved@eqno 14349, 14351, 14352, 19939, 19941, 19942
\bidi@saved@leqno 14350, 14351, 14352, 19940, 19941, 19942
\bidi@saved@newpage 3617, 3628
\bidi@saved@RequirePackage 3421, 3441, 3452, 3504, 3506, 3584
\bidi@set@load@hook 3328, 3331, 3332, 3334, 3353, 3365, 3379, 3396, 3407
\bidi@SOUL@ulleaders 17411, 17417
\bidi@StorePreventPackageFromLoading 3510, 3513
\bidi@tabular@RTLcases 19382, 19411
\bidi@tempa 1786, 1792, 1798, 1804, 1816, 1822, 1828
\bidi@tempb 1786, 1787, 1792, 1793, 1798, 1799, 1804, 1805, 1816, 1817, 1822, 1823, 1828, 1829
\bidi@todonotes@tempa 18992, 19000
\bidi@todonotes@tempb 18992, 18993, 19000, 19001
\bidi@undef . . 2995, 3074, 3136, 3149, 3162, 18086, 18087, 18243, 18244, 18445, 18446
\bidi@undefined . . 3074
\bidi@UnPreventPackageFromLoading 3514
\bidi@UnReplaceClass 3317
\bidi@UnReplaceInput 3294
\bidi@UnReplacePackage 3314
\bidi@warning 2807, 3190, 3204, 3216, 3230
\bidi@xappto 2879, 2885, 2914
\bidi@xargdef 2817, 2825
\bidi@xpreto 2901, 2907, 2923
\bidicolor . . . 6448, 6504, 6519, 6521, 10317, 19242, 19289, 19292, 19293
\bididate . 1718, 1720, 1734, 1850, 1867
\bidiGscale@@box 11056, 11057
\bidiGscale@box 11033, 11034, 11053
\bidiGscale@box@dd 11065, 11069, 11075
\bidiGscale@box@dddd 11071, 11082
\bidillap 19558
\bidipoem@@hvlen 5425, 5431, 5434, 5437, 5446
\bidipoem@half@verses . . 5451, 5452, 5455
\bidipoem@half@verses@next . . 5451, 5452, 5453
\bidipoem@hvind 5425, 5428, 5429, 5437, 5438, 5441, 5444
\bidipoem@hvlen 5424, 5429, 5431, 5442, 5444
\bidipoem@hvsep 5424, 5437, 5438, 5445
\bidipoem@next 5430, 5431
\bidipoem@openbox 5469, 5474
\bidipoem@p@ftn 5476, 5486, 5617, 5618, 5620, 5621, 5623, 5624, 5627, 5630, 5633, 5738, 11673, 11683, 11704, 11714, 11735, 11745
\bidipoem@p@ftntext 5503, 5514, 5616, 5727, 5741, 11671
\bidipoem@p@LTRftntext 5504, 5515, 5619, 5728, 5742, 11702
\bidipoem@p@RTLftntext 5505, 5516, 5622, 5729, 5743, 11733
\bidipoem@p@xfootnote . . . 5507, 5518, 5635, 5731, 5745
\bidipoem@p@xftntext 5506, 5517, 5626,

5640, 5730, 5744
\bidipoem@p@xLTRfootnote . . . 5509, 5520, 5642, 5733, 5747
\bidipoem@p@xLTRftntext 5508, 5519, 5629, 5647, 5732, 5746
\bidipoem@p@xRTLfootnote 5511, 5522, 5649, 5735, 5749
\bidipoem@p@xRTLftntext 5510, 5521, 5632, 5654, 5734, 5748
\bidipoem@set@@verse . . 5431, 5434, 5436
\bidipoem@set@verseI 5430, 5433
\bidipoem@spreadbox . . . 5420, 5442, 5444, 5445, 5446
\bidirlap 19557
\bidituftefloatDebugInfoNL . . . 3761, 3859, 3863, 4152, 4201
\bidituftefloatError 3760, 4247
\bidituftefloatInfoNL . . 3761, 3762, 4316
\bidituftefloatRecalculate 3888, 3899
\biditufthyperrefLoadHyperref 5138, 5149
\bidituftesidenotemarginpar . . 4332, 4684, 4840
\bidituftetocError . . 4869, 4916, 4925
\bidiversion . . . 1719, 1720, 1734, 1851, 1867
\bigskip 14400
\bigskipamount 8245, 8250, 9833
\bl 14180, 14181, 14184, 14185, 14186, 14190, 14245, 14252, 14256
\blacktriangleleft 10724, 10726
\blacktriangleright 10724, 10726
\bm@b 19620
\bm@l 19617
\bm@r 19618
\bm@t 19619
\bool . . 12834, 12850, 12893, 12899, 12914, 12937, 12940, 12960, 12965, 12977, 12994, 12995, 12998, 13015, 13040, 13047, 13053, 13059, 13069, 13076, 13098, 13210, 13213, 13221, 13224
\boolean . . . 177, 182, 190, 383, 386, 392, 510, 513, 519, 3761, 3831, 3833, 3836, 3840, 3843, 3846, 3871, 3967, 3982, 3987, 4007, 4014, 4022, 4039, 4059, 4063, 4081, 4082, 4085, 4086, 4121, 4130, 4141, 4883, 4887, 4935, 5148, 5285, 5354, 5365, 10331, 14039
\botmark . . . 10313, 19927
\box 168, 170, 2340, 2346, 4302, 6363, 6487, 6644, 6647, 6664, 6668, 6701, 6703, 6709, 6710, 6756, 6760, 6764, 6765, 6821, 6824, 6829, 6834, 6858, 6994, 6998, 7022, 7304, 7325, 7341, 7398, 8259, 8264, 9619, 9634, 9644, 9881, 9891, 10147, 10149, 10179, 10183, 10226, 10308, 10334, 10339, 10822, 10829, 10832, 10846, 10907, 10911, 10955, 10957, 11001, 11004, 11047, 11050, 11080, 11097, 12181, 12569, 12910, 13168, 13178, 13183, 13218, 13219, 13220, 13221, 13360, 13394, 13501, 13504, 13595, 13600, 13737, 13743, 13758, 13766, 14149, 14153, 14169, 14203, 14207, 14212, 14216, 14228, 14239, 14253, 14256, 14260, 14265, 14342, 14387, 14390, 15436, 15445, 15483, 15494, 15916, 15926, 16495, 16505, 16725, 16731, 16737, 16743, 16749, 16755, 16761, 16767, 16773, 17177, 17187, 17615, 17641, 17659, 19186, 19187, 19197, 19373, 19560, 19667, 19669, 19706, 19710, 19824, 19840, 19851, 19864, 19866, 19914, 19916, 19936
\boxdef . . 2044, 2046, 2052, 2057, 2062
\boxmaxdepth 7296, 7301, 7317, 7322, 7349, 7406, 8202, 9856, 9869, 10083, 10775, 10777
\br 14180, 14182,

14184, 14185, 14186, 14190, 14246, 14252, 14260
\BR@b@bibitem 4537, 4538
\BR@bibitem . 4540, 4541
\BR@c@bibitem 4542
\bracetext ... 1782, 1900, 14280, 14281, 19305, 19306
\break 12526
\BreakBibliography 15788, 15820, 15822, 15828, 16367, 16399, 16401, 16407, 17049, 17081, 17083, 17089
\bs 2012, 2013, 2015
\bslice 14200, 14201, 14203, 14213, 14214, 14216, 14236, 14237, 14239, 14263, 14264, 14265
\bx@A 4187, 4228
\bx@a ... 4161, 4193, 4234
\bx@AA . 4200, 4202, 4240
\bx@B 4187, 4228
\bx@b ... 4162, 4193, 4234
\bx@BB 4203, 4240
\bx@C 4187, 4228
\bx@c ... 4163, 4193, 4234
\bx@CC 4204, 4240
\bx@D 4187, 4228
\bx@d ... 4164, 4193, 4234
\bx@DD 4205, 4240
\bx@E 4187, 4228
\bx@e ... 4165, 4193, 4234
\bx@EE 4206, 4240
\bx@F 4188, 4229
\bx@f ... 4166, 4194, 4235
\bx@FF 4207, 4241
\bx@G 4188, 4229
\bx@g ... 4167, 4194, 4235
\bx@GG 4208, 4241
\bx@H 4188, 4229
\bx@h ... 4168, 4194, 4235
\bx@HH 4209, 4241
\bx@I 4188, 4229
\bx@i ... 4169, 4194, 4235
\bx@II 4210, 4241
\bx@J 4188, 4229
\bx@j ... 4170, 4194, 4235
\bx@JJ 4211, 4241
\bx@K 4189, 4230
\bx@k ... 4171, 4195, 4236
\bx@KK 4212, 4242
\bx@L 4189, 4230
\bx@l ... 4172, 4195, 4236
\bx@LL 4213, 4242
\bx@M 4189, 4230
\bx@m ... 4173, 4195, 4236
\bx@MM 4214, 4242
\bx@N 4189, 4230
\bx@n ... 4174, 4195, 4236
\bx@NN 4215, 4242
\bx@O 4190, 4231
\bx@o ... 4175, 4196, 4237
\bx@OO 4216, 4243
\bx@P 4190, 4231
\bx@p ... 4176, 4196, 4237
\bx@PP 4217, 4243
\bx@Q 4190, 4231
\bx@q ... 4177, 4196, 4237
\bx@QQ 4218, 4243
\bx@R 4190, 4231
\bx@r ... 4178, 4196, 4237
\bx@RR 4219, 4243
\bx@S 4151, 4153, 4191, 4232
\bx@s ... 4179, 4197, 4238
\bx@SS 4220, 4244
\bx@T ... 4154, 4191, 4232
\bx@t ... 4180, 4197, 4238
\bx@TT 4221, 4244
\bx@U ... 4155, 4191, 4232
\bx@u ... 4181, 4197, 4238
\bx@UU 4222, 4244
\bx@V ... 4156, 4191, 4232
\bx@v ... 4182, 4197, 4238
\bx@VV 4223, 4244
\bx@W ... 4157, 4192, 4233
\bx@w ... 4183, 4198, 4239
\bx@WW 4224, 4245
\bx@X ... 4158, 4192, 4233
\bx@x ... 4184, 4198, 4239
\bx@XX 4225, 4245
\bx@Y ... 4159, 4192, 4233
\bx@y ... 4185, 4198, 4239
\bx@YY 4226, 4245
\bx@Z ... 4160, 4192, 4233
\bx@z ... 4186, 4198, 4239
\bx@ZZ 4227, 4245

C

\c 12894, 12895, 12909, 12966, 13171, 13229, 13258
\c@abspage 10406
\c@addvipersep 13446, 13464, 13469, 13491, 13519, 13544, 13562, 13567, 13589, 13614
\c@algocf 164
\c@chapter 5867, 5869, 5871, 6043, 6045, 6047, 6288, 6290, 6292, 6293, 7935, 7937, 7939, 7940, 10076, 10078, 10080, 10343, 10345, 10347, 10348, 10356, 10358, 10360, 10361, 12219, 13322, 13939, 14627, 14629, 14631, 14992, 14994, 14996, 15180, 15182, 15184, 15361, 15363, 15365, 15366
\c@colht 13446, 13458, 13484, 13485, 13544, 13556, 13582, 13583
\c@curpg 10240, 10267, 10268
\c@DFNsloppiness 7294, 7315
\c@enumiv 793, 800, 927, 934, 1189, 1196, 1438, 1445, 2594, 5837, 5844, 6024, 6031, 6332, 6339, 7710, 7717, 7980, 7987, 9969, 9976, 14608, 14615, 15001, 15008,

15194, 15201, 15396, 15403, 15796, 15805, 15812, 16375, 16384, 16391, 17057, 17066, 17073, 17706, 17713
\c@equation 5867, 6043, 6288, 7550, 7619, 7935, 10076, 10343, 10356, 13322, 14627, 14996, 15180, 15361, 16354, 17036
\c@figure 5869, 6045, 6290, 7937, 10078, 10345, 10358, 13323, 14629, 14992, 15182, 15363, 16338, 17028
\c@footnote . . . 124, 320, 673, 963, 1022, 1214, 1273, 1463, 1522, 1939, 5882, 6058, 6195, 7769, 7866, 10020, 10674, 10688, 11486, 11596, 11604, 11634, 11642, 12603, 12606, 14644, 14703, 14783, 14844, 15039, 15082, 15268, 15612, 15676, 16160, 16224, 16858, 16922
\c@L@depth 12122
\c@L@lines . 12123, 12125
\c@ll@chapseci . . . 6529
\c@ll@chapsecii . . 6524
\c@lofdepth 17937, 17974
\c@lor@error . . 6493, 6500, 6508, 6514, 19234, 19268
\c@lotdepth 17955, 17994
\c@lstlisting 12219, 12221
\c@LT@chunks 12552
\c@LT@tables 2312
\c@mpfootnote 10602, 10615, 10628, 10652, 12678
\c@NAT@ctr 13898
\c@page . . 5292, 7457, 7474, 10240, 10267, 19149, 19820
\c@paragraph . . . 768, 921, 1174, 1432, 5864, 6040, 6297, 7821, 7944, 10073, 10352, 10365, 13317, 14624, 14989, 15188, 15370, 15773, 16328, 17022
\c@poem@no . . . 5561, 5611, 5662, 5673
\c@secnumdepth 306, 771, 780, 6107, 6302, 7680, 7689, 7949, 9940, 14404, 15375
\c@section . . . 5861, 6037, 6294, 7941, 10070, 10349, 10362, 13311, 13949, 14621, 14986, 15185, 15367, 16322, 17016
\c@subparagraph 769, 922, 1175, 1433, 5865, 6041, 6298, 7822, 7945, 10074, 10353, 10366, 13319, 14625, 14990, 15189, 15371, 15775, 16330, 17024
\c@subsection . . 766, 919, 1172, 1430, 5862, 6038, 6295, 7819, 7942, 10071, 10350, 10363, 13313, 14622, 14987, 15186, 15368, 15769, 16324, 17018
\c@subsubsection 767, 920, 1173, 1431, 5863, 6039, 6296, 7820, 7943, 10072, 10351, 10364, 13315, 14623, 14988, 15187, 15369, 15771, 16326, 17020
\c@table 5871, 6047, 6292, 7939, 10080, 10347, 10360, 13324, 14631, 14994, 15184, 15365, 16346, 17032
\c@thisframe 10239, 10244, 10280, 10282, 10283
\c@tocdepth . 3, 204, 728, 745, 863, 879, 897, 1089, 1122, 1140, 1344, 1360, 1378, 5772, 5788, 5804, 5948, 5964, 5980, 6250, 6265, 7653, 7667, 7921, 9908, 9923, 13662, 13674, 13686, 14538, 14554, 14570, 14909, 14925, 14941, 15140, 15154, 15323, 15338, 17782, 17786, 17828, 17847, 17869, 17886, 17903, 17920, 18212, 18320, 18355, 18743, 18939, 19622
\c@twb 6654
\c@twcompctr 6635
\c@twcompoddctr . . 6651
\c@twfirst . . . 6636, 6642, 6649, 6653, 6662, 6665
\c@twlftside 6640
\c@twlspec 6654, 6657, 6661

\c@twprune . . . 6640, 6641, 6657, 6661
\c@twrounds . . 6652, 6655, 6658, 6670
\c@twrtside 6641
\c@twslicea 6638, 6640, 6644, 6647, 6656, 6657, 6664, 6668
\c@twsliceb 6639, 6641, 6644, 6647, 6660, 6661, 6664, 6668
\c@twwinlines 6637, 6650
\c@zabspage 10406
\cals@activate@rtl 6405
\cals@borderB 6426
\cals@borderL 6423
\cals@borderR 6424
\cals@borderT 6425
\cals@current@context 6418
\cals@last@context 6417
\cals@paddingL 6431, 6435
\cals@paddingR 6432, 6436
\cals@set@tohsize 6420
\cals@setcellprevdepth 6420
\cals@setpadding . 6420
\cals@tbreak@tokens 6415
\cals@tfoot@height 6416
\cals@tfoot@tokens 6414, 6428
\cals@thead@tokens 6413
\CAny 2033
\cAny 2041
\cap@indent 15893, 15896, 15901, 15903, 15904, 16472, 16475, 16480, 16482, 16483, 17154, 17157, 17162, 17164, 17165
\cap@left 15915, 15926, 16494, 16505, 17176, 17187
\cap@margin 15858, 16437, 17119
\cap@right . . . 15917, 15926, 16496, 16505, 17178, 17187
\cap@width 15881, 15884, 15887, 16460, 16463, 16466, 17142, 17145, 17148
\capfont 15868, 15889, 15894, 15899, 15903, 15922, 15926, 16447, 16468, 16473, 16478, 16482, 16501, 16505, 17129, 17150, 17155, 17160, 17164, 17183, 17187
\caplabelfont . 15869, 15890, 15895, 15900, 15905, 15923, 16448, 16469, 16474, 16479, 16484, 16502, 17130, 17151, 17156, 17161, 17166, 17184
\caption 3976, 3977, 3979, 4029, 11189, 11207, 12529, 13398, 13400
\caption@@make . . 12590
\caption@@par 6440
\caption@begin . . 12586
\caption@end 12592
\caption@hangindent 6441
\caption@iftop 12589, 12591
\caption@LT@make . 12575
\caption@LT@setup 12582
\caption@makecaption 6438
\caption@normalsize 12587
\caption@parindent 6441
\caption@prepare@stepcounter 12585
\caption@setautoposition 12583
\caption@setoptions 12580, 12581
\caption@settype . 12576
\caption@starfalse 12584
\caption@startrue 12213, 12584
\captionabove . 15974, 15979, 16553, 16558, 17235, 17240
\captionbelow . 15976, 15981, 16555, 16560, 17237, 17242
\captionformat 15869, 15890, 15895, 15900, 15905, 15923, 16448, 16469, 16474, 16479, 16484, 16502, 17130, 17151, 17156, 17161, 17166, 17184
\captionlabelfalse 12211
\catcode 1852, 1903, 3002, 4509, 4531, 5459, 5460, 5462, 5463, 10733, 10734, 10849
\Centering 14414
\centering 305, 7151, 7164, 7280, 10115, 10121, 11219, 11304, 11320, 13345, 13347, 13349, 15659, 16207, 16905
\CenteringLeftskip 14419
\CenteringParfillskip 14422
\CenteringParindent 14423
\CenteringRightskip 14420
\centerline 309, 10829, 10846, 14353, 19544
\cftbeforechapskip 17830
\cftbeforefigskip 17938
\cftbeforeparaskip 17904
\cftbeforepartskip 17798

\cftbeforesecskip 17849, 17852
\cftbeforesubfigskip 17975
\cftbeforesubparaskip 17921
\cftbeforesubsecskip 17870
\cftbeforesubsubsecskip 17887
\cftbeforesubtabskip 17995
\cftbeforetabskip 17956
\cftchapaftersnum 17839
\cftchapaftersnumb 17840
\cftchapfillnum . . 17843
\cftchapfont 17842
\cftchapindent 17831, 17834, 18081
\cftchapnumwidth 17837, 18082
\cftchappresnum . . 17838
\cftchapterprecistoc 18080
\cftdot 17778
\cftdotfill 18072
\cftdotsep 18071
\cftfigaftersnum . 17947
\cftfigaftersnumb 17948
\cftfigfillnum . . . 17951
\cftfigfont 17950
\cftfigindent 17939, 17942
\cftfignumwidth . . 17945
\cftfigpresnum . . . 17946
\cftparaaftersnum 17913
\cftparaaftersnumb 17914
\cftparafillnum . . 17917
\cftparafont 17916
\cftparaindent 17905, 17908
\cftparanumwidth . 17911
\cftparapresnum . . 17912
\cftpartaftersnum 17808
\cftpartaftersnumb 17809
\cftpartfillnum . . 17812
\cftpartfont 17811
\cftpartindent 17800, 17803
\cftpartnumwidth . 17806
\cftpartpresnum 17807, 17811
\cftsecaftersnum . 17862
\cftsecaftersnumb 17863
\cftsecfillnum . . . 17866
\cftsecfont 17865
\cftsecindent 17854, 17857
\cftsecnumwidth . . 17860
\cftsecpresnum . . . 17861
\cftsubfigaftersnum 17984
\cftsubfigaftersnumb 17985
\cftsubfigfillnum 17988
\cftsubfigfont . . . 17987
\cftsubfigindent 17976, 17979
\cftsubfignumwidth 17982
\cftsubfigpresnum 17983
\cftsubparaaftersnum 17930
\cftsubparaaftersnumb 17931
\cftsubparafillnum 17934
\cftsubparafont . . 17933
\cftsubparaindent 17922, 17925
\cftsubparanumwidth 17928
\cftsubparapresnum 17929
\cftsubsecaftersnum 17879
\cftsubsecaftersnumb 17880
\cftsubsecfillnum 17883
\cftsubsecfont . . . 17882
\cftsubsecindent 17871, 17874
\cftsubsecnumwidth 17877
\cftsubsecpresnum 17878
\cftsubsubsecaftersnum 17896
\cftsubsubsecaftersnumb 17897
\cftsubsubsecfillnum 17900
\cftsubsubsecfont 17899
\cftsubsubsecindent 17888, 17891
\cftsubsubsecnumwidth 17894
\cftsubsubsecpresnum 17895
\cftsubtabaftersnum 18004
\cftsubtabaftersnumb 18005
\cftsubtabfillnum 18008
\cftsubtabfont . . 18007
\cftsubtabindent 17996, 17999
\cftsubtabnumwidth 18002
\cftsubtabpresnum 18003
\cfttabaftersnum . 17965
\cfttabaftersnumb 17966
\cfttabfillnum . . . 17969
\cfttabfont 17968
\cfttabindent 17957, 17960
\cfttabnumwidth . . 17963
\cfttabpresnum . . . 17964
\chapnumfont 14403
\chapter 4881, 4909, 4979, 4987, 5103, 5109, 5834, 6021, 6329, 7977, 9966, 14605, 14998, 15191, 15393
\chapterheadendvskip 14409
\chapterheadstartvskip 14401
\chaptermark 5366, 17741
\chaptername . 310, 13331
\chapterstyle . . . 13326
\char . . . 1849, 2016, 2017
\chardef 10733, 12141, 12142, 12148, 12149
\check@floats 6879, 7044
\CheckCommand . 3234, 11593, 11631, 14465
\checkoddpage 3870
\CIIIAny 2034
\ciiiAny 2042
\circle 6543, 6546, 6553, 6556, 6566, 6569, 6576, 6579, 6589, 6592,

6599, 6602, 6612, 6615, 6622, 6625
\cite 4546, 4638, 4644, 4645, 4736, 4741, 4762, 4770, 4791, 4799, 4820, 4838, 4842, 4847, 4851, 4856, 4860, 13907, 13908
\citeasnoun 13908
\citeN 13907
\cites 4639
\cl@@ckpt 17503
\ClassInfo 5323, 5388, 15985, 16564, 17246
\ClassWarning 15669, 16217, 16915
\ClassWarningNoLine 13382
\clear 3639
\cleardoubleemptypage 15616, 15661, 16164, 16209, 16862, 16907
\cleardoublepage 5245, 5290, 5292, 5349, 5362, 5376, 6323, 7971
\clearpage 823, 839, 1087, 1338, 3598, 3599, 3602, 4248, 5257, 5292, 5378, 5766, 5942, 6151, 6325, 7973, 14514, 14768, 15225, 15724, 16272, 16970, 17775
\clipbox@@ 14389
\CloneTOCEntryStyle 15991, 16004, 16023, 16029, 16570, 16583, 16602, 16608, 17252, 17265, 17284, 17290
\closing 8010, 16781
\clubpenalty 88, 297, 802, 803, 935, 1197, 1446, 2595, 5577, 5845, 6032, 6341, 6342, 7718, 7989, 7990, 9977, 13904, 14616, 15009, 15203, 15204, 15405, 15406, 15814, 16393, 17075, 17715, 17716
\coffeefont 13682
\col@number . . . 128, 133, 135, 138, 139, 146, 679, 1028, 1279, 1528, 2291, 6201, 7775, 7872, 10026, 13289, 13624, 13706, 13711, 13778, 13779, 13781, 13784, 13785, 13792, 14709, 14850, 15093, 15274, 15680, 16228, 16926
\col@sep 599, 627, 6444, 6445, 12541, 19386
\color 177, 1973, 1974, 1975, 1976, 2519, 6489, 6492, 6495, 6513, 6516, 7145, 7148, 7158, 7276, 12048, 12641, 19199
\color@ . . . 19239, 19286
\color@b@x 6481, 6519, 6521, 19192, 19289, 19292
\color@begingroup . 4693, 4710, 4727, 5736, 5750, 8049, 8065, 8081, 8094, 8107, 8120, 8293, 8303, 8313, 8339, 8352, 8364, 8391, 8404, 8442, 8451, 8460, 8485, 8497, 8508, 8534, 8546, 8584, 8594, 8604, 8630, 8643, 8655, 8682, 8695, 8733, 8743, 8753, 8779, 8792, 8804, 8831, 8844, 8882, 8892, 8902, 8928, 8941, 8953, 8980, 8993, 9031, 9041, 9051, 9077, 9090, 9102, 9129, 9142, 9180, 9190, 9200, 9226, 9239, 9251, 9278, 9291, 9329, 9339, 9349, 9375, 9388, 9400, 9427, 9440, 9478, 9488, 9498, 9524, 9537, 9549, 9576, 9589, 9677, 9689, 9701, 9727, 9741, 9755, 9790, 9804, 9862, 9873, 10553, 10569, 10584, 10610, 10623, 10636, 10648, 12615, 19495
\color@block 6486, 19197
\color@box . 6519, 19289
\color@endbox . 2284, 4368, 4412, 4456, 15508, 15518, 15536, 19762, 19806, 19911, 19921
\color@endgroup 4697, 4714, 4731, 5738, 8053, 8069, 8085, 8099, 8112, 8125, 8239, 8295, 8305, 8315, 8341, 8354, 8366, 8393, 8406, 8444, 8453, 8462, 8487, 8499, 8510, 8536, 8548, 8586, 8596, 8606, 8632, 8645, 8657, 8684, 8697, 8735, 8745, 8755, 8781, 8794, 8806, 8833, 8846, 8884, 8894, 8904, 8930, 8943, 8955, 8982, 8995, 9033, 9043, 9053, 9079, 9092, 9104, 9131, 9144,

9182, 9192, 9202, 9228, 9241, 9253, 9280, 9293, 9331, 9341, 9351, 9377, 9390, 9402, 9429, 9442, 9480, 9490, 9500, 9526, 9539, 9551, 9578, 9591, 9679, 9691, 9703, 9729, 9743, 9757, 9792, 9806, 9866, 9877, 10556, 10572, 10587, 10613, 10626, 10639, 10669, 19497
\color@fb@x 19290, 19291
\color@fbox 6520, 19290
\color@hbox 15505, 15515, 15533, 19908, 19918
\color@setgroup 6522, 19294
\color@vbox . . 2262, 4359, 4403, 4447, 19753, 19797
\colorA . 6109, 6118, 6130
\colorB 6115, 6121, 6127, 6133
\colorblend . . 19206, 19207, 19249, 19250
\colorbox 2089, 2091, 2092
\columncolor . 1682, 6452
\columnsep 95, 225, 816, 832, 1080, 1331, 1922, 2428, 5759, 5935, 6144, 6704, 6825, 10150, 10958, 13506, 13621, 13714, 13760, 14507, 14761, 15218, 19154, 19159, 19163, 19169, 19172, 19670
\columnseprule . . 95, 225, 815, 831, 1079, 1330, 1923, 2429, 5758, 5934, 6143, 6699, 6758, 6819, 6831, 6996, 10146, 10181, 10909, 10953, 13498, 13597, 13739, 13750, 14506, 14760, 15217, 19665, 19708
\columnseprulecolor 13738, 13749
\columnwidth 28, 40, 53, 68, 238, 249, 262, 276, 760, 764, 949, 1183, 1428, 2274, 5859, 6012, 6281, 6285, 6392, 6697, 6701, 6703, 6705, 6756, 6760, 6818, 6820, 6823, 6826, 6828, 6833, 6994, 6998, 7294, 7315, 7725, 7729, 8023, 8027, 8036, 8046, 8062, 8078, 8091, 8104, 8117, 8336, 8348, 8361, 8401, 8482, 8493, 8505, 8543, 8627, 8639, 8652, 8692, 8776, 8788, 8801, 8841, 8925, 8937, 8950, 8990, 9074, 9086, 9099, 9139, 9223, 9235, 9248, 9288, 9372, 9384, 9397, 9437, 9521, 9533, 9546, 9586, 9723, 9737, 9751, 9800, 9959, 9963, 10145, 10147, 10149, 10151, 10179, 10183, 10464, 10467, 10469, 10549, 10565, 10580, 10606, 10619, 10632, 10650, 10864, 10871, 10907, 10911, 10951, 10955, 10957, 10959, 11161, 11162, 12020, 12024, 12618, 13496, 13500, 13503, 13505, 13594, 13599, 13621, 13650, 13656, 13808, 13812, 13816, 13820, 14602, 15023, 15173, 15177, 15354, 15358, 15597, 15844, 15849, 16145, 16423, 16428, 16703, 16707, 16843, 17105, 17110, 19663, 19667, 19669, 19671, 19706, 19710, 19845, 19847
\contentslabel 4940, 4947, 4954, 4961, 4968
\contentsline 11424
\contentsmargin . . 17681
\contentspush 17655
\convertcolorspec 19213, 19216, 19256, 19259
\Coord 2030
\coord 2035
\CoordIII 2032
\coordiii 2037
\Coordn 2031
\coordn 2036
\Coordx . . 2027, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2041, 2042
\coordx 2038
\Coordy . . 2028, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2041, 2042
\coordy 2039
\Coordz . . 2029, 2032, 2034, 2037, 2042
\coordz 2040

\copy 2337, 2349, 2353, 4355, 4399, 4443, 6396, 6677, 6736, 6800, 6806, 6966, 6978, 7305, 7326, 10128, 10160, 10884, 10928, 10992, 11038, 13430, 13528, 14273, 14341, 14411, 19372, 19643, 19686, 19749, 19793, 19856
\cor@height .. 13453, 13454, 13481, 13482, 13519, 13551, 13552, 13579, 13580, 13614
\count 2257, 4344, 4388, 4432, 8251, 8279, 8382, 8428, 8525, 8570, 8673, 8719, 8822, 8868, 8971, 9017, 9120, 9166, 9269, 9315, 9418, 9464, 9567, 9655, 9774, 10250, 10885, 10929, 19738, 19782, 19885
\count@ .. 1622, 1681, 2697, 2702, 3686, 3687, 3689, 6450, 13701, 13702, 13704, 13706, 13713, 13734, 13735, 13737, 13754, 13755, 13758, 14005, 14013, 14026, 17542
\counterwithout 13327, 13328, 13329, 13330
\cr .. 615, 5524, 5531, 5587, 8262, 8266, 8268, 12556, 17447, 17486, 19594
\crcr 626, 2155, 2301, 5527, 17434, 17466, 19397, 19402, 19580
\CROP@@llc 6585
\CROP@@lrc 6608
\CROP@@ulc 6539
\CROP@@urc 6562
\CROP@execopt 6632
\cs 12752, 12803, 12821, 12872, 12887, 13116, 13175, 13225, 13226, 13237
\csname 8, 43, 56, 71, 162, 164, 209, 252, 265, 279, 335, 336, 603, 1585, 2118, 2119, 2133, 2134, 2161, 2164, 2167, 2183, 2191, 2199, 2254, 2312, 2625, 2626, 2649, 2650, 2677, 2704, 2708, 2713, 2715, 2719, 2720, 2729, 2771, 2781, 2787, 2788, 2790, 2791, 2793, 2794, 2796, 2832, 2833, 2856, 2911, 2912, 2913, 2914, 2920, 2921, 2922, 2923, 3006, 3007, 3010, 3011, 3186, 3188, 3200, 3202, 3240, 3243, 3247, 3264, 3267, 3269, 3279, 3282, 3284, 3291, 3296, 3301, 3311, 3327, 3330, 3344, 3356, 3388, 3399, 3483, 3486, 3526, 3575, 3715, 3736, 3799, 4091, 4092, 4099, 4100, 4500, 4691, 4708, 4725, 4756, 4785, 4814, 5056, 5582, 5617, 5620, 5623, 5637, 5644, 5651, 5659, 5660, 5698, 5723, 5724, 6495, 6501, 6509, 6516, 7070, 8048, 8064, 8080, 8093, 8106, 8119, 8292, 8302, 8312, 8338, 8351, 8363, 8381, 8382, 8390, 8403, 8441, 8450, 8459, 8484, 8496, 8507, 8524, 8525, 8533, 8545, 8583, 8593, 8603, 8629, 8642, 8654, 8672, 8673, 8681, 8694, 8732, 8742, 8752, 8778, 8791, 8803, 8821, 8822, 8830, 8843, 8881, 8891, 8901, 8927, 8940, 8952, 8970, 8971, 8979, 8992, 9030, 9040, 9050, 9076, 9089, 9101, 9119, 9120, 9128, 9141, 9179, 9189, 9199, 9225, 9238, 9250, 9268, 9269, 9277, 9290, 9328, 9338, 9348, 9374, 9387, 9399, 9417, 9418, 9426, 9439, 9477, 9487, 9497, 9523, 9536, 9548, 9566, 9567, 9575, 9588, 9675, 9687, 9699, 9725, 9739, 9753, 9773, 9774, 9788, 9802, 10085, 10228, 10229, 10234, 10235, 10325, 10326, 10327, 10328, 10330, 10332, 10333, 10334, 10335, 10337, 10338, 10339, 10396, 10420, 10438, 10524, 10533, 10551, 10567, 10582, 10609, 10622, 10635,

10682, 10697, 11426, 11429, 11431, 11435, 11439, 11453, 11464, 11475, 11675, 11706, 11737, 12052, 12055, 12409, 12475, 13411, 13412, 13419, 15549, 15553, 15557, 15994, 15996, 15998, 16001, 16007, 16016, 16018, 16020, 16026, 16097, 16101, 16105, 16573, 16575, 16577, 16580, 16586, 16594, 16596, 16599, 16605, 16795, 16799, 16803, 17255, 17257, 17259, 17262, 17268, 17276, 17278, 17281, 17287, 17437, 17464, 17466, 17498, 17520, 17522, 17538, 17539, 17559, 17566, 17758, 18021, 18022, 18038, 18039, 18040, 18047, 18049, 18050, 18103, 18104, 18258, 18259, 18369, 18373, 18377, 18476, 18479, 18493, 18509, 18510, 18526, 18533, 18538, 18599, 18654, 18656, 18658, 18674, 18677, 18683, 18685, 18688, 18692, 18697, 18701, 18705, 18719, 18723, 18726, 18729, 18733, 18735, 18771, 18773, 18780, 18781, 18785, 18790, 18794, 18805, 18806, 18810, 18816, 18871, 18872, 18876, 18972, 18973, 18975, 18978, 18979, 18983, 19428, 19483, 19583, 19992

\CT@@do@color 6447
\CT@cell@color 1706, 6472
\CT@color 6446
\CT@column@color 1704, 6470
\CT@do@color 1707, 6447, 6473
\CT@extract . 1682, 6452
\CT@row@color 1705, 6471
\CT@setup . 1671, 1672, 1674, 1675, 1679, 1703, 6443, 6469
\cumpartcl 14177
\cumtcl 14177
\curraddr 324
\current@color 6488, 6494, 6501, 6509, 6515, 10711, 10716, 19198, 19235, 19236, 19240, 19269, 19270, 19287
\CurrentOption 5304, 5305, 5306, 5307, 5308, 5328, 5329, 5330, 5331, 5332, 7091, 7189
\customername 16741
\CustomFBox 10713
\cvcomputer 2551
\cvdoubleitem 2528, 2552
\cventry 2540
\cvlanguage 2549
\cvline 2523, 2524, 2529, 2533, 2535, 2541, 2550
\cvlistdoubleitem 2534
\cvlistitem 2532
\cvtheme 2466, 2469

D

\d 12722
\d@llarbegin 599, 628, 1626, 1627, 1628, 1691, 1694, 1695, 6457, 6460, 6461, 19386
\d@llarend 600, 628, 1626, 1627, 1628, 1693, 1694, 1695, 6459, 6460, 6461, 19387
\dashgapcolor 1686
\date 667, 703, 1005, 1050, 1256, 1301, 1505, 1550, 1957, 5170, 5218, 5924, 6100, 6189, 6225, 7763, 7797, 7860, 7896, 10014, 10048, 14686, 14731, 14827, 14874, 15076, 15117, 15262, 15298, 15720, 16268, 16966
\datename 16771
\deadcycles .. 3171, 3174
\debugfootnotedirection 10383
\DeclareGraphicsRule 361
\DeclareOption 2358, 2361, 2364, 2367, 2370, 2373, 2376, 2381, 2382, 2383, 2384, 2385, 2387, 3765, 3766, 3768, 3770, 3773, 3778, 4875, 4876, 5134, 5135, 5160, 5161, 5304, 5305, 5306, 5307, 5308, 5328, 5329,

5330, 5331, 5332, 7081, 7083, 7085, 7087, 7089, 7090, 7179, 7181, 7183, 7185, 7187, 7188
\DeclareRobustCommand 2015, 2016, 2017, 2018, 2019, 2020, 2021, 4104, 4111, 6489, 6504, 19199, 19242
\DeclareSectionCommand 16031, 16039, 16049, 16059, 16069, 16079, 16610, 16619, 16627, 16637, 16647, 16657, 16667, 17292, 17301, 17309, 17319, 17329, 17339, 17349
\DeclareTOCEntryStyle 18088, 18245, 18447
\DecMargin 190
\dedication 15719, 16267, 16965
\dedicatory 325
\def 2, 23, 26, 30, 34, 47, 62, 91, 94, 103, 104, 105, 106, 118, 128, 129, 131, 167, 168, 169, 170, 180, 184, 203, 224, 233, 234, 235, 236, 240, 243, 256, 270, 300, 303, 315, 321, 338, 340, 345, 395, 396, 397, 412, 416, 492, 570, 572, 597, 602, 604, 625, 626, 627, 628, 674, 675, 706, 770, 806, 937, 960, 961, 969, 1008, 1009, 1011, 1016, 1018, 1023, 1025, 1053, 1199, 1211, 1212, 1220, 1259, 1260, 1262, 1267, 1269, 1274, 1275, 1304, 1448, 1460, 1461, 1469, 1508, 1509, 1511, 1516, 1518, 1523, 1525, 1553, 1573, 1583, 1584, 1587, 1593, 1621, 1634, 1635, 1638, 1651, 1659, 1667, 1668, 1671, 1672, 1675, 1680, 1718, 1719, 1779, 1781, 1782, 1850, 1851, 1888, 1896, 1897, 1898, 1899, 1900, 1910, 1915, 1940, 1941, 2023, 2024, 2025, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2047, 2058, 2089, 2090, 2091, 2092, 2099, 2105, 2111, 2119, 2124, 2126, 2134, 2139, 2140, 2155, 2160, 2163, 2166, 2171, 2174, 2177, 2181, 2189, 2197, 2204, 2206, 2207, 2209, 2278, 2287, 2300, 2327, 2441, 2442, 2443, 2444, 2445, 2446, 2448, 2449, 2467, 2468, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2598, 2619, 2620, 2623, 2629, 2632, 2643, 2644, 2647, 2653, 2656, 2667, 2669, 2672, 2676, 2682, 2690, 2691, 2692, 2693, 2694, 2695, 2696, 2703, 2704, 2708, 2712, 2714, 2759, 2767, 2788, 2796, 2797, 2798, 2804, 2806, 2807, 2808, 2811, 2813, 2815, 2821, 2825, 2828, 2837, 2848, 2850, 2851, 2862, 2935, 2954, 2986, 2987, 2988, 2999, 3013, 3016, 3017, 3029, 3041, 3045, 3048, 3061, 3070, 3098, 3126, 3129, 3130, 3138, 3139, 3148, 3161, 3177, 3265, 3268, 3277, 3280, 3432, 3443, 3482, 3595, 3605, 3618, 3672, 3682, 3684, 3689, 3694, 3700, 3701, 3704, 3711, 3719, 3734, 3794, 3817, 3908, 3929, 3933, 3946, 4020, 4089, 4107, 4113, 4150, 4275, 4277, 4278, 4279, 4288, 4290, 4291, 4292, 4296, 4298, 4304, 4305, 4332, 4346, 4349, 4353, 4357, 4370, 4376, 4390, 4393, 4397, 4401, 4414, 4420, 4434, 4437, 4441, 4445, 4458, 4495, 4510, 4525, 4530, 4656, 4658, 4686, 4703, 4720, 4740, 4769, 4798, 5018, 5055, 5063, 5292, 5430, 5431, 5433, 5451, 5452, 5455, 5465, 5466, 5467, 5468, 5474, 5477, 5488, 5489, 5490, 5500,

5526, 5530, 5537,
5559, 5578, 5579,
5580, 5586, 5616,
5619, 5622, 5626,
5629, 5632, 5635,
5642, 5649, 5659,
5660, 5661, 5671,
5675, 5678, 5683,
5684, 5685, 5687,
5696, 5702, 5723,
5724, 5847, 5879,
5880, 5888, 6034,
6055, 6056, 6064,
6104, 6124, 6196,
6197, 6228, 6299,
6313, 6345, 6349,
6361, 6374, 6381,
6385, 6388, 6443,
6446, 6449, 6481,
6488, 6491, 6498,
6506, 6512, 6519,
6520, 6522, 6636,
6649, 6652, 6653,
6658, 6665, 6670,
6674, 6733, 6789,
7288, 7292, 7295,
7313, 7316, 7334,
7391, 7449, 7491,
7518, 7520, 7525,
7556, 7557, 7630,
7679, 7698, 7720,
7770, 7771, 7800,
7867, 7868, 7899,
7946, 7961, 7993,
8035, 8042, 8058,
8074, 8090, 8103,
8116, 8143, 8144,
8145, 8155, 8156,
8157, 8228, 8288,
8298, 8308, 8334,
8346, 8359, 8386,
8399, 8414, 8419,
8437, 8446, 8455,
8480, 8491, 8503,
8529, 8541, 8556,
8561, 8579, 8589,
8599, 8625, 8637,
8650, 8677, 8690,
8705, 8710, 8728,
8738, 8748, 8774,
8786, 8799, 8826,
8839, 8854, 8859,
8877, 8887, 8897,
8923, 8935, 8948,
8975, 8988, 9003,
9008, 9026,
9036, 9046, 9072,
9084, 9097, 9124,
9137, 9152, 9157,
9175, 9185, 9195,
9221, 9233, 9246,
9273, 9286, 9301,
9306, 9324, 9334,
9344, 9370, 9382,
9395, 9422, 9435,
9450, 9455, 9473,
9483, 9493, 9519,
9531, 9544, 9571,
9584, 9599, 9604,
9663, 9671, 9683,
9695, 9720, 9734,
9748, 9775, 9784,
9798, 9820, 9828,
9902, 9937, 9949,
9979, 10021,
10022, 10051,
10082, 10112,
10118, 10125,
10157, 10227,
10238, 10286,
10375, 10462,
10466, 10468,
10470, 10472,
10474, 10476,
10477, 10479,
10483, 10492,
10494, 10501,
10502, 10519,
10522, 10528,
10531, 10539,
10540, 10541,
10543, 10559,
10574, 10601,
10614, 10627,
10640, 10646,
10652, 10659,
10672, 10676,
10680, 10686,
10691, 10695,
10707, 10721,
10723, 10725,
10727, 10735,
10840, 10850,
10881, 10925,
10978, 10982,
10988, 10990,
11006, 11017,
11018, 11020,
11033, 11034,
11036, 11052,
11054, 11057,
11059, 11060,
11075, 11082,
11122, 11123,
11124, 11125,
11134, 11136,
11172, 11424,
11451, 11462,
11473, 11484,
11494, 11505,
11516, 11527,
11542, 11557,
11574, 11600,
11617, 11625,
11638, 11655,
11663, 11671,
11688, 11696,
11702, 11719,
11727, 11733,
11750, 11758,
11766, 11780,
11784, 11798,
11806, 11813,
11821, 11824,
11827, 11861,
11893, 11922,
11949, 11952,
11954, 11957,
11966, 11967,
11971, 11973,
11974, 11975,
11977, 11986,
11988, 12027,
12048, 12050,
12051, 12058,
12063, 12123,
12162, 12184,
12185, 12211,
12213, 12510,
12522, 12526,

12527, 12528,
12535, 12563,
12594, 12602,
12605, 12610,
12676, 12677,
13285, 13287,
13337, 13339,
13387, 13398,
13409, 13427,
13525, 13620,
13628, 13661,
13673, 13685,
13699, 13732,
13746, 13778,
13806, 13810,
13814, 13818,
13822, 13912,
13926, 13928,
13935, 13941,
14021, 14042,
14046, 14050,
14052, 14068,
14080, 14094,
14144, 14151,
14270, 14271,
14273, 14274,
14280, 14281,
14282, 14291,
14300, 14308,
14316, 14317,
14318, 14319,
14320, 14321,
14326, 14327,
14330, 14332,
14333, 14334,
14335, 14337,
14338, 14344,
14351, 14352,
14353, 14354,
14355, 14357,
14358, 14497,
14498, 14618,
14641, 14642,
14650, 14689,
14690, 14692,
14697, 14699,
14704, 14706,
14734, 14780,
14781, 14789,
14830, 14831,
14833, 14838,
14840, 14845,
14847, 14877,
14899, 15011,
15040, 15042,
15083, 15085,
15120, 15207,
15269, 15270,
15301, 15372,
15384, 15409,
15413, 15456,
15503, 15506,
15513, 15516,
15524, 15531,
15534, 15560,
15562, 15582,
15766, 15767,
15818, 15825,
15974, 15976,
16108, 16110,
16130, 16314,
16397, 16404,
16553, 16555,
16681, 16698,
16702, 16705,
16709, 16781,
16806, 16808,
16828, 17012,
17079, 17086,
17235, 17237,
17369, 17373,
17390, 17411,
17414, 17429,
17434, 17438,
17461, 17466,
17470, 17480,
17496, 17502,
17510, 17531,
17540, 17541,
17557, 17561,
17564, 17568,
17571, 17601,
17626, 17660,
17682, 17688,
17691, 17693,
17696, 17719,
18372, 18396,
18938, 18959,
18961, 19117,
19160, 19163,
19169, 19173,
19192, 19198,
19201, 19223,
19232, 19238,
19244, 19266,
19272, 19281,
19285, 19289,
19290, 19291,
19294, 19299,
19305, 19306,
19307, 19316,
19325, 19333,
19343, 19344,
19345, 19346,
19347, 19348,
19353, 19354,
19357, 19359,
19360, 19361,
19362, 19364,
19366, 19368,
19369, 19382,
19384, 19389,
19391, 19397,
19401, 19408,
19410, 19413,
19415, 19416,
19417, 19418,
19419, 19429,
19466, 19486,
19491, 19492,
19497, 19534,
19544, 19547,
19550, 19555,
19556, 19557,
19558, 19559,
19561, 19564,
19575, 19580,
19584, 19604,
19607, 19617,
19618, 19619,
19620, 19621,
19640, 19683,
19726, 19740,
19743, 19747,
19751, 19764,
19770, 19784,
19787, 19791,
19795, 19808,
19814, 19854,
19858, 19859,

19860, 19861, 19868, 19929, 19941, 19942, 19944, 20057, 20059, 20063, 20065, 20091, 20093
\default@color 6488, 19198
\DefaultFindent . . 12034
\DefaultLhang . . . 12030
\DefaultLoversize 12031
\DefaultLraise . . 12032
\DefaultNindent . 12035
\DefaultOptionsFile 12040, 12043, 12046
\DefaultSlope . . . 12036
\deffootnote . . 15559, 15584, 16107, 16132, 16680, 16700, 16805, 16830
\define@choicekey . 1786, 1792, 1798, 1804, 1816, 1822, 1828, 18992, 19000
\define@key 18990
\definecolor 1964, 1965, 1966, 1967, 1968, 2440, 2447, 7095, 7100, 7103, 7104, 7105, 7107, 7108, 7111, 7112, 7114, 7115, 7118, 7119, 7121, 7122, 7125, 7126, 7128, 7129, 7132, 7133, 7198, 7199, 7204, 7205, 7210, 7211, 7216, 7217, 7222, 7223, 7623
\DefineTOCEntryCommandOption 18454, 18456, 18458, 18462, 18464, 18466, 18468, 18470
\DefineTOCEntryIfOption 18450, 18452, 18484
\DefineTOCEntryLengthOption . . 18089, 18091, 18246, 18448, 18460, 18486, 18488
\DefineTOCEntryOption 18472
\delimiter 10704
\DEPTH 17604, 17611
\depth 13220, 13231, 13233, 13258
\depthof 7498, 7503, 7512, 7513, 7517, 7522
\descriptionlabel 5096
\detokenize 2765, 2767, 2986, 2988, 2989, 3016, 3031, 3048, 3051, 3059, 3061, 3129, 3130, 3478
\dfn@afteroutput 7383, 7386, 7435, 7438
\dfn@boxa 7292, 7297, 7300, 7304, 7305, 7306, 7313, 7318, 7321, 7325, 7326, 7327, 7340, 7347, 7350, 7352, 7359, 7367, 7397, 7404, 7407, 7409, 7413, 7421
\dfn@boxb 7306, 7327, 7344, 7345, 7352, 7357, 7401, 7402, 7409, 7412
\dfn@countins 7336, 7393
\dfn@dima 7297, 7298, 7299, 7310, 7318, 7319, 7320, 7331, 7335, 7352, 7372, 7392, 7409, 7424
\dfn@dimb 7372, 7373, 7375, 7376, 7378, 7424, 7425, 7427, 7428, 7430
\dfn@elt@adjust 7372, 7424
\dfn@elt@getht 7337, 7394
\dfn@fnht 7308, 7329, 7370, 7373, 7379, 7380, 7381, 7422, 7425, 7431, 7432, 7433
\dfn@fnmaxdp . . 7296, 7301, 7306, 7317, 7322, 7327, 7349, 7352, 7406, 7409
\dfn@footnoterule 7390, 7442
\dfn@footnotetext 7291
\dfn@gobble . 7293, 7314
\dfn@ins 7301, 7302, 7303, 7305, 7322, 7323, 7324, 7326, 7340, 7341, 7397, 7398
\dfn@latex@footnotetext 7290
\dfn@latex@LTRfootnotetext 7296, 7311
\dfn@latex@makecol 7389, 7441
\dfn@latex@RTLfootnotetext 7317, 7332
\dfn@list 7310, 7331, 7338, 7371, 7373, 7376, 7382, 7395, 7423, 7425, 7428, 7434
\dfn@LTRfootnotetext 7292, 7312
\dfn@LTRmakecol 7391, 7443, 7445
\dfn@makecol 7443, 7444, 7445
\dfn@makefnmark 7295, 7316
\dfn@RTLfootnotetext 7313, 7333
\dfn@RTLmakecol 7334, 7443, 7444
\dfn@split . . . 7306, 7327, 7340, 7352, 7397, 7409
\DFNalwaysdouble . 7446
\DFNcolumnsep 7355, 7368, 7412
\DFNcolumnwidth 7289, 7294, 7315, 7354, 7356, 7359, 7369, 7411, 7413
\DigitsDotInterCharToks . . . 1847, 1848, 1849

\dim 12894, 12895, 13218, 13219, 13220
\dimen 6431, 6432, 6435, 6436, 8211, 8252, 8269, 8270, 8271, 8278, 8381, 8427, 8524, 8569, 8672, 8718, 8821, 8867, 8970, 9016, 9119, 9165, 9268, 9314, 9417, 9463, 9566, 9654, 9665, 9666, 9667, 9668, 9773, 9777, 9778, 9779, 9780, 13718, 13725, 13726, 13734, 13735, 13740, 13741, 13754, 13755, 13762, 13763, 19863, 19866
\dimen@ 2334, 2335, 2336, 6484, 6485, 9849, 9851, 10743, 10744, 10745, 10755, 10756, 10757, 10760, 10761, 10762, 10768, 10778, 10780, 10789, 10791, 10798, 10799, 10800, 10801, 17392, 17394, 17400, 17406, 19131, 19132, 19133, 19134, 19135, 19136, 19195, 19196
\dimen@i 17393, 17394, 17399, 17405
\dimen@ii 10793, 10794, 10795, 10801, 10803, 10806, 10807, 10808
\dimexpr 28, 238, 949, 1183, 1428, 5859, 6012, 12647, 12656, 13621, 13820, 14602, 15023, 15587, 15594, 15597, 16135, 16142, 16145, 16833, 16840, 16843, 18233, 18399, 18406, 18416, 18418, 19501, 19503, 19504, 19505, 19510, 19512, 19513, 19514, 19519, 19521, 19522, 19523, 19528, 19530, 19531, 19532
\DiscardVskip 12037
\display@setup 6350, 6375
\displayindent . . . 6391
\displaystyle 10201, 10217
\displaywidth 6391, 7494, 7496, 7501, 10220, 12003
\divide 5438, 8270, 9667, 9779, 10097, 10098, 14185, 14186, 17476
\do . . . 321, 322, 323, 324, 325, 326, 2231, 3462, 3522, 3537, 3558, 3561, 4551, 4556, 4570, 4575, 4589, 4594, 4617, 4626, 6654, 10085, 12125, 18681
\do@@hvFloat 11122
\document . . . 3144, 3158
\documentclass 3445, 3448
\doubleitemmaincolumnwidth 2489, 2502, 2503, 2504, 2505, 2529, 2531
\doublerulesepcolor 1685
\dp . . 39, 52, 67, 248, 261, 275, 609, 1678, 6485, 6486, 6926, 7297, 7318, 7345, 7364, 7366, 7402, 7418, 7420, 7497, 7502, 7515, 7521, 7635, 7640, 7644, 7647, 8216, 9617, 9849, 9857, 10096, 10109, 10548, 10564, 10579, 10994, 10995, 10998, 11040, 11041, 11044, 12120, 12546, 12655, 12658, 13718, 13734, 13735, 13740, 13741, 13754, 13755, 13762, 13763, 14165, 14166, 14167, 14370, 15422, 15464, 15467, 15521, 15528, 15911, 15914, 16490, 16493, 17172, 17175, 17442, 17478, 17490, 17604, 17606, 19187, 19196, 19197, 19589, 19835, 19842, 19913
\dquad 6383, 6385
\draw 19011, 19018, 19022, 19045, 19055, 19063, 19066, 19069, 19072, 19084, 19089, 19096, 19102, 19103
\dseries@display@setup 6375

E

\edef 119, 413, 415, 417, 579, 1600, 1654, 1662, 1722, 1746, 1855, 1879, 2117, 2132, 2161, 2164, 2167, 2606, 2609, 2622, 2626, 2633, 2646, 2650, 2657, 2763, 2766, 2869, 2870, 2873, 2874, 2891, 2892, 2895,

2896, 2985, 2990, 3000, 3015, 3018, 3031, 3035, 3040, 3047, 3050, 3057, 3060, 3066, 3069, 3122, 3128, 3131, 3283, 3291, 3301, 3433, 3476, 3520, 3542, 3556, 3584, 3676, 3688, 3695, 3712, 4520, 4665, 4676, 5617, 5620, 5623, 7547, 7550, 10228, 10234, 10324, 10326, 10327, 10328, 10413, 10434, 10775, 11594, 11601, 11632, 11639, 11672, 11703, 11734, 12126, 12130, 12603, 12606, 13924, 14037, 14056, 14059, 14085, 15418, 15461, 15803, 16382, 16682, 17064, 17445, 17471, 17485, 17503, 17558, 17565, 17578, 18021, 18493, 18526, 18533, 18538, 18599, 18753, 18857, 18970, 19207, 19212, 19221, 19236, 19240, 19250, 19255, 19264, 19270, 19283, 19287, 19475, 19487, 19592

\EdefEscapeName . . 11925

\egroup . 188, 189, 192, 602, 626, 860, 1417, 1583, 1584, 1701, 2155, 2156, 2282, 5527, 5738, 6394, 6467, 8240, 10206, 10207, 10221, 10670, 10815, 10819, 13629, 14128, 14138, 14153, 14284, 14289, 14293, 14298, 14302, 14306, 14310, 14314, 14364, 14535, 14984, 17434, 17435, 17461, 17468, 18857, 19309, 19314, 19318, 19323, 19327, 19331, 19335, 19339, 19389, 19397, 19398, 19580, 19581

\eightcolumnfootnotes 9160

\eightcolumnfootstyle 9255

\eject 6936, 10746, 10815, 10835

\else 4, 12, 13, 25, 36, 84, 100, 112, 130, 132, 147, 151, 155, 163, 180, 205, 213, 214, 230, 245, 293, 307, 311, 358, 363, 366, 369, 389, 400, 426, 434, 438, 453, 458, 516, 524, 528, 533, 548, 573, 574, 575, 577, 578, 581, 582, 583, 585, 586, 587, 588, 589, 592, 593, 594, 618, 624, 670, 681, 684, 733, 750, 753, 754, 774, 777, 792, 812, 823, 828, 839, 843, 851, 855, 856, 860, 864, 867, 868, 873, 884, 895, 909, 912, 913, 916, 926, 972, 981, 989, 1013, 1017, 1019, 1030, 1033, 1076, 1087, 1090, 1093, 1094, 1100, 1110, 1113, 1114, 1117, 1127, 1138, 1149, 1157, 1161, 1170, 1188, 1223, 1232, 1240, 1264, 1268, 1270, 1281, 1284, 1327, 1338, 1342, 1345, 1348, 1349, 1354, 1365, 1376, 1391, 1394, 1395, 1398, 1408, 1412, 1413, 1417, 1437, 1472, 1481, 1489, 1513, 1517, 1519, 1530, 1533, 1570, 1575, 1576, 1589, 1594, 1595, 1596, 1598, 1599, 1602, 1603, 1604, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1615, 1616, 1617, 1637, 1638, 1639, 1640, 1641, 1642, 1644, 1645, 1646, 1647, 1648, 1771, 1773, 1782, 1889, 1891, 1900, 2101, 2107, 2113, 2128, 2212, 2220, 2225, 2235, 2290, 2316, 2326, 2331, 2346, 2348, 2543, 2544, 2545, 2547, 2583, 2608, 2611, 2630, 2638, 2654, 2662, 2678, 2716, 2724, 2732, 2736, 2742, 2750, 2754, 2776, 2783, 2820, 3024, 3242, 3266, 3281, 3346, 3358, 3390,

3401, 3439, 3451,
3452, 3469, 3478,
3523, 3538, 3541,
3568, 3569, 3583,
3874, 3880, 4069,
4072, 4075, 4078,
4108, 4336, 4342,
4374, 4380, 4386,
4424, 4430, 4609,
5003, 5004, 5292,
5377, 5430, 5443,
5452, 5542, 5563,
5588, 5600, 5668,
5688, 5689, 5704,
5709, 5713, 5755,
5766, 5770, 5773,
5776, 5777, 5782,
5793, 5802, 5816,
5819, 5820, 5824,
5836, 5891, 5900,
5908, 5931, 5942,
5946, 5949, 5952,
5953, 5958, 5969,
5978, 5992, 5995,
5996, 6000, 6023,
6067, 6076, 6084,
6106, 6117, 6119,
6140, 6151, 6192,
6203, 6206, 6255,
6270, 6273, 6274,
6301, 6315, 6324,
6331, 6353, 6383,
6407, 6408, 6409,
6410, 6431, 6435,
6482, 6487, 6525,
6526, 6532, 6550,
6573, 6596, 6619,
6644, 6645, 6647,
6659, 6664, 6666,
6668, 6688, 6693,
6707, 6723, 6747,
6752, 6762, 6778,
6796, 6804, 6827,
6845, 6872, 6876,
6891, 6898, 6917,
6927, 6939, 6948,
6962, 6974, 7009,
7037, 7041, 7056,
7065, 7157, 7239,
7253, 7298, 7302,
7304, 7319, 7323,
7325, 7334, 7339,
7348, 7359, 7363,
7371, 7391, 7396,
7405, 7413, 7417,
7423, 7443, 7452,
7459, 7476, 7500,
7505, 7519, 7536,
7576, 7577, 7582,
7583, 7584, 7591,
7592, 7597, 7598,
7599, 7612, 7613,
7614, 7615, 7642,
7658, 7661, 7662,
7672, 7683, 7686,
7699, 7709, 7766,
7777, 7780, 7863,
7874, 7877, 7925,
7948, 7963, 7972,
7979, 7999, 8000,
8002, 8007, 8013,
8015, 8019, 8041,
8088, 8163, 8166,
8175, 8178, 8187,
8190, 8204, 8221,
8231, 8287, 8332,
8436, 8478, 8578,
8623, 8727, 8772,
8876, 8920, 9025,
9069, 9174, 9219,
9323, 9368, 9472,
9517, 9627, 9638,
9678, 9728, 9846,
9882, 9894, 9913,
9928, 9931, 9932,
9939, 9951, 9968,
10017, 10028,
10031, 10090,
10138, 10143,
10170, 10175,
10196, 10209,
10226, 10253,
10257, 10278,
10369, 10373,
10399, 10423,
10505, 10508,
10544, 10592,
10628, 10629,
10644, 10662,
10706, 10724,
10726, 10742,
10747, 10767,
10796, 10802,
10818, 10825,
10830, 10843,
10873, 10897,
10902, 10941,
10946, 10982,
10984, 10987,
10988, 10996,
11002, 11005,
11008, 11015,
11022, 11024,
11030, 11034,
11037, 11042,
11048, 11051,
11064, 11067,
11070, 11076,
11083, 11093,
11106, 11115,
11135, 11138,
11144, 11145,
11148, 11155,
11157, 11163,
11174, 11182,
11184, 11185,
11186, 11189,
11194, 11200,
11202, 11203,
11204, 11207,
11217, 11219,
11232, 11238,
11241, 11245,
11251, 11254,
11257, 11263,
11268, 11271,
11275, 11277,
11280, 11284,
11286, 11288,
11292, 11297,
11301, 11308,
11313, 11317,
11324, 11329,
11333, 11337,
11339, 11342,
11346, 11348,
11350, 11354,
11358, 11362,
11368, 11371,
11375, 11381,

11384, 11387,
11393, 11408,
11418, 11427,
11438, 11458,
11469, 11480,
11498, 11509,
11520, 11531,
11546, 11561,
11621, 11659,
11692, 11723,
11754, 11807,
11819, 11822,
11839, 11848,
11858, 11873,
11881, 11890,
11904, 11919,
11933, 11945,
12007, 12008,
12010, 12015,
12038, 12039,
12041, 12054,
12070, 12079,
12102, 12123,
12126, 12130,
12156, 12165,
12179, 12188,
12194, 12220,
12297, 12300,
12303, 12306,
12309, 12312,
12315, 12318,
12321, 12325,
12328, 12331,
12334, 12337,
12340, 12343,
12346, 12349,
12352, 12355,
12358, 12361,
12364, 12367,
12370, 12373,
12376, 12379,
12382, 12385,
12388, 12391,
12394, 12397,
12400, 12403,
12406, 12409,
12412, 12415,
12418, 12421,
12424, 12427,
12430, 12433,
12436, 12439,
12442, 12445,
12448, 12451,
12454, 12457,
12460, 12463,
12466, 12469,
12472, 12475,
12478, 12481,
12484, 12487,
12490, 12493,
12496, 12499,
12502, 12505,
12513, 12514,
12515, 12516,
12539, 12568,
12577, 12583,
12665, 13291,
13294, 13305,
13306, 13307,
13308, 13309,
13310, 13339,
13355, 13361,
13367, 13392,
13402, 13424,
13441, 13457,
13470, 13483,
13487, 13539,
13555, 13568,
13581, 13585,
13639, 13647,
13653, 13662,
13664, 13668,
13669, 13674,
13676, 13681,
13686, 13688,
13693, 13703,
13716, 13777,
13793, 13797,
13801, 13897,
13901, 13934,
13940, 13948,
13951, 13975,
13995, 14010,
14058, 14082,
14140, 14148,
14182, 14208,
14246, 14247,
14248, 14274,
14326, 14327,
14330, 14334,
14335, 14351,
14352, 14357,
14365, 14374,
14384, 14390,
14393, 14400,
14402, 14408,
14419, 14421,
14432, 14434,
14445, 14447,
14456, 14458,
14475, 14497,
14498, 14503,
14514, 14518,
14526, 14530,
14531, 14535,
14539, 14542,
14543, 14548,
14559, 14568,
14582, 14585,
14586, 14590,
14607, 14653,
14662, 14670,
14694, 14698,
14700, 14711,
14714, 14757,
14768, 14792,
14801, 14809,
14835, 14839,
14841, 14852,
14855, 14896,
14901, 14902,
14910, 14913,
14914, 14919,
14930, 14939,
14953, 14956,
14957, 14961,
14967, 14975,
14979, 14980,
14984, 15000,
15028, 15079,
15095, 15098,
15144, 15159,
15162, 15163,
15168, 15169,
15193, 15214,
15225, 15265,
15276, 15279,
15328, 15343,
15346, 15347,
15374, 15386,

15395, 15426,
15471, 15505,
15507, 15511,
15515, 15517,
15522, 15526,
15529, 15533,
15535, 15539,
15566, 15567,
15575, 15588,
15595, 15615,
15620, 15627,
15633, 15657,
15664, 15668,
15682, 15685,
15728, 15732,
15740, 15746,
15758, 15766,
15767, 15780,
15782, 15794,
15808, 15824,
15834, 15843,
15848, 15851,
15852, 15853,
15855, 15880,
15892, 15897,
15902, 15919,
15933, 15939,
15952, 15962,
15980, 16010,
16114, 16115,
16123, 16136,
16143, 16163,
16168, 16175,
16181, 16205,
16212, 16216,
16230, 16233,
16276, 16280,
16288, 16294,
16306, 16314,
16319, 16335,
16343, 16351,
16359, 16360,
16373, 16387,
16403, 16413,
16422, 16427,
16430, 16431,
16432, 16434,
16459, 16471,
16476, 16481,
16498, 16512,
16518, 16531,
16541, 16559,
16589, 16686,
16687, 16693,
16710, 16711,
16712, 16713,
16714, 16715,
16716, 16717,
16721, 16724,
16727, 16730,
16733, 16736,
16739, 16742,
16745, 16748,
16751, 16754,
16757, 16760,
16763, 16766,
16769, 16772,
16777, 16778,
16784, 16812,
16813, 16821,
16834, 16841,
16861, 16866,
16873, 16879,
16903, 16910,
16914, 16928,
16931, 16974,
16978, 16986,
16992, 17004,
17012, 17041,
17042, 17055,
17069, 17085,
17095, 17104,
17109, 17112,
17113, 17114,
17116, 17141,
17153, 17158,
17163, 17180,
17194, 17200,
17213, 17223,
17241, 17271,
17363, 17366,
17402, 17419,
17453, 17467,
17475, 17488,
17493, 17572,
17573, 17574,
17576, 17577,
17580, 17581,
17582, 17583,
17584, 17585,
17586, 17588,
17589, 17590,
17591, 17592,
17595, 17596,
17597, 17640,
17657, 17664,
17666, 17671,
17676, 17677,
17680, 17685,
17689, 17690,
17705, 17728,
17732, 17742,
17748, 17754,
17759, 17765,
17775, 17787,
17795, 17800,
17801, 17802,
17810, 17817,
17831, 17832,
17833, 17841,
17850, 17854,
17855, 17856,
17864, 17871,
17872, 17873,
17881, 17888,
17889, 17890,
17898, 17905,
17906, 17907,
17915, 17922,
17923, 17924,
17932, 17939,
17940, 17941,
17949, 17957,
17958, 17959,
17967, 17976,
17977, 17978,
17986, 17996,
17997, 17998,
18006, 18016,
18031, 18032,
18033, 18041,
18063, 18081,
18082, 18083,
18221, 18329,
18346, 18356,
18371, 18375,
18478, 18743,
18757, 18761,
18784, 18799,
18809, 18813,

18823, 18824, 18825, 18826, 18831, 18833, 18834, 18842, 18848, 18865, 18875, 18881, 18887, 18890, 18901, 18939, 18941, 18946, 18955, 18960, 18962, 18969, 18976, 19007, 19014, 19019, 19021, 19025, 19036, 19039, 19050, 19057, 19071, 19121, 19128, 19129, 19131, 19139, 19147, 19149, 19150, 19161, 19165, 19170, 19179, 19185, 19193, 19197, 19206, 19225, 19230, 19249, 19274, 19279, 19299, 19341, 19342, 19353, 19354, 19357, 19361, 19362, 19422, 19441, 19444, 19449, 19452, 19455, 19458, 19461, 19470, 19473, 19478, 19479, 19480, 19502, 19503, 19505, 19511, 19512, 19514, 19520, 19521, 19523, 19529, 19530, 19532, 19540, 19541, 19542, 19543, 19546, 19549, 19552, 19555, 19556, 19557, 19558, 19560, 19562, 19563, 19567, 19569, 19585, 19602, 19607, 19608, 19609, 19610, 19611, 19612, 19613, 19614, 19617, 19618, 19622, 19624, 19629, 19654, 19659, 19697, 19702, 19723, 19730, 19736, 19774, 19780, 19818, 19820, 19830, 19846, 19848, 19851, 19855, 19864, 19887, 19892, 19910, 19920, 19934, 19941, 19942, 20049, 20057, 20063

\em 5096

\email 324, 2479

\emaillink 2561, 7172, 7270

\emailsymbol 2439, 7172, 7270

\empty 389, 516, 11135, 17372

\end 168, 170, 193, 649, 652, 655, 720, 723, 984, 992, 995, 1065, 1068, 1235, 1243, 1246, 1316, 1319, 1484, 1492, 1495, 1566, 1569, 1574, 1575, 1576, 2050, 2061, 2062, 2527, 2529, 2531, 2533, 2535, 2539, 2547, 2550, 2599, 2622, 2630, 2632, 2633, 2639, 2646, 2654, 2656, 2657, 2663, 3199, 3205, 3225, 3231, 3914, 3915, 3920, 3923, 3994, 3995, 4002, 4003, 4010, 4011, 4031, 4032, 4070, 4073, 4076, 4079, 4086, 4087, 4270, 4271, 4887, 4943, 4950, 4957, 4964, 4971, 4982, 4990, 5117, 5118, 5254, 5297, 5319, 5710, 5903, 5911, 5914, 6079, 6087, 6090, 6119, 6131, 6171, 6174, 6177, 6242, 6245, 6549, 6559, 6572, 6582, 6595, 6605, 6618, 6628, 7151, 7260, 7272, 7280, 7544, 7618, 7747, 7750, 7753, 7812, 7815, 7842, 7845, 7848, 7913, 7916, 8004, 9998, 10001, 10004, 10063, 10066, 10208, 11192, 11210, 11312, 11328, 11419, 12012, 13425, 14029, 14665, 14673, 14676, 14746, 14749, 14804, 14812, 14815, 14892, 14895, 14900, 14901, 14902, 15058, 15061, 15064, 15136, 15244, 15247, 15250, 15315, 15318, 15414, 15457, 15623, 15638, 15645, 15651, 15655, 15663, 15735, 15752, 15762, 15790, 16171, 16186, 16193, 16199, 16203, 16211, 16283, 16300, 16310,

16369, 16869, 16884, 16891, 16897, 16901, 16909, 16981, 16998, 17008, 17051, 17527, 17703, 19011, 19018, 19028, 19033, 19046, 19053, 19056, 19075, 19092, 19099, 19105, 19107
\end@dblfloat 15501
\end@float 3940, 4263, 15452
\end@rotdblfloat . 15456
\end@rotfloat 15413, 15454, 15455
\endarray 602, 626, 1583, 1584, 17461, 17466, 19389
\endBCmd 2052
\endbidi@lrbox . . . 19497
\endbidi@tabular@RTLcases 19389, 19397, 19406
\endcsname . . . 8, 43, 56, 71, 162, 164, 209, 252, 265, 279, 335, 336, 378, 438, 506, 528, 603, 1585, 2118, 2119, 2133, 2134, 2161, 2164, 2167, 2183, 2191, 2199, 2254, 2312, 2625, 2626, 2649, 2650, 2677, 2705, 2709, 2713, 2715, 2719, 2720, 2722, 2728, 2729, 2771, 2781, 2787, 2788, 2790, 2791, 2793, 2794, 2796, 2832, 2833, 2855, 2856, 2911, 2912, 2913, 2914, 2920, 2921, 2922, 2923, 3006, 3007, 3010, 3011, 3186, 3188, 3200, 3202, 3240, 3243, 3248, 3264, 3267, 3269, 3279, 3282, 3284, 3291, 3295, 3296, 3301, 3310, 3311, 3327, 3330, 3344, 3356, 3388, 3399, 3484, 3486, 3524, 3526, 3532, 3575, 3715, 3736, 3799, 4091, 4092, 4099, 4100, 4500, 4691, 4708, 4725, 4756, 4785, 4814, 5056, 5582, 5617, 5620, 5623, 5637, 5644, 5651, 5659, 5660, 5698, 5723, 5724, 6495, 6501, 6509, 6516, 7070, 8048, 8064, 8080, 8093, 8106, 8119, 8292, 8302, 8312, 8338, 8351, 8363, 8381, 8382, 8390, 8403, 8441, 8450, 8459, 8484, 8496, 8507, 8524, 8525, 8533, 8545, 8583, 8593, 8603, 8629, 8642, 8654, 8672, 8673, 8681, 8694, 8732, 8742, 8752, 8778, 8791, 8803, 8821, 8822, 8830, 8843, 8881, 8891, 8901, 8927, 8940, 8952, 8970, 8971, 8979, 8992, 9030, 9040, 9050, 9076, 9089, 9101, 9119, 9120, 9128, 9141, 9179, 9189, 9199, 9225, 9238, 9250, 9268, 9269, 9277, 9290, 9328, 9338, 9348, 9374, 9387, 9399, 9417, 9418, 9426, 9439, 9477, 9487, 9497, 9523, 9536, 9548, 9566, 9567, 9575, 9588, 9675, 9687, 9699, 9725, 9739, 9753, 9773, 9774, 9788, 9802, 10085, 10228, 10230, 10234, 10236, 10325, 10326, 10327, 10328, 10330, 10332, 10333, 10334, 10335, 10337, 10338, 10339, 10396, 10420, 10438, 10524, 10533, 10551, 10567, 10582, 10609, 10622, 10635, 10682, 10697, 11426, 11429, 11431, 11435, 11439, 11453, 11464, 11475, 11675, 11706, 11737, 12052, 12055, 12409, 12475, 13411, 13412, 13419, 13920, 13930, 13944, 15549, 15553, 15557, 15994, 15996, 15998, 16001, 16007, 16016, 16018, 16020, 16026, 16097, 16101, 16105, 16573, 16575, 16577, 16580, 16586, 16594, 16596, 16599, 16605, 16795, 16799, 16803, 17255, 17257, 17259, 17262, 17268, 17276, 17278, 17281, 17287, 17437, 17464, 17466, 17498,

17520, 17522, 17538, 17539, 17559, 17566, 17758, 18021, 18022, 18038, 18039, 18040, 18047, 18049, 18050, 18103, 18104, 18258, 18259, 18369, 18373, 18377, 18476, 18479, 18493, 18509, 18510, 18526, 18533, 18538, 18599, 18654, 18656, 18658, 18674, 18677, 18683, 18685, 18688, 18692, 18697, 18701, 18705, 18719, 18723, 18726, 18729, 18733, 18735, 18768, 18769, 18771, 18773, 18778, 18780, 18782, 18786, 18789, 18790, 18793, 18794, 18803, 18805, 18807, 18811, 18815, 18816, 18869, 18871, 18873, 18877, 18897, 18898, 18906, 18910, 18914, 18918, 18922, 18926, 18930, 18934, 18972, 18973, 18975, 18978, 18979, 18983, 19428, 19483, 19583, 19992

\enddocument 3170

\endflushleft 2072, 2080

\endgraf . 2321, 2325, 12571, 12590, 15959, 16538, 17220

\endgroup 17, 123, 218, 312, 319, 487, 566, 600, 616, 690, 742, 756, 893, 915, 1039, 1116, 1136, 1290, 1374, 1397, 1539, 1708, 1946, 2185, 2193, 2201, 2322, 2616, 2635, 2659, 2780, 2799, 2936, 2955, 3000, 3022, 3032, 3049, 3099, 3145, 3239, 3263, 3278, 3349, 3361, 3373, 3393, 3404, 3415, 3579, 3678, 3688, 3728, 4101, 4528, 4530, 4758, 4787, 4816, 5193, 5210, 5226, 5237, 5277, 5596, 5639, 5646, 5653, 5711, 5800, 5823, 5976, 5999, 6212, 6262, 6277, 6474, 6730, 6785, 7468, 7486, 7664, 7677, 7786, 7883, 7932, 9920, 9935, 10037, 10155, 10191, 10275, 10294, 10526, 10535, 10684, 10699, 10718, 10759, 10790, 10920, 10968, 11016, 11031, 11417, 11455, 11466, 11477, 11488, 11589, 11614, 11652, 11685, 11716, 11747, 11976, 11987, 12057, 12207, 12557, 13302, 13420, 13517, 13612, 13809, 13813, 13817, 14076, 14126, 14131, 14133, 14136, 14141, 14363, 14394, 14566, 14589, 14720, 14861, 14937, 14960, 15104, 15151, 15166, 15285, 15335, 15350, 15691, 15791, 15928, 16239, 16370, 16507, 16937, 17052, 17189, 17541, 17645, 17823, 18239, 18350, 18751, 18879, 19189, 19222, 19265, 19284, 19387, 19488, 19680, 19719, 19869, 19877

\endL 486, 565, 1712, 2572, 6478, 6487, 6488, 6497, 6503, 6522, 9678, 9690, 9728, 9742, 10104, 10207, 10221, 10368, 10987, 11005, 11015, 11030, 11051, 11819, 12175, 13191, 13262, 14140, 14280, 14297, 14393, 15511, 15522, 15529, 15539, 17616, 19197, 19198, 19237, 19241, 19294, 19305, 19322, 19851, 19910, 19920

\endlist 92, 301, 808, 939, 1170, 1201, 1450, 5081, 5089, 5094, 5849, 6036, 6347, 7722, 7995, 9981, 13915, 14620,

15013, 15209, 15411, 15832, 16411, 17093, 17721
\endlongtable 2300
\endLTR 14317, 19344
\endMakeFramed . . . 10732
\endmath 6380
\endmdf@lrbox . . . 12650
\endminipage 8228, 10659
\endmodernpoem . . . 5724
\endNoHyper 546
\endpgfpicture . . . 14094
\endpspicture 14358
\endR 338, 343, 602, 626, 1583, 1584, 1701, 2155, 2156, 2346, 2349, 6388, 6467, 6483, 6488, 6490, 6522, 7449, 8262, 8266, 9678, 9702, 9728, 9756, 10226, 10984, 11037, 11076, 11083, 11432, 11440, 11822, 11858, 11890, 11919, 11945, 11955, 11958, 12003, 12175, 12565, 12695, 12703, 12891, 13217, 13389, 13391, 14149, 14281, 14288, 14353, 14354, 14355, 15507, 15517, 15526, 15535, 15926, 16505, 17187, 17434, 17435, 17461, 17468, 17615, 19194, 19198, 19200, 19294, 19306, 19313, 19397, 19545, 19548, 19551, 19568, 19580, 19581, 19851, 19864, 19866, 19910, 19920, 19933, 19936, 19944
\endrotate 15516
\endRTL 14319, 19346
\ends@math 6380
\endsideways 15534
\endsidewaysfigure 15454
\endsidewaystable 15455
\endstabular 17434, 17437
\endstrip 13628
\endtabular 602, 603, 1584, 1585, 2155, 17461, 17464, 17548, 19580, 19583
\endtabularx 17499, 17528, 17539
\endtitlepage . . 850, 1156, 1407, 5832, 6019, 14525, 14974
\endtraditionalpoem 5660
\endtrivlist 10222
\endturn 15506
\endwindow 14151
\enskip . . . 18864, 18889
\enspace 310, 14145, 14147
\env@RTLcases 19404, 19408
\EQ . 7491, 7497, 7498, 7502, 7503, 7512, 7513, 7515, 7517, 7518, 7520, 7521, 7522, 7523, 7525, 7526, 7527, 7539, 7542, 7544, 7546, 7547, 7549, 7552, 7554, 7556, 7557, 7559, 7560, 7562, 7565, 7566, 7567, 7570, 7573, 7581, 7588, 7596, 7603, 7605, 7608, 7612, 7613, 7614, 7615, 7627, 7629, 7630
\eq@addpunct 6385
\EQ@box 6390, 6396
\eq@group . . . 6353, 6362
\eq@GRP@first@dmath 6362
\eq@if . . 2700, 2701, 2703
\eq@isIntertext . . 6400
\eq@prelim . . 6353, 6370
\eq@setnumber 6356
\eq@setup@a 6358
\eq@startup 6359
\eq@wdCond 6377
\eqnewif . 1755, 1756, 1758, 1766, 2696
\eqno 329, 14349, 14351, 19939, 19941
\eqnumform 6388
\eqstyle 6355
\equal 401, 2537, 2554, 2558, 2562, 3928, 3962, 3973, 3999, 4000, 4016, 4057, 4315, 4557, 4558, 4576, 4577, 4595, 4596, 4627, 4628, 7259, 10316
\errmessage 1783, 1901, 13716
\escapechar . . 2605, 2697, 2702, 2799
\ESO@isMEMOIR 7454
\evenpage 1907, 1910, 1911, 1912, 1914, 1915, 1916, 1917, 1919
\evensidemargin 1931, 7477, 19888
\everycr 12561
\everydisplay 6350
\everyhbox . . . 14283, 14285, 14292, 14294, 19308, 19310, 19317, 19319
\everyjob 1746, 1747, 1879, 1880
\everymath 341
\everypar 740, 891, 1134, 1372, 4374, 4418, 4462, 5799, 5975, 6261, 7931, 9919, 14275, 14279, 14472, 14486, 14565, 14936, 15150, 15334, 17816, 17820,

18348, 19300, 19304, 19768, 19812
\everyvbox . . . 1587, 1588, 14301, 14303, 14309, 14311, 19326, 19328, 19334, 19336
\ExecuteOptions . . . 2388, 3783, 5164, 5166, 7092, 7190
\exhyphenpenalty 842, 1148, 1341, 5769, 5945, 14517, 14966, 15027
\exp 12771, 12774, 12828, 13000, 13054
\expandafter . . . 162, 444, 579, 603, 971, 980, 988, 1014, 1017, 1222, 1231, 1239, 1265, 1268, 1471, 1480, 1488, 1514, 1517, 1585, 1600, 1682, 1683, 1684, 1686, 2100, 2102, 2106, 2108, 2112, 2114, 2118, 2119, 2127, 2129, 2133, 2134, 2158, 2162, 2165, 2168, 2172, 2175, 2178, 2229, 2230, 2283, 2311, 2619, 2621, 2625, 2626, 2630, 2633, 2643, 2645, 2649, 2650, 2654, 2657, 2677, 2679, 2684, 2704, 2705, 2708, 2709, 2713, 2715, 2719, 2723, 2725, 2729, 2730, 2731, 2733, 2734, 2737, 2741, 2743, 2748, 2749, 2751, 2752, 2755, 2764, 2771, 2775, 2777, 2780, 2781, 2782, 2784, 2787, 2788, 2790, 2791, 2793, 2794, 2796, 2800, 2827, 2828, 2829, 2830, 2831, 2833, 2856, 2860, 2911, 2912, 2913, 2914, 2920, 2921, 2922, 2923, 3006, 3007, 3021, 3022, 3023, 3025, 3032, 3033, 3036, 3051, 3058, 3067, 3239, 3240, 3241, 3244, 3247, 3263, 3264, 3278, 3279, 3291, 3296, 3301, 3311, 3327, 3330, 3356, 3399, 3461, 3470, 3482, 3484, 3485, 3525, 3535, 3536, 3557, 3574, 3585, 3587, 3714, 3715, 4518, 5056, 5486, 5618, 5621, 5624, 5627, 5630, 5633, 5659, 5660, 5723, 5724, 5738, 5890, 5899, 5907, 6066, 6075, 6083, 6350, 6452, 6494, 6515, 6682, 6684, 6741, 6743, 8241, 8381, 8382, 8524, 8525, 8672, 8673, 8821, 8822, 8970, 8971, 9119, 9120, 9268, 9269, 9417, 9418, 9566, 9567, 9668, 9773, 9774, 9780, 10132, 10134, 10164, 10166, 10228, 10229, 10234, 10235, 10317, 10334, 10339, 10398, 10401, 10422, 10425, 10438, 10452, 10453, 10454, 10455, 10457, 10671, 10759, 10781, 10782, 10790, 10891, 10893, 10935, 10937, 11021, 11059, 11060, 11457, 11459, 11468, 11470, 11479, 11481, 11584, 11598, 11612, 11636, 11650, 11683, 11714, 11745, 11976, 11977, 11984, 11998, 12052, 12060, 12065, 12188, 12189, 12194, 12195, 12558, 12604, 12607, 13401, 13404, 13435, 13437, 13533, 13535, 14038, 14055, 14067, 14072, 14277, 14652, 14661, 14669, 14695, 14698, 14791, 14800, 14808, 14836, 14839, 15419, 15431, 15441, 15462, 15477, 15489, 15993, 15995, 15997, 16000, 16006, 16015, 16017, 16019, 16025, 16572, 16574, 16576, 16579, 16585, 16593, 16595, 16598, 16604, 17254, 17256, 17258, 17261, 17267, 17275, 17277, 17280, 17286, 17437, 17464, 17497, 17500, 17520, 17523, 17525, 17527, 17538, 17539,

17547, 17551, 17553, 17560, 17562, 17567, 17569, 17578, 18021, 18022, 18038, 18039, 18040, 18047, 18049, 18050, 18103, 18258, 18369, 18373, 18377, 18476, 18479, 18493, 18509, 18526, 18533, 18538, 18599, 18653, 18655, 18657, 18673, 18677, 18682, 18684, 18687, 18691, 18696, 18700, 18704, 18718, 18723, 18725, 18728, 18732, 18735, 18781, 18785, 18806, 18810, 18872, 18876, 18972, 18973, 18975, 18978, 18979, 18982, 19207, 19219, 19222, 19230, 19231, 19250, 19262, 19265, 19279, 19280, 19284, 19302, 19583, 19648, 19650, 19691, 19693, 19992
\extrafeetendmini 8220, 8227
\extrafeetendminihook 8225, 8226
\extrafeetins 8199, 8200
\extrafeetinshook 8205, 8206
\extrafeetminihook 8219
\extrainfo 2480
\extrarowheight 606, 12532, 12540
\extrarulesep 17491
\extratitle 15713, 16261, 16959

F

\f@size 342
\FamilyKeyState . . 18474
\FamilyKeyStateProcessed 18474
\familyname 2473
\familynamecolour 2442, 7096, 7194
\familynamefont 2451, 2459, 7136, 7230
\familynamestyle 2459, 7147, 7237, 7258
\FamilySetBool . . . 18473
\fancy@@oval 10082
\fancy@reset 10112, 10118
\fancyfoot . . . 2572, 4142, 4143, 7162
\fancyhead 4131, 4132, 4133, 5355, 5356, 5367, 5368, 5369
\fancyhf 2421, 4129, 4138, 4148, 5353, 5364
\fancyhfoffset 4122, 4123
\fancypagestyle 2418, 2571, 4137, 4147, 7161
\FAX 2438
\fax 2478
\faxsymbol 2438, 7171, 7269
\fb@adjheight 10746, 10816, 10836
\fb@afterframe 10741, 10766, 10824
\FB@captype 10233, 10234, 10236
\fb@frh . 10753, 10757, 10772, 10807, 10810
\fb@put@frame . 10735, 10746, 10817, 10837
\fb@putboxa . . 10740, 10765, 10823, 10840
\fb@resto@set 10775, 10815, 10819
\fb@sizeoframe 10748, 10770
\fbox 2052, 2062, 6521, 7631, 11231, 11237, 11244, 11250, 11256, 11262, 11270, 11274, 11279, 11283, 11287, 11291, 11306, 11307, 11322, 11323, 11332, 11336, 11341, 11345, 11349, 11353, 11361, 11367, 11374, 11380, 11386, 11392, 14392
\fboxrule 2000, 10709, 10715, 10721, 10723, 10725, 10727
\fboxsep 2001, 2068, 2077, 6483, 6484, 6485, 6521, 10709, 10721, 10723, 10725, 10727, 14391, 19194, 19195, 19196, 19292
\fcolorbox 2002
\FeetAboveFloat 9900, 9904
\FeetAtBottom 9902
\FeetBelowFloat . . 9901
\FeetBelowRagged 9903, 9905
\ff@backcol 10328
\ff@col 10326
\ff@frametype 10324, 10335
\ff@txtcol 10316, 10317, 10327
\fi 12, 13, 18, 25, 36, 84, 94, 100, 103, 104, 105, 113, 130, 132, 138, 146, 150, 154, 158, 165, 180, 213, 214, 219, 224, 230, 233, 234, 235, 245, 293, 307, 311, 330, 338, 343,

362, 371, 372,
373, 374, 380,
391, 411, 418, 430,
441, 442, 449,
466, 476, 480,
485, 508, 518,
531, 532, 536,
537, 538, 546,
555, 563, 564,
582, 583, 595,
596, 597, 599,
602, 618, 624,
626, 683, 688,
726, 733, 741,
743, 750, 753,
754, 757, 776,
777, 783, 792,
814, 823, 830,
839, 843, 856,
859, 860, 861,
867, 868, 873,
876, 884, 892,
894, 901, 902,
909, 912, 913,
918, 926, 964,
974, 983, 991,
1015, 1017, 1032,
1037, 1071, 1078,
1087, 1093, 1094,
1100, 1103, 1110,
1113, 1114, 1119,
1127, 1135, 1137,
1144, 1145, 1149,
1169, 1170, 1171,
1188, 1215, 1225,
1234, 1242, 1266,
1268, 1283, 1288,
1322, 1329, 1338,
1342, 1348, 1349,
1354, 1357, 1365,
1373, 1375, 1382,
1383, 1391, 1394,
1395, 1400, 1413,
1416, 1417, 1418,
1437, 1464, 1474,
1483, 1491, 1515,
1517, 1532, 1537,
1575, 1576, 1578,
1581, 1583, 1584,
1589, 1603, 1604,
1618, 1619, 1633,
1641, 1642, 1648,
1649, 1653, 1658,
1661, 1666, 1669,
1677, 1678, 1687,
1688, 1700, 1701,
1712, 1774, 1775,
1782, 1783, 1791,
1797, 1803, 1815,
1821, 1827, 1833,
1839, 1849, 1892,
1893, 1900, 1901,
2103, 2109, 2115,
2130, 2140, 2151,
2155, 2156, 2158,
2215, 2216, 2222,
2237, 2238, 2241,
2244, 2247, 2251,
2252, 2260, 2287,
2293, 2294, 2297,
2314, 2320, 2326,
2341, 2342, 2346,
2347, 2349, 2354,
2543, 2544, 2545,
2547, 2575, 2583,
2614, 2615, 2630,
2640, 2654, 2664,
2673, 2680, 2718,
2726, 2735, 2738,
2744, 2753, 2756,
2778, 2785, 2822,
2857, 3008, 3026,
3245, 3271, 3285,
3297, 3312, 3348,
3360, 3392, 3403,
3457, 3459, 3460,
3489, 3491, 3495,
3496, 3505, 3507,
3528, 3529, 3531,
3545, 3546, 3548,
3549, 3564, 3577,
3578, 3586, 3603,
3658, 3668, 3679,
3876, 3882, 4069,
4072, 4075, 4078,
4097, 4108, 4338,
4347, 4374, 4382,
4391, 4426, 4435,
4611, 4668, 4670,
4680, 5003, 5004,
5121, 5122, 5123,
5301, 5379, 5431,
5444, 5452, 5483,
5484, 5539, 5540,
5544, 5551, 5556,
5565, 5594, 5605,
5607, 5610, 5612,
5666, 5668, 5672,
5691, 5693, 5694,
5695, 5706, 5708,
5709, 5718, 5720,
5757, 5766, 5770,
5776, 5777, 5782,
5785, 5793, 5801,
5808, 5809, 5816,
5819, 5820, 5826,
5836, 5867, 5869,
5871, 5883, 5893,
5902, 5910, 5933,
5942, 5946, 5952,
5953, 5958, 5961,
5969, 5977, 5984,
5985, 5992, 5995,
5996, 6002, 6023,
6043, 6045, 6047,
6059, 6069, 6078,
6086, 6106, 6112,
6113, 6117, 6119,
6142, 6151, 6205,
6210, 6248, 6255,
6263, 6270, 6273,
6274, 6278, 6288,
6290, 6292, 6301,
6307, 6308, 6315,
6326, 6331, 6349,
6351, 6352, 6353,
6361, 6372, 6374,
6383, 6388, 6390,
6405, 6407, 6409,
6412, 6431, 6435,
6441, 6453, 6454,
6466, 6467, 6478,
6482, 6483, 6487,
6488, 6490, 6497,
6503, 6522, 6525,
6526, 6532, 6537,
6560, 6583, 6606,
6629, 6644, 6647,
6648, 6664, 6668,
6669, 6671, 6692,

6713, 6720, 6729,
6731, 6751, 6768,
6775, 6784, 6786,
6796, 6835, 6842,
6851, 6854, 6861,
6874, 6882, 6888,
6893, 6895, 6896,
6897, 6930, 6931,
6947, 6956, 6961,
6962, 7006, 7015,
7018, 7025, 7039,
7047, 7053, 7058,
7060, 7061, 7062,
7063, 7077, 7112,
7119, 7126, 7133,
7158, 7207, 7213,
7219, 7225, 7239,
7254, 7300, 7303,
7304, 7321, 7324,
7325, 7350, 7366,
7367, 7369, 7378,
7387, 7388, 7407,
7420, 7421, 7430,
7439, 7440, 7443,
7449, 7452, 7463,
7466, 7478, 7484,
7504, 7523, 7524,
7538, 7579, 7580,
7586, 7587, 7588,
7594, 7595, 7601,
7602, 7603, 7604,
7612, 7613, 7614,
7615, 7616, 7617,
7645, 7658, 7661,
7662, 7665, 7672,
7678, 7685, 7686,
7692, 7699, 7709,
7779, 7784, 7818,
7876, 7881, 7919,
7925, 7933, 7935,
7937, 7939, 7948,
7954, 7955, 7963,
7974, 7979, 7999,
8002, 8005, 8007,
8014, 8015, 8019,
8041, 8088, 8168,
8169, 8180, 8181,
8192, 8193, 8204,
8224, 8236, 8261,
8262, 8265, 8266,
8268, 8287, 8297,
8332, 8349, 8436,
8445, 8478, 8494,
8578, 8588, 8623,
8640, 8727, 8737,
8772, 8789, 8876,
8886, 8920, 8938,
9025, 9035, 9069,
9087, 9174, 9184,
9219, 9236, 9323,
9333, 9368, 9385,
9472, 9482, 9517,
9534, 9627, 9638,
9647, 9678, 9728,
9853, 9884, 9896,
9913, 9921, 9928,
9931, 9932, 9936,
9939, 9944, 9951,
9968, 10030,
10035, 10069,
10076, 10078,
10080, 10090,
10094, 10101,
10102, 10103,
10104, 10142,
10154, 10156,
10174, 10190,
10192, 10203,
10210, 10226,
10248, 10256,
10260, 10274,
10281, 10343,
10345, 10347,
10356, 10358,
10360, 10368,
10371, 10373,
10388, 10402,
10426, 10510,
10512, 10544,
10594, 10602,
10615, 10628,
10629, 10643,
10644, 10667,
10710, 10724,
10726, 10736,
10804, 10805,
10833, 10838,
10847, 10860,
10861, 10862,
10876, 10901,
10918, 10921,
10945, 10966,
10969, 10982,
10984, 10987,
10988, 10999,
11005, 11008,
11015, 11024,
11030, 11032,
11034, 11037,
11045, 11051,
11066, 11072,
11073, 11076,
11083, 11095,
11096, 11109,
11119, 11135,
11139, 11144,
11148, 11149,
11159, 11160,
11165, 11166,
11167, 11175,
11184, 11186,
11187, 11188,
11189, 11190,
11202, 11204,
11205, 11206,
11207, 11208,
11213, 11219,
11220, 11221,
11234, 11240,
11247, 11253,
11259, 11265,
11266, 11267,
11272, 11276,
11281, 11285,
11289, 11293,
11294, 11295,
11296, 11303,
11311, 11319,
11327, 11334,
11338, 11343,
11347, 11351,
11355, 11356,
11357, 11364,
11370, 11377,
11383, 11389,
11395, 11396,
11397, 11398,
11399, 11400,
11401, 11410,
11415, 11416,

11420, 11432,
11440, 11444,
11445, 11460,
11471, 11482,
11502, 11513,
11524, 11539,
11554, 11569,
11628, 11666,
11699, 11730,
11761, 11787,
11790, 11793,
11796, 11805,
11807, 11811,
11817, 11819,
11822, 11836,
11841, 11850,
11858, 11870,
11875, 11883,
11890, 11901,
11906, 11912,
11919, 11930,
11935, 11945,
11951, 11955,
11958, 11986,
11990, 12003,
12007, 12010,
12013, 12015,
12038, 12039,
12056, 12066,
12072, 12089,
12104, 12105,
12123, 12126,
12130, 12159,
12160, 12168,
12169, 12182,
12190, 12196,
12219, 12222,
12299, 12302,
12305, 12308,
12311, 12314,
12317, 12320,
12324, 12327,
12330, 12333,
12336, 12339,
12342, 12345,
12348, 12351,
12354, 12357,
12360, 12363,
12366, 12369,
12372, 12375,
12378, 12381,
12384, 12387,
12390, 12393,
12396, 12399,
12402, 12405,
12408, 12411,
12414, 12417,
12420, 12423,
12426, 12429,
12432, 12435,
12438, 12441,
12444, 12447,
12450, 12453,
12456, 12459,
12462, 12465,
12468, 12471,
12474, 12477,
12480, 12483,
12486, 12489,
12492, 12495,
12498, 12501,
12504, 12507,
12513, 12515,
12518, 12527,
12528, 12543,
12565, 12570,
12579, 12583,
12612, 12616,
12649, 12671,
12695, 12703,
12891, 13217,
13293, 13297,
13300, 13305,
13306, 13307,
13308, 13309,
13310, 13322,
13336, 13339,
13345, 13349,
13350, 13371,
13372, 13373,
13378, 13389,
13391, 13395,
13405, 13417,
13424, 13445,
13452, 13455,
13476, 13486,
13514, 13520,
13521, 13543,
13550, 13553,
13574, 13584,
13609, 13615,
13616, 13621,
13641, 13651,
13652, 13657,
13658, 13664,
13668, 13669,
13672, 13676,
13681, 13684,
13688, 13693,
13697, 13705,
13716, 13730,
13735, 13741,
13755, 13763,
13777, 13784,
13792, 13796,
13800, 13804,
13897, 13903,
13922, 13927,
13932, 13939,
13949, 13950,
13953, 13954,
13955, 13960,
13965, 13969,
13975, 13981,
13986, 13989,
13995, 14014,
14027, 14028,
14047, 14061,
14069, 14070,
14074, 14082,
14097, 14105,
14140, 14149,
14150, 14168,
14172, 14179,
14180, 14182,
14184, 14185,
14186, 14192,
14217, 14219,
14230, 14241,
14248, 14254,
14256, 14259,
14260, 14274,
14326, 14327,
14330, 14334,
14335, 14351,
14352, 14353,
14354, 14355,
14357, 14360,
14368, 14379,
14384, 14389,

14392, 14393,
14400, 14402,
14406, 14408,
14417, 14419,
14421, 14430,
14432, 14434,
14443, 14445,
14447, 14456,
14458, 14475,
14497, 14498,
14505, 14514,
14518, 14531,
14534, 14535,
14536, 14542,
14543, 14548,
14551, 14559,
14567, 14574,
14575, 14582,
14585, 14586,
14592, 14607,
14627, 14629,
14631, 14645,
14655, 14664,
14672, 14696,
14698, 14713,
14718, 14752,
14759, 14768,
14784, 14794,
14803, 14811,
14837, 14839,
14854, 14859,
14901, 14902,
14904, 14907,
14913, 14914,
14919, 14922,
14930, 14938,
14945, 14946,
14953, 14956,
14957, 14963,
14967, 14980,
14983, 14984,
14985, 14992,
14994, 14996,
15000, 15028,
15097, 15102,
15138, 15144,
15152, 15159,
15162, 15163,
15167, 15168,
15169, 15180,
15182, 15184,
15193, 15216,
15225, 15278,
15283, 15321,
15328, 15336,
15343, 15346,
15347, 15351,
15361, 15363,
15365, 15374,
15379, 15386,
15395, 15428,
15432, 15442,
15473, 15478,
15479, 15490,
15491, 15505,
15507, 15511,
15515, 15517,
15522, 15526,
15529, 15533,
15535, 15539,
15566, 15575,
15577, 15588,
15595, 15618,
15624, 15630,
15633, 15656,
15661, 15662,
15674, 15684,
15689, 15692,
15729, 15730,
15736, 15743,
15746, 15761,
15766, 15767,
15768, 15784,
15787, 15794,
15810, 15831,
15838, 15843,
15848, 15851,
15852, 15853,
15855, 15882,
15906, 15907,
15908, 15926,
15927, 15935,
15941, 15954,
15964, 15982,
15988, 16012,
16114, 16123,
16125, 16136,
16143, 16166,
16172, 16178,
16181, 16204,
16209, 16210,
16222, 16232,
16237, 16240,
16277, 16278,
16284, 16291,
16294, 16309,
16314, 16315,
16318, 16321,
16334, 16337,
16342, 16345,
16350, 16353,
16362, 16366,
16373, 16389,
16410, 16417,
16422, 16427,
16430, 16431,
16432, 16434,
16461, 16485,
16486, 16487,
16505, 16506,
16514, 16520,
16533, 16543,
16561, 16567,
16591, 16686,
16693, 16694,
16710, 16711,
16712, 16713,
16714, 16715,
16716, 16717,
16724, 16726,
16730, 16732,
16736, 16738,
16742, 16744,
16748, 16750,
16754, 16756,
16760, 16762,
16766, 16768,
16772, 16774,
16778, 16780,
16784, 16812,
16821, 16823,
16834, 16841,
16864, 16870,
16876, 16879,
16902, 16907,
16908, 16920,
16930, 16935,
16938, 16975,
16976, 16982,
16989, 16992,

17007, 17012, 17013, 17044, 17048, 17055, 17071, 17092, 17099, 17104, 17109, 17112, 17113, 17114, 17116, 17143, 17167, 17168, 17169, 17187, 17188, 17196, 17202, 17215, 17225, 17243, 17249, 17273, 17364, 17367, 17409, 17425, 17429, 17430, 17434, 17435, 17453, 17461, 17468, 17475, 17482, 17488, 17493, 17524, 17581, 17582, 17598, 17599, 17615, 17633, 17640, 17642, 17657, 17668, 17671, 17678, 17679, 17680, 17685, 17689, 17690, 17705, 17727, 17734, 17752, 17753, 17769, 17770, 17771, 17775, 17776, 17785, 17789, 17790, 17791, 17797, 17800, 17801, 17802, 17810, 17821, 17822, 17824, 17825, 17831, 17832, 17833, 17841, 17844, 17845, 17853, 17854, 17855, 17856, 17864, 17867, 17871, 17872, 17873, 17881, 17884, 17888, 17889, 17890, 17898, 17901, 17905, 17906, 17907, 17915, 17918, 17922, 17923, 17924, 17932, 17935, 17939, 17940, 17941, 17949, 17952, 17957, 17958, 17959, 17967, 17970, 17976, 17977, 17978, 17986, 17989, 17996, 17997, 17998, 18006, 18009, 18023, 18031, 18032, 18033, 18041, 18044, 18066, 18081, 18082, 18083, 18224, 18240, 18332, 18346, 18349, 18351, 18379, 18380, 18381, 18388, 18403, 18420, 18442, 18481, 18482, 18750, 18752, 18759, 18761, 18774, 18775, 18776, 18783, 18787, 18792, 18796, 18802, 18808, 18812, 18818, 18821, 18823, 18824, 18825, 18828, 18831, 18834, 18835, 18844, 18850, 18859, 18860, 18868, 18874, 18878, 18881, 18882, 18893, 18894, 18904, 18905, 18909, 18913, 18917, 18921, 18925, 18929, 18933, 18937, 18941, 18946, 18954, 18957, 18964, 18965, 18969, 18976, 18999, 19005, 19016, 19021, 19027, 19029, 19036, 19039, 19052, 19061, 19074, 19077, 19088, 19094, 19095, 19101, 19106, 19109, 19123, 19128, 19131, 19132, 19133, 19134, 19138, 19141, 19143, 19149, 19150, 19164, 19174, 19175, 19182, 19187, 19190, 19193, 19194, 19197, 19198, 19200, 19209, 19210, 19214, 19220, 19226, 19227, 19228, 19231, 19237, 19241, 19252, 19253, 19257, 19263, 19275, 19276, 19277, 19280, 19294, 19299, 19341, 19342, 19353, 19354, 19357, 19361, 19362, 19397, 19424, 19443, 19451, 19457, 19463, 19469, 19470, 19476, 19481, 19484, 19504, 19505, 19513, 19514, 19522, 19523, 19531, 19532, 19540,

19541, 19542, 19543, 19546, 19549, 19552, 19555, 19556, 19557, 19558, 19560, 19562, 19563, 19570, 19573, 19575, 19576, 19580, 19581, 19585, 19601, 19602, 19610, 19611, 19614, 19615, 19616, 19617, 19618, 19624, 19629, 19637, 19658, 19678, 19681, 19701, 19717, 19720, 19723, 19732, 19741, 19776, 19785, 19817, 19820, 19821, 19822, 19823, 19824, 19832, 19846, 19850, 19851, 19855, 19863, 19864, 19865, 19866, 19867, 19883, 19889, 19890, 19891, 19893, 19894, 19895, 19910, 19920, 19933, 19936, 19937, 19941, 19942, 19944, 19952, 19954, 20053, 20059, 20065
\figcaption 11184, 11202
\fill 5294, 5298, 6407, 6409, 6411, 11219, 11414, 12513, 12515, 12517
\filright . . 17620, 17649
\FirstFrameCommand 10723, 10769
\firstmark . . . 6690, 6749, 10140, 10172, 10313, 10899, 10943, 13443, 13541, 19656, 19699, 19927
\firstname 2472
\firstnamecolour 2441, 7097, 7193
\firstnamefont 2450, 2458, 7135, 7136, 7227, 7230
\firstnamestyle 2458, 7147, 7237, 7258
\fivecolumnfootnotes 8713
\fivecolumnfootstyle 8808
\flnew@within . . . 10233
\float@newx 10227
\floatalignment 3932, 3933, 3974, 3975, 3991, 3998, 4006, 4057, 4268
\FloatBarrier 3904, 4248
\floatc@bidituftefloatplain . . . 4266, 4276, 4283, 4289, 4297
\floatc@bidituftefloatplaintop 4283
\floatc@biditufteﬂoatruled 4284
\floatc@plain 10224
\floatingpenalty . . . 40, 53, 68, 249, 262, 276, 7309, 7330, 7377, 7384, 7429, 7436, 8214, 10548, 10564, 10579
\floatstyle 4317
\flushleft . . 2069, 2078
\FN@sf@@footnote 2096, 2100
\FN@sf@@footnotemark 2125, 2127
\FN@sf@@LTRfootnote 2097, 2106
\FN@sf@@RTLfootnote 2098, 2112
\FN@sf@gobble@bracket 2136, 2139
\FN@sf@gobble@opt 2102, 2108, 2114, 2117
\FN@sf@gobble@optonly 2129, 2132
\FN@sf@gobble@twobracket 2121, 2124
\font 17376, 17377
\fontdimen . 17376, 17377
\fontsize . 305, 5249, 5251, 5253, 7135, 7227, 14012, 14025
\foo 14052, 14054, 14064, 14066
\footdir@abspage 10413, 10416, 10417, 10420, 10421, 10424
\footdir@debug 10385, 10393, 10397, 10400, 10410, 10417, 10421, 10424
\footdir@debugfalse 1826
\footdir@debugtrue 1824, 10383
\footdir@fntext . . . 10431, 10448, 10450
\footdir@LeftRightElse 10391, 10407, 10484
\footdir@name 10434, 10437, 10438
\footdir@ORG@bidi@amsart@footnotetext 76
\footdir@ORG@bidi@amsart@LTRfootnotetext 78
\footdir@ORG@bidi@amsart@RTLfootnotetext 77
\footdir@ORG@bidi@amsbook@footnotetext 285
\footdir@ORG@bidi@amsbook@LTRfootnotetext 287
\footdir@ORG@bidi@amsbook@RTLfootnotetext 286
\footdir@ORG@bidi@footnotetext 10597
\footdir@ORG@bidi@LTRfootnotetext 10599
\footdir@ORG@bidi@RTLfootnotetext 10598

\footdir@temp . . . . .
. 76, 77, 78, 285, 286, 287, 10443, 10597, 10598, 10599
\footdir@toks . . . . .
. . 10384, 10451, 10452, 10453, 10457
\footdir@write . . . .
10378, 10408, 10447
\footersymbol . . . . .
. . . . 7154, 7155, 7170, 7171, 7172, 7173
\footfootmark . . . . .
. . . 8158, 8324, 8470, 8615, 8764, 8913, 9062, 9211, 9360, 9509, 9708
\footfudgefactor . .
. . 9618, 9668, 9780
\footfudgefiddle . .
. . . . . 9648, 9667
\footins 35, 48, 63, 244, 257, 271, 2326, 7309, 7330, 7334, 7335, 7346, 7349, 7353, 7377, 7383, 7391, 7392, 7403, 7406, 7410, 7429, 7435, 8040, 8056, 8072, 8211, 9861, 9865, 9872, 9876, 9880, 9893, 10543, 10559, 10574, 10885, 10886, 10929, 10930
\footinsdim 8210, 8211, 8252, 8278, 8381, 8427, 8524, 8569, 8672, 8718, 8821, 8867, 8970, 9016, 9119, 9165, 9268, 9314, 9417, 9463, 9566, 9654, 9773
\footinsv@r . . 8204, 8249, 8250, 8251, 8252, 8278, 8279, 8287, 8297, 8307, 8427, 8428, 8436, 8445, 8454, 8569, 8570, 8578, 8588, 8598, 8718, 8719, 8727, 8737, 8747, 8867, 8868, 8876, 8886, 8896, 9016, 9017, 9025, 9035, 9045, 9165, 9166, 9174, 9184, 9194, 9314, 9315, 9323, 9333, 9343, 9463, 9464, 9472, 9482, 9492, 9654, 9655, 9669, 9681, 9693
\footmarksep 8153
\footmarkstyle 8155, 8194
\footmarkwidth 8152, 8159, 8160, 8162, 8164, 8167, 8171, 8172, 8174, 8176, 8179, 8183, 8184, 8186, 8188, 8191, 8197
\footnote 637, 711, 959, 1058, 1210, 1309, 1459, 1559, 2096, 2099, 4831, 5150, 5181, 5878, 6054, 6159, 6233, 7737, 7805, 7830, 7904, 9988, 10056, 13340, 13343, 14640, 14739, 14777, 14883, 15036, 15124, 15232, 15306, 15609, 15725, 16157, 16273, 16855, 16971
\footnotelayout . . .
. . 4652, 4653, 4656
\footnotemark . 2125, 2126, 10672, 10686, 13341, 13344
\footnoterule . 7288, 7350, 7356, 7361, 7389, 7390, 7407, 7411, 7415, 7441, 7442, 8035, 8223, 8234, 8248, 9838, 9864, 9875, 10375, 10472, 10476, 10479, 10494, 10499, 10500, 10502, 10977
\footnotes 4649
\footnotesep 29, 31, 39, 45, 52, 58, 67, 73, 239, 241, 248, 254, 261, 267, 275, 281, 7306, 7327, 7352, 7409, 8051, 8067, 8083, 8097, 8110, 8123, 8215, 10547, 10555, 10563, 10571, 10578, 10586, 10612, 10625, 10638
\footnotesize . . . 37, 50, 65, 102, 232, 246, 259, 273, 633, 955, 1206, 1455, 2550, 2572, 3812, 3813, 3851, 4464, 4658, 4687, 4704, 4721, 5874, 6050, 6155, 7733, 7826, 8207, 8208, 8209, 9984, 10545, 10561, 10576, 10605, 10618, 10631, 14145, 14147, 14636, 14773, 15032, 15228, 15605, 16153, 16851
\footnotetext . . 2161, 2172, 5617, 5627
\footparindent 8154, 8198
\footrule 10119
\footrulewidth 2420, 4127
\footscript . . 8155, 8161, 8165, 8167
\footskip . . 10119, 19917
\foottextfont . . . . .
. . . 8044, 8051, 8091, 8097, 8207, 8274, 8289, 8324, 8335, 8423, 8438, 8470, 8481, 8565, 8580, 8615, 8626, 8714, 8729, 8764,

8775, 8863, 8878, 8913, 8924, 9012, 9027, 9062, 9073, 9161, 9176, 9211, 9222, 9310, 9325, 9360, 9371, 9459, 9474, 9509, 9520, 9623, 9650, 9664, 9672, 9708, 9722
\forcerectofloat . 3935
\forceversofloat . 3936
\fourcolumnfootnotes 8564
\fourcolumnfootstyle 8659
\fp 12989, 12990, 12991, 12992
\fps@figure 11172
\framebox 168, 170, 7145, 7276, 13650, 13656
\FrameCommand 10721
\FrameHeightAdjust 10795
\FrameRestore . 10729, 10733, 10849, 10850
\fromaddress 7997, 8003, 8013, 12005, 12011
\fromname 8018
\fromplace 16778
\fromsig 8017, 8019, 16785
\frontmatter 5348
\fs@bidituftefloatboxed 4295
\fs@bidituftefloatplain 4274, 4282
\fs@bidituftefloatplaintop 4282
\fs@bidituftefloatruled 4287
\fslice . 14162, 14163, 14165, 14166, 14169
\ftn@font 15580, 16128, 16826
\ftn@rule@height 15587, 15590, 15594, 15597, 16135, 16138, 16142, 16145, 16833, 16836, 16840, 16843
\ftn@rule@test@values 15586, 15593, 16134, 16141, 16832, 16839
\ftn@rule@width 15590, 15597, 16138, 16145, 16836, 16843
\ftnm@font 15582, 16130, 16828
\full@width 13708, 13720, 13768
\futurelet 1008, 1010, 1259, 1261, 1508, 1510, 2670, 14689, 14691, 14830, 14832

G

\g 7510, 7512, 7516, 7609, 12690, 12697, 12705, 12748, 12752, 12753, 12799, 12803, 12804, 12821, 12822, 12855, 12872, 12875, 12881, 12882, 12883, 12884, 12885, 12894, 12895, 12897, 12899, 12900, 12901, 12908, 12909, 12914, 12920, 12929, 12932, 12940, 12941, 12944, 12945, 12946, 12947, 12948, 12949, 12951, 12954, 12955, 12957, 12960, 12962, 12965, 12970, 12978, 12979, 12981, 12982, 12983, 12984, 12985, 12986, 12987, 12989, 12990, 12991, 12992, 12994, 12995, 13005, 13013, 13014, 13015, 13017, 13022, 13023, 13028, 13029, 13033, 13038, 13041, 13048, 13050, 13053, 13054, 13058, 13060, 13061, 13064, 13065, 13066, 13070, 13071, 13075, 13076, 13083, 13098, 13099, 13100, 13102, 13107, 13110, 13111, 13114, 13118, 13119, 13120, 13124, 13125, 13126, 13133, 13134, 13135, 13137, 13138, 13141, 13142, 13147, 13153, 13164, 13169, 13170, 13171, 13175, 13176, 13177, 13178, 13179, 13180, 13182, 13189, 13205, 13206, 13207, 13208, 13210, 13213, 13221, 13223, 13235, 13236, 13238, 13240, 13241, 13242, 13246, 13247, 13248, 13253, 13260
\g@addto@macro 3330, 3574, 3659, 3669, 3930, 4610, 4612, 7539, 7542, 7544, 18681, 18977
\g@mix@page@int . . 13127
\gdef . 626, 628, 1999,

2311, 2441, 2442, 2443, 2444, 2445, 2446, 2448, 2449, 3653, 3664, 3948, 3949, 3951, 3954, 4028, 4033, 4034, 4035, 4187, 4228, 4607, 4742, 4771, 4800, 4839, 4848, 4857, 5186, 5203, 5219, 5231, 5271, 5272, 5273, 5460, 5463, 5725, 5737, 5739, 6689, 6748, 7493, 7506, 9878, 9889, 9900, 9901, 10139, 10171, 10438, 10498, 10898, 10942, 12053, 12218, 12221, 13442, 13540, 13957, 13978, 14334, 17374, 17621, 17622, 17627, 17650, 17651, 18974, 19361, 19413, 19655, 19698
\geometry 3834, 3837, 3841, 3844, 3848
\Gin@angle 14018
\Gin@bboxtrue 11009
\Gin@defaultbp 11010, 11011, 11012, 11013, 17603, 17604, 17607
\Gin@eheight 14020
\Gin@esetsize 11028
\Gin@ewidth 14019, 14020
\Gin@exclamation . . 11058, 14019, 14022
\Gin@gridfalse . . 14005
\Gin@ii 11017
\Gin@iii . . . 11006, 11020
\Gin@llx 11010
\Gin@lly 11011
\Gin@outer@scalex 14016
\Gin@outer@scaley 14017
\Gin@scalex 14021
\Gin@scaley 14022
\Gin@urx 11012
\Gin@ury 11013
\Ginclude@graphics 11014, 11026
\Ginput@path 379, 507, 12887
\global 303, 419, 420, 467, 468, 471, 472, 488, 522, 523, 547, 550, 551, 567, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 686, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 739, 740, 890, 891, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1035, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1133, 1134, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1286, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1371, 1372, 1497, 1498, 1499, 1500, 1501, 1502, 1503, 1504, 1505, 1506, 1535, 1541, 1542, 1543, 1544, 1545, 1546, 1547, 1548, 1549, 1550, 1551, 1677, 1678, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 2140, 2158, 2159, 2162, 2165, 2168, 2172, 2175, 2178, 2257, 2261, 2283, 2323, 2343, 2344, 2352, 2607, 2619, 2643, 3790, 3799, 3933, 3977, 3978, 3984, 4344, 4355, 4358, 4388, 4399, 4402, 4432, 4443, 4446, 4488, 4500, 5264, 5461, 5464, 5482, 5486, 5502, 5513, 5539, 5540, 5567, 5580, 5581, 5609, 5618, 5621, 5624, 5627, 5630, 5633, 5665, 5675, 5689, 5691, 5696, 5697, 5703, 5704, 5706, 5726, 5738, 5740, 5798, 5799, 5916, 5917, 5918, 5919, 5920, 5921, 5922, 5923, 5924, 5925, 5974, 5975, 6092, 6093, 6094, 6095, 6096, 6097, 6098, 6099, 6100, 6101, 6179, 6180, 6181, 6182, 6183, 6184, 6185, 6186, 6187, 6188, 6189, 6190, 6208, 6214, 6215, 6216, 6217, 6218, 6219, 6220, 6221, 6222, 6223, 6224, 6225, 6226, 6260, 6261, 6352, 6362, 6363, 6364, 6365, 6366, 6367, 6368, 6369, 6377, 6390, 6395, 6399, 6447, 6676, 6677, 6687, 6694, 6724, 6735, 6736, 6746, 6753, 6779, 6838, 6846, 6856, 6866, 6875, 6877, 6878, 6881, 6884, 6894, 6908, 6909,

6911, 6913, 6914,
6916, 6922, 6923,
6926, 6928, 6929,
6932, 6935, 6940,
6949, 6957, 7002,
7010, 7020, 7029,
7031, 7040, 7042,
7043, 7046, 7049,
7059, 7067, 7068,
7075, 7301, 7308,
7322, 7329, 7341,
7349, 7353, 7370,
7373, 7381, 7386,
7398, 7406, 7410,
7422, 7425, 7433,
7438, 7619, 7755,
7756, 7757, 7758,
7759, 7760, 7761,
7762, 7763, 7764,
7782, 7788, 7789,
7790, 7791, 7792,
7793, 7794, 7795,
7796, 7797, 7798,
7850, 7851, 7852,
7853, 7854, 7855,
7856, 7857, 7858,
7859, 7860, 7861,
7879, 7885, 7886,
7887, 7888, 7889,
7890, 7891, 7892,
7893, 7894, 7895,
7896, 7897, 7930,
7931, 8088, 8101,
8114, 8268, 8332,
8344, 8357, 8397,
8478, 8489, 8501,
8539, 8623, 8635,
8648, 8688, 8772,
8784, 8797, 8837,
8921, 8933, 8946,
8986, 9070, 9082,
9095, 9135, 9219,
9231, 9244, 9284,
9368, 9380, 9393,
9433, 9517, 9529,
9542, 9582, 9609,
9623, 9718, 9732,
9746, 9796, 9841,
9888, 9899, 9918,
9919, 10006,
10007, 10008,
10009, 10010,
10011, 10012,
10013, 10014,
10015, 10033,
10039, 10040,
10041, 10042,
10043, 10044,
10045, 10046,
10047, 10048,
10049, 10127,
10128, 10137,
10143, 10159,
10160, 10169,
10176, 10243,
10246, 10279,
10282, 10284,
10290, 10291,
10310, 10602,
10603, 10615,
10616, 10628,
10629, 10883,
10884, 10885,
10886, 10896,
10904, 10927,
10928, 10929,
10930, 10940,
10948, 11598,
11612, 11636,
11650, 11683,
11714, 11745,
12180, 12552,
12553, 12604,
12607, 13273,
13274, 13275,
13276, 13277,
13278, 13279,
13280, 13281,
13298, 13393,
13429, 13430,
13440, 13446,
13449, 13451,
13453, 13454,
13456, 13461,
13469, 13471,
13479, 13480,
13481, 13482,
13484, 13485,
13488, 13489,
13518, 13519,
13527, 13528,
13538, 13544,
13547, 13549,
13551, 13552,
13554, 13559,
13567, 13569,
13577, 13578,
13579, 13580,
13582, 13583,
13586, 13587,
13613, 13614,
13620, 13621,
13633, 13634,
13635, 13636,
13637, 13638,
13640, 13646,
13718, 13735,
13741, 13755,
13763, 13898,
14084, 14101,
14102, 14103,
14104, 14112,
14119, 14152,
14176, 14177,
14178, 14362,
14412, 14564,
14565, 14678,
14679, 14680,
14681, 14682,
14683, 14684,
14685, 14686,
14687, 14716,
14722, 14723,
14724, 14725,
14726, 14727,
14728, 14729,
14730, 14731,
14732, 14817,
14818, 14819,
14820, 14821,
14822, 14823,
14824, 14825,
14826, 14827,
14828, 14857,
14863, 14864,
14865, 14866,
14867, 14868,
14869, 14870,
14871, 14872,
14873, 14874,

14875, 14935, 14936, 15066, 15067, 15068, 15069, 15070, 15071, 15072, 15073, 15074, 15075, 15076, 15077, 15100, 15106, 15107, 15108, 15109, 15110, 15111, 15112, 15113, 15114, 15115, 15116, 15117, 15118, 15149, 15150, 15252, 15253, 15254, 15255, 15256, 15257, 15258, 15259, 15260, 15261, 15262, 15263, 15281, 15287, 15288, 15289, 15290, 15291, 15292, 15293, 15294, 15295, 15296, 15297, 15298, 15299, 15333, 15334, 15687, 15699, 15700, 15701, 15702, 15703, 15704, 15705, 15706, 15707, 15708, 15709, 15710, 15711, 15712, 15713, 15714, 15715, 15716, 15717, 15718, 15719, 15720, 15721, 15920, 15974, 15976, 16235, 16247, 16248, 16249, 16250, 16251, 16252, 16253, 16254, 16255, 16256, 16257, 16258, 16259, 16260, 16261, 16262, 16263, 16264, 16265, 16266, 16267, 16268, 16269, 16499, 16553, 16555, 16933, 16945, 16946, 16947, 16948, 16949, 16950, 16951, 16952, 16953, 16954, 16955, 16956, 16957, 16958, 16959, 16960, 16961, 16962, 16963, 16964, 16965, 16966, 16967, 17181, 17235, 17237, 17467, 17471, 17472, 17473, 17490, 17502, 17507, 17511, 17523, 17560, 17562, 17567, 17569, 17815, 17816, 17819, 17820, 18347, 18348, 18398, 18402, 18971, 19119, 19127, 19137, 19140, 19184, 19423, 19574, 19642, 19643, 19653, 19660, 19685, 19686, 19696, 19703, 19738, 19749, 19752, 19782, 19793, 19796, 19824, 19833, 19834, 19835, 19836, 19838, 19841, 19842, 19856, 19861, 19872, 19873, 19882, 19924, 19925, 19935

\glossary . . 10300, 19901

\glueexpr 18527, 18534, 18539, 18600, 18661, 18664, 18668, 18674

\Gm@vrule 11103, 11104, 11105, 11107, 11108, 11109, 11112, 11113, 11114, 11117, 11118, 11119

\Gm@vrules@mpi . . . 11100

\Gm@vrules@mpii . . 11110

\grid 14013, 14026

\Grot@box 10987, 15511, 15522, 15529, 15539

\Grot@box@std . . . 10982

\Grot@setangle 10983, 15504, 15514, 15525, 15532

\Grot@x 10985, 15509, 15519, 15527, 15537

\Grot@y . 10986, 15510, 15520, 15527, 15538

\group . 12868, 12889, 13192, 13201, 13263

\grp@aligned 6368

\GRP@box 6363, 6395, 6397

\grp@eqs@numbered 6367

\grp@hasNumber . . . 6372

\GRP@label 6364

\grp@linewidth . . . 6366

\GRP@queue . . 6363, 6399

\grp@setnumber . . . 6372

\grp@shiftnumber . 6369

\grp@wdL 6365

\grp@wdNum 6366

\grp@wdR 6365

\grp@wdT 6365

\Gscale@box 10988, 11080, 11097

\Gscale@div 11079, 11086, 11089

\Gscale@end 10992, 11038

\Gscale@start 10992, 11038

\Gscale@x . . 10990, 11036

\Gscale@y . . 10990, 11036

\gsetboolean . . 3793, 3935, 3936, 3963, 3964, 3968, 3969, 4256, 4257, 4494

\gsetlength . . 3788, 3950, 4036, 4486, 4744, 4746, 4773, 4775, 4802, 4804

H

\H@@footnotemark 11489, 11578, 11771, 11785, 11802
\H@@footnotetext 11448, 11459, 11528, 11575, 11689, 11772, 11788, 11802
\H@@mpfootnotetext 11457, 11491, 11495, 11579
\H@refstepcounter 11978
\halign 5501, 12555
\hangafter . 6537, 13366
\hangindent 103, 104, 105, 233, 234, 235, 866, 1092, 1347, 5121, 5122, 5123, 5775, 5951, 6441, 6537, 13359, 13365, 14541, 14912, 19560, 19954
\hb@xt@ 676, 736, 755, 887, 914, 1115, 1130, 1276, 1368, 1396, 1942, 5796, 5821, 5972, 5997, 6198, 6258, 6275, 6527, 6696, 6701, 6703, 6755, 6756, 6760, 6816, 6820, 6823, 6828, 6833, 6993, 6994, 6998, 7663, 7675, 7772, 7869, 7928, 8160, 8167, 8172, 8179, 8184, 8191, 9916, 9933, 10023, 10178, 10179, 10183, 10201, 10216, 10320, 10906, 10907, 10911, 10950, 10955, 10957, 11001, 11047, 11102, 11107, 11112, 11116, 12001, 12181, 13394, 13495, 13500, 13503, 13593, 13594, 13599, 13695, 14562, 14587, 14933, 14958, 15048, 15091, 15164, 15271, 15331, 15348, 15886, 15926, 16465, 16505, 17147, 17187, 17412, 18078, 18236, 18342, 18734, 18847, 18884, 18886, 18952, 18959, 18961, 19373, 19557, 19558, 19635, 19662, 19667, 19669, 19705, 19706, 19710, 19845, 19910, 19920, 19936
\hbadness 4299, 7294, 7315, 17543, 17545, 19058, 19059, 19076
\hbox . 15, 28, 176, 216, 238, 340, 599, 607, 624, 764, 873, 949, 1100, 1183, 1354, 1428, 1629, 1688, 2141, 2346, 2349, 3909, 3991, 3993, 3998, 4031, 4032, 4041, 4048, 4268, 4301, 4619, 4658, 4685, 4702, 4719, 4840, 4849, 4858, 5293, 5301, 5420, 5470, 5474, 5485, 5502, 5513, 5726, 5740, 5782, 5859, 5958, 6012, 6285, 6396, 6454, 6483, 6643, 6646, 6663, 6667, 7353, 7356, 7359, 7410, 7411, 7413, 7496, 7501, 7507, 7729, 8027, 9616, 9629, 9634, 9639, 9644, 9818, 9827, 9963, 10100, 10112, 10113, 10118, 10120, 10144, 10147, 10149, 10220, 10224, 10226, 10264, 10269, 10464, 10979, 10980, 10984, 10991, 10992, 11037, 11038, 11076, 11083, 12024, 12544, 12564, 12569, 12694, 12702, 12873, 12889, 12890, 12908, 13168, 13170, 13176, 13179, 13216, 13257, 13668, 13702, 13718, 13720, 13820, 14096, 14145, 14149, 14169, 14202, 14206, 14211, 14215, 14227, 14238, 14255, 14265, 14282, 14290, 14291, 14299, 14340, 14341, 14342, 14344, 14345, 14371, 14389, 14400, 14548, 14602, 14919, 15023, 15147, 15177, 15358, 15526, 15580, 15582, 15597, 15849, 15957,

16128, 16130, 16145, 16428, 16536, 16697, 16698, 16707, 16723, 16729, 16735, 16741, 16747, 16753, 16759, 16765, 16771, 16826, 16828, 16843, 17110, 17218, 17391, 17440, 17453, 17482, 17493, 17532, 17602, 18839, 18840, 18889, 18891, 18948, 18949, 19152, 19186, 19188, 19194, 19307, 19315, 19316, 19324, 19371, 19372, 19375, 19376, 19377, 19378, 19386, 19392, 19489, 19559, 19568, 19570, 19576, 19587, 19602, 19631, 19632, 19853, 19863, 19865
\hboxL 10829, 10846, 14291, 19316
\hboxR 14282, 19307
\head@style 840, 1146, 1339, 1571, 5767, 5943, 14515, 14897, 14964, 15025
\headheight 1924, 7481, 10113, 10306, 19906
\headrule 10116
\headrulewidth 2419, 4126
\headsep . 1932, 1935, 7482, 10307, 19915
\headwidth 2509, 10112, 10114, 10115, 10116, 10118, 10120, 10121, 10122
\height . 11056, 11244, 11246, 11250, 11252, 11279, 11280, 11283, 11284, 11341, 11342, 11345, 11346, 11374, 11376, 11380, 11382, 13219, 13231, 13233, 13258
\hfil 15, 216, 736, 755, 887, 914, 1115, 1130, 1277, 1368, 1396, 1625, 1626, 1627, 1628, 1656, 1657, 1658, 1664, 1665, 1666, 1914, 1919, 5471, 5473, 5578, 5796, 5821, 5972, 5997, 6258, 6275, 6527, 6644, 6647, 6664, 6668, 6698, 6700, 6757, 6759, 6819, 6830, 6832, 6995, 6997, 7663, 7675, 7928, 8267, 9916, 9933, 10146, 10180, 10182, 10206, 10219, 10226, 10908, 10910, 10952, 10954, 11109, 11114, 12181, 12569, 13394, 13497, 13499, 13596, 13598, 13695, 14149, 14203, 14207, 14212, 14216, 14228, 14239, 14265, 14562, 14587, 14933, 14958, 15147, 15164, 15331, 15348, 18078, 18236, 18342, 18734, 18847, 18884, 18886, 18952, 18959, 18961, 19402, 19635, 19664, 19666, 19707, 19709, 19864, 19866, 19890, 19891, 19893, 19894, 19936
\hfill 176, 189, 1694, 1695, 2530, 2536, 2550, 4060, 4061, 4064, 4065, 5442, 5452, 6460, 6461, 7146, 10114, 10115, 10120, 10121, 13670, 13694, 13826, 13829, 13830, 13831, 13834, 13835, 13836, 13837, 13838, 13841, 13842, 13843, 13844, 13845, 13846, 13847, 13850, 13851, 13852, 13853, 13854, 13855, 13856, 13857, 13858, 13861, 13862, 13863, 13866, 13867, 13868, 13871, 13872, 13873, 13874, 13875, 13878, 13879, 13880, 13881, 13882, 13885, 13886, 13887, 13888, 13889, 14256, 14260, 15597, 15994, 16011, 16145, 16573, 16590, 16725, 16731, 16737, 16743, 16749, 16755, 16761, 16767, 16843, 17255, 17272, 17622, 17651, 18708, 18711, 18715, 18841, 18950, 19107, 19633
\hfilneg 8261, 8265

\hfuzz 7494, 17544, 17546
\hintcolour 2449
\hintfont 2457, 2465, 2519, 2526, 2531
\hintscolumnwidth 2485, 2499, 2503, 2511, 2519, 2525, 2531, 2587
\hintstyle 2465
\hline 12521, 12523, 12529
\HLOFF 2004
\HLON 1998
\HLTR@@LTRfootnotetext 11450, 11481, 11558, 11576, 11618, 11720, 11774, 11794
\HLTR@@mpLTRfootnotetext 11479, 11493, 11517, 11580
\hoffset 1928
\hold@viper 6706, 6709, 6761, 6764, 6796, 6837, 6838, 6846, 6847, 6856, 6857, 6865, 6962, 7001, 7002, 7010, 7011, 7020, 7021, 7030, 7066, 7068, 7069
\holder . 14159, 14162, 14171, 14181, 14182, 14200, 14204, 14209, 14213, 14225, 14229, 14236, 14240
\href 2555, 2556, 2559, 2560, 2563, 2564
\HRTL@@mpRTLfootnotetext 11468, 11492, 11506, 11581
\HRTL@@RTLfootnotetext 11449, 11470, 11543, 11577, 11656, 11751, 11773, 11791
\hrule 31, 241, 760, 943, 1178, 1422, 4290, 4291, 4301, 4302, 5472, 5853, 6006, 6115, 6121, 6127, 6133, 6281, 7289, 7725, 8023, 8036, 9959, 10467, 10469, 10501, 10834, 12020, 12649, 13823, 14257, 14596, 15017, 15173, 15354, 15590, 15597, 15844, 16138, 16145, 16423, 16703, 16836, 16843, 17105
\hrulefill 28, 238, 764, 949, 1183, 1428, 5859, 6012, 6285, 7729, 8027, 9963, 10464, 12024, 13820, 14602, 15023, 15177, 15358, 15849, 16428, 16707, 17110
\hsize 40, 53, 68, 168, 170, 174, 179, 197, 249, 262, 276, 843, 1149, 1342, 2274, 4300, 4301, 4361, 4405, 4449, 5043, 5770, 5946, 6392, 6644, 6647, 6664, 6668, 8046, 8062, 8078, 8091, 8104, 8117, 8260, 8318, 8336, 8348, 8361, 8401, 8464, 8482, 8493, 8505, 8543, 8609, 8627, 8639, 8652, 8692, 8758, 8776, 8788, 8801, 8841, 8907, 8925, 8937, 8950, 8990, 9056, 9074, 9086, 9099, 9139, 9205, 9223, 9235, 9248, 9288, 9354, 9372, 9384, 9397, 9437, 9503, 9521, 9533, 9546, 9586, 9628, 9667, 9676, 9688, 9700, 9723, 9726, 9737, 9740, 9751, 9754, 9779, 9789, 9800, 9803, 10225, 10226, 10549, 10565, 10580, 10606, 10619, 10632, 10649, 10650, 10729, 10834, 10864, 10867, 10871, 10874, 10875, 12177, 12181, 12555, 12566, 12569, 12599, 12618, 12619, 12626, 12649, 13390, 13394, 13622, 13702, 13704, 13712, 13748, 13752, 13756, 13759, 13764, 13767, 13807, 13811, 13815, 14316, 14318, 14473, 14487, 14518, 14967, 15028, 15044, 15087, 15564, 15571, 15573, 15886, 15887, 15926, 16112, 16119, 16121, 16465, 16466, 16505, 16684, 16689, 16691, 16810, 16817, 16819, 17147, 17148, 17187, 18899, 18902, 18907, 18911, 18915, 18919, 18923, 18927, 18931, 18935, 19155, 19176, 19180, 19343, 19345, 19472, 19755,

19799, 19932, 19936
\hskip 14, 28, 215, 238, 307, 311, 754, 764, 873, 874, 913, 949, 1100, 1101, 1114, 1162, 1183, 1354, 1355, 1395, 1428, 1574, 1627, 1628, 1666, 1690, 1693, 2601, 5004, 5444, 5488, 5489, 5492, 5494, 5495, 5498, 5782, 5783, 5820, 5859, 5958, 5959, 5996, 6012, 6274, 6285, 6456, 6459, 6526, 6697, 6702, 6704, 6705, 6818, 6822, 6825, 6826, 7354, 7355, 7358, 7368, 7369, 7412, 7662, 7729, 8027, 9614, 9932, 9963, 10145, 10148, 10150, 10151, 10202, 10218, 10464, 10951, 10956, 10958, 10959, 11102, 11104, 11105, 11108, 11113, 11116, 11118, 11119, 12003, 12024, 12134, 13496, 13502, 13505, 13506, 13669, 13681, 13693, 13748, 13752, 13756, 13759, 13760, 13764, 13767, 13768, 13820, 13826, 13829, 13831, 13834, 13836, 13838, 13841, 13843, 13845, 13847, 13850, 13852, 13854, 13856, 13858, 13861, 13863, 13866, 13868, 13871, 13873, 13875, 13878, 13880, 13882, 13885, 13887, 13889, 13902, 14113, 14120, 14548, 14549, 14586, 14602, 14900, 14919, 14920, 14957, 15023, 15163, 15177, 15347, 15358, 15435, 15437, 15444, 15446, 15482, 15484, 15493, 15495, 15597, 15849, 16145, 16428, 16707, 16843, 17110, 17400, 17406, 17418, 17423, 17621, 17650, 17810, 17841, 17864, 17881, 17898, 17915, 17932, 17949, 17967, 17986, 18006, 18041, 18233, 18392, 18424, 18834, 18881, 18891, 18946, 19629, 19663, 19668, 19670, 19671, 19847, 19849, 19863, 19866
\hspace 104, 105, 234, 235, 773, 2520, 2525, 2531, 4043, 4050, 4272, 4947, 4948, 4954, 4955, 4961, 4962, 4968, 4969, 5096, 5122, 5123, 7276, 7682, 8014, 8162, 8174, 8186, 11219, 11235, 11248, 11260, 11273, 11282, 11290, 11335, 11344, 11352, 11365, 11378, 11390, 11414, 15881, 15896, 15901, 15903, 15904, 16460, 16475, 16480, 16482, 16483, 16783, 17142, 17157, 17162, 17164, 17165, 17363, 17364, 17627, 17639, 20047, 20051, 20056, 20058, 20062, 20064
\hss 677, 736, 755, 887, 914, 1115, 1130, 1368, 1396, 1943, 5063, 5796, 5821, 5972, 5997, 6199, 6258, 6275, 6527, 6701, 6703, 6756, 6760, 6821, 6824, 6829, 6834, 6994, 6998, 7357, 7367, 7412, 7421, 7496, 7499, 7501, 7504, 7507, 7663, 7675, 7773, 7870, 7928, 8161, 8167, 8173, 8179, 8185, 8191, 9916, 9933, 10024, 10147, 10149, 10179, 10183, 10320, 10907, 10911, 10955, 10957, 11001, 11047, 11105, 11119, 12564, 12572, 12910, 13171, 13258, 13501, 13504, 13595, 13600, 13738, 13739, 13749, 13750, 14127, 14137, 14342, 14353,

14354, 14355, 14562, 14587, 14933, 14958, 15048, 15091, 15147, 15164, 15272, 15331, 15348, 15580, 15957, 15966, 16128, 16536, 16545, 16697, 16826, 17218, 17227, 17412, 18236, 18342, 19160, 19162, 19167, 19173, 19373, 19482, 19545, 19546, 19548, 19549, 19551, 19552, 19557, 19558, 19617, 19618, 19619, 19620, 19667, 19669, 19706, 19710, 19851
\ht 605, 1676, 1709, 2333, 2335, 2336, 6475, 6484, 6486, 6794, 6796, 6803, 6809, 6810, 6811, 6865, 6904, 6922, 6934, 6958, 6962, 6972, 6980, 6981, 6984, 6985, 6987, 6988, 7030, 7066, 7297, 7306, 7318, 7327, 7335, 7345, 7347, 7363, 7392, 7402, 7404, 7417, 7647, 8269, 8415, 8420, 8557, 8562, 8706, 8711, 8855, 8860, 9004, 9009, 9153, 9158, 9302, 9307, 9451, 9456, 9600, 9605, 9618, 10096, 10754, 10761, 10778, 10785, 10786, 10799, 10803, 10826, 10994, 10995, 10997, 11040, 11041, 11043, 11156, 12076, 12077, 12083, 12086, 12119, 12530, 12588, 12601, 12647, 12654, 12657, 13480, 13484, 13489, 13578, 13582, 13587, 13636, 13638, 14171, 14229, 14240, 14245, 14246, 14247, 14248, 14252, 14267, 14369, 14392, 15421, 15463, 15466, 15521, 15528, 15910, 15912, 15913, 16489, 16491, 16492, 17171, 17173, 17174, 17441, 17478, 17490, 17605, 19195, 19197, 19588, 19827, 19837, 19841
\ht@strip 13633, 13634, 13635, 13636, 13637, 13640, 13642
\ht@viper 6793, 6798, 6821, 6824, 6829, 6834, 6902, 6903, 6958, 6959, 6960, 6964, 6994, 6998
\httplink 2557
\Huge 5030, 6118, 6130, 6310, 6318, 7957, 7966, 9946, 9954, 15381, 15389
\huge 784, 4884, 4886, 5029, 6109, 6304, 7693, 7702, 7951, 9941, 15376, 15631, 15744, 16179, 16292, 16877, 16990
\hv@Bottom 11314
\hv@Center . . . 11218, 11229, 11269, 11331, 11359, 11412
\hv@figure . 11183, 11201
\hv@floatObject 11144, 11148
\hv@floatType . 11174, 11183, 11201, 11419
\hv@Height 11156
\hv@label 11125
\hv@Left . . . 11159, 11227
\hv@longCap 11124
\hv@Right . . 11160, 11216
\hv@shortCap 11123, 11189, 11207
\hv@Top . 11242, 11278, 11298, 11340, 11372
\hv@Width . . . 11154, 11177
\hv@Zero . . . 11143, 11406
\hvAboveCaptionSkip 11322, 11325
\hvBelowCaptionSkip 11306, 11309
\hvCaptionBox . 11178, 11195, 11237, 11239, 11250, 11252, 11262, 11264, 11270, 11271, 11279, 11280, 11287, 11288, 11299, 11300, 11306, 11309, 11315, 11316, 11323, 11326, 11332, 11333, 11341, 11342, 11349, 11350, 11367, 11369, 11380, 11382, 11392, 11394
\hvCapWidth . . 11152, 11154, 11156, 11158, 11162, 11164, 11179, 11197
\hvFloat 11126
\hvMaxCapWidth 11137, 11138, 11159, 11160, 11161, 11164

\hvObjectBox 11141, 11144, 11146, 11150, 11156, 11231, 11233, 11244, 11246, 11256, 11258, 11274, 11275, 11283, 11284, 11291, 11292, 11299, 11302, 11307, 11310, 11315, 11318, 11322, 11325, 11336, 11337, 11345, 11346, 11353, 11354, 11361, 11363, 11374, 11376, 11386, 11388
\hvObjectWidth 11150, 11154, 11158, 11159, 11160
\hvOBox 11144, 11148
\hvSet@capAngle 11177, 11196
\hvSet@capPos 11159, 11160, 11227, 11298, 11314
\hvSet@capVPos 11229, 11242, 11269, 11278, 11331, 11340, 11359, 11372
\hvSet@capWidth 11154, 11156, 11161, 11162
\hvSet@floatCapSep 11235, 11248, 11260, 11273, 11282, 11290, 11335, 11344, 11352, 11365, 11378, 11390
\hvSet@floatPos . . 11172
\hvSet@objectAngle 11143, 11147
\hvSet@objectPos . . . 11216, 11218, 11412
\hvSet@rotAngle . . . 11137, 11406, 11409
\Hy@Acrobatmenu . . 11923
\Hy@backout 11950
\Hy@BeginAnnot 11806, 11826, 11863, 11895, 11924
\Hy@bidipoem@footnotetext 11679, 11688
\Hy@bidipoem@LTRfootnotetext 11710, 11719
\Hy@bidipoem@RTLfootnotetext 11741, 11750
\Hy@CleanupFile . . 11828
\Hy@colorlink . 11856, 11888, 11917, 11943
\Hy@EndAnnot 11813, 11859, 11891, 11920, 11946
\Hy@endcolorlink . 11815
\Hy@footnote@currentHlabel . 11535, 11550, 11565
\Hy@footnote@currentHref 11497, 11500, 11508, 11511, 11519, 11522, 11530, 11533, 11536, 11545, 11548, 11551, 11560, 11563, 11566, 11609, 11647, 11680, 11711, 11742
\Hy@gtemp . . 11585, 11590
\Hy@href@nextactionraw 11852, 11884, 11913, 11939
\Hy@href@page 11847
\Hy@linkcounter 7547, 7552
\Hy@linktoc 11428
\Hy@LT@currentHref 11980, 11991
\Hy@LT@LTRfootnotetext 11608, 11617
\Hy@LT@RTLfootnotetext 11646, 11655
\Hy@MakeRemoteAction 11831
\Hy@maketitle@end . . 11777, 11782, 11784
\Hy@maketitle@optarg 11775, 11780
\Hy@pstringD 11830, 11849
\Hy@pstringdef 11829, 11830, 11864, 11865, 11896
\Hy@pstringF 11827, 11828, 11829, 11844, 11864, 11877, 11882
\Hy@pstringP 11865, 11882
\Hy@pstringURI 11896, 11909
\Hy@raisedlink 11499, 11510, 11521, 11532, 11547, 11562, 11622, 11660, 11693, 11724, 11755, 11992
\Hy@saved@footnotemark 11767, 11786
\Hy@saved@footnotetext 11768, 11789
\Hy@SetNewWindow 11851, 11879
\Hy@setpdfborder 11837, 11871, 11902, 11931
\Hy@tabularx@hook 11574, 11586
\Hy@temp@menu 11925, 11938
\Hy@xspace@end 11822, 11858, 11890, 11919, 11945
\HyLTR@saved@LTRfootnotetext 11770, 11795
\HyOrg@maketitle . . . 11765, 11776, 11781
\HyOrg@TX@endtabularx 11573
\hyper@@anchor 11497, 11500, 11508, 11511, 11519, 11522, 11530, 11533, 11545, 11548, 11560, 11563, 11620, 11623, 11658, 11661, 11691, 11694, 11722, 11725, 11753, 11756
\hyper@anchorend . 11993
\hyper@anchorstart 11993

\hyper@link 11821
\hyper@linkend 11432, 11436, 11440, 11442, 11822, 11955, 11958
\hyper@linkfile . . 11824
\hyper@linkstart 11432, 11436, 11440, 11442, 11822, 11951, 11958
\hyper@linkurl . . . 11893
\hyper@makecurrent 11979
\hyper@nat@current 11952
\hyper@natlinkbreak 11957
\hyper@natlinkend 11954
\hyper@natlinkstart 11949
\hypersetup . . 2403, 2411, 5140, 5199, 5216
\hyphenpenalty . . . 6, 101, 207, 231, 842, 1148, 1341, 5769, 5945, 14517, 14966, 15027, 15170
\HyRTL@saved@RTLfootnotetext 11769, 11792

I

\ialign . . 613, 17446, 17485, 19402, 19593
\if . . . 581, 582, 583, 585, 586, 587, 588, 589, 592, 593, 594, 618, 624, 1602, 1603, 1604, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1615, 1616, 1617, 1640, 1641, 1642, 1644, 1645, 1646, 1647, 1648, 2233, 2239, 2242, 2245, 2248, 3478, 6353, 6372, 6406, 6408, 6410, 7514, 7568, 7576, 7577, 7583, 7584, 7591, 7592, 7598, 7599, 7609, 7611, 10396, 10420, 10644, 12040, 12512, 12514, 12516, 14045, 17453, 17488, 17493, 17580, 17581, 17582, 17583, 17584, 17585, 17586, 17588, 17589, 17590, 17591, 17592, 17595, 17596, 17597, 19470, 19477, 19478, 19585, 19602, 19609, 19610, 19611, 19612, 19613, 19614
\if@allcaps 970, 979, 987, 1221, 1230, 1238, 1470, 1479, 1487, 5889, 5898, 5906, 6065, 6074, 6082, 14651, 14660, 14668, 14790, 14799, 14807
\if@altsecnumformat 15768, 16315, 17013
\if@anim@controls 435, 526
\if@anim@draft 422, 524, 548
\if@anim@dvipdfmx . 367
\if@anim@grxloaded 359
\if@anim@multipage 400, 423, 454
\if@anim@step 533
\if@anim@timeline 476, 555
\if@anim@xetex 360, 364
\if@bib@break@ 15778, 15802, 15817, 15833, 16357, 16381, 16396, 16412, 17039, 17063, 17078, 17094
\if@bibchapter . . . 17735
\if@bidi@amsmathloaded@ 12297
\if@bidi@amstextloaded@ 12300
\if@bidi@amsthmloaded@ 12303
\if@bidi@animateloaded@ 12306
\if@bidi@arabxetexloaded@ 12499
\if@bidi@arrayloaded@ 12433
\if@bidi@arydshlnloaded@ 12457
\if@bidi@blank 2757, 3042, 3049
\if@bidi@breqnloaded@ 12309
\if@bidi@calsloaded@ 12312
\if@bidi@captionloaded@ 12315
\if@bidi@colorloaded@ 12321
\if@bidi@colortblloaded@ 12337
\if@bidi@croploaded@ 12318
\if@bidi@csdef 2721, 2770
\if@bidi@csmacro . 2769
\if@bidi@csprimitive 2779
\if@bidi@csundef . . . 2727, 2800, 3683, 3735, 19953
\if@bidi@cutedloaded@ 12328
\if@bidi@cutwinloaded@ 12325
\if@bidi@dblfnoteloaded@ 12331
\if@bidi@def 2739
\if@bidi@defmacro . 2762, 2763, 2771, 2941, 2960, 3104
\if@bidi@defparam 2962, 3056, 3057, 3106
\if@bidi@defprimitive 2773

\if@bidi@defprotected 2969, 3065, 3066, 3117
\if@bidi@draftwatermarkloaded@ 12391
\if@bidi@empheqloaded@ 12394
\if@bidi@fancyboxloaded@ 12385
\if@bidi@fancyhdrloaded@ 12388
\if@bidi@fancyvrbloaded@ 12505
\if@bidi@floatloaded@ 12340
\if@bidi@floatrowloaded@ 12343
\if@bidi@flowframloaded@ 12346
\if@bidi@fontspecloaded@ 12496
\if@bidi@framedloaded@ 12349
\if@bidi@ftnrightloaded@ 12352
\if@bidi@geometryloaded@ 12367
\if@bidi@graphicxloaded@ 12364
\if@bidi@hvfloatloaded@ 12370
\if@bidi@hyperrefloaded@ 12382
\if@bidi@lettrineloaded@ 12403
\if@bidi@list@minipage@parbox@ 1767, 19438, 19500, 19509, 19518, 19527, 19540, 19541, 19555, 19556
\if@bidi@list@minipage@parbox@nopt@ 1768, 19446, 19502, 19511, 19520, 19529
\if@bidi@listingsloaded@ 12406
\if@bidi@longtableloaded@ 12454
\if@bidi@mdf@RTL 12609, 12616
\if@bidi@mdframedloaded@ 12373
\if@bidi@midfloatloaded@ 12376
\if@bidi@minitocloaded@ 12466
\if@bidi@multicolloaded@ 12460
\if@bidi@multienumloaded@ 12463
\if@bidi@natbibloaded@ 12469
\if@bidi@newfloatloaded@ 12472
\if@bidi@ntheoremloaded@ 12379
\if@bidi@overpicloaded@ 12397
\if@bidi@patchable 2929, 2930
\if@bidi@pdfpagesloaded@ 12400
\if@bidi@pgfloaded@ 12415
\if@bidi@picinparloaded@ 12418
\if@bidi@polyglossialoaded@ 12502
\if@bidi@pstricksloaded@ 12412
\if@bidi@quotchaploaded@ 12421
\if@bidi@rotatingloaded@ 12478
\if@bidi@soulloaded@ 12439
\if@bidi@stabularloaded@ 12436
\if@bidi@subfigloaded@ 12442
\if@bidi@subfigureloaded@ 12445
\if@bidi@supertabularloaded@ 12448
\if@bidi@tablsloaded@ 12481
\if@bidi@tabularyloaded@ 12484
\if@bidi@tikzloaded@ 12424
\if@bidi@titlesecloaded@ 12427
\if@bidi@titletocloaded@ 12430
\if@bidi@tocbasicloaded@ 12487
\if@bidi@tocbibindloaded@ 12493
\if@bidi@tocstyleloaded@ 12490
\if@bidi@todonotes@figposition@right . . 18988, 19086, 19091, 19098, 19104
\if@bidi@todonotes@textdirection@RTL 18987, 19021, 19061, 19095
\if@bidi@undef 2745, 2804, 2838, 2849, 2868, 2872, 2876, 2880, 2890, 2894, 2898, 2902, 2938, 2957, 3101
\if@bidi@wrapfigloaded@ 12361
\if@bidi@xcolorloaded@ 12334
\if@bidi@xltxtraloaded@ 12355
\if@bidi@xtabloaded@ 12451
\if@bidi@xunicodeloaded@ 12358
\if@capbreak 15898, 16477, 17159
\if@captionabove 15931, 15937, 15950, 15960, 16510, 16516, 16529, 16539, 17192, 17198, 17211, 17221
\if@cftdopart 17792
\if@cfthaschapter 17783, 17787, 17793, 17814, 17826, 17848
\if@cfthaspart . . . 17779

\if@chapterentrywithdots 16587, 17269
\if@colour 2386
\if@colourgreen 7084, 7113, 7182, 7208
\if@colourgrey 7088, 7127, 7186, 7220
\if@colourorange 7082, 7106, 7180, 7202
\if@colourred . 7086, 7120, 7184, 7214
\if@compatibility . . 738, 889, 964, 1132, 1215, 1370, 1464, 5883, 6059, 14645, 14784, 17818, 18346, 19571
\if@contcw . 13346, 13375
\if@conthang 13356
\if@contindent . . 13362
\if@DEBUG 2357
\if@displaypagenumbers 2565, 2568
\if@donumindex 17736, 17755
\if@dotocbib 17698
\if@dotocind 17743, 17760
\if@extrafootnotefeatures 1763, 1837
\if@fcolmade 6720, 6775, 10154, 10190, 10274, 10918, 10966, 13514, 13609, 19678, 19717
\if@ff@nwpg 10242
\if@filesw 2309
\if@firstcolumn 6675, 6734, 6790, 6871, 6890, 7036, 7055, 10126, 10158, 10882, 10926, 13428, 13526, 13630, 19641, 19684, 19817
\if@firstdetailselement 7249, 7251
\if@firstfooterelement 7153, 7156
\if@flushend@auto@baselineskip 6906
\if@ignore . . 3226, 3228
\if@inlabel 6352
\if@inltxdoc 17728
\if@insert 7064
\if@komalongtable . 15947, 16526, 17208
\if@LTRbibitems . 84, 293, 792, 926, 1188, 1437, 1761, 2583, 5836, 6023, 6331, 7709, 7979, 9968, 13424, 13897, 14607, 15000, 15193, 15395, 15794, 16373, 17055, 17705
\if@LTRmarginpar 1760, 19846, 19851, 19855
\if@mainmatter 5347, 6108, 6303, 7950, 14405, 16318, 16334, 16342, 16350
\if@minipage 4095, 13415
\if@mparswitch . . . 19819
\if@newlist . 10290, 10310, 19872, 19924
\if@nobreak 3679, 10851, 12620, 14466, 14480
\if@nonlatin 338, 343, 1757, 1849, 6388, 6390
\if@noparlist 5600, 5713
\if@noskipsec 6351, 10852, 12621, 14467, 14481
\if@oldtoc 877, 903, 1104, 1120, 1358, 1385, 5786, 5810, 5962, 5986, 14552, 14576, 14923, 14947
\if@openright 5375, 6322, 7970
\if@ovb 10104
\if@ovl 10102
\if@ovr 10101
\if@ovt 10103
\if@parafootRTL . . . 1764, 9627, 9638
\if@pboxsw 19484
\if@ref 16720
\if@restonecol 823, 839, 1087, 1338, 5766, 5942, 6151, 14514, 14768, 15225, 17775
\if@reversemargin 19822
\if@rjfield 19861
\if@rl 1756
\if@rl@footnote . . 1766
\if@rlmain 1755
\if@rot@twoside 15425, 15430, 15440, 15470, 15476, 15488
\if@RTL . . . 12, 13, 25, 84, 100, 103, 104, 105, 213, 214, 230, 233, 234, 235, 293, 307, 311, 597, 733, 750, 753, 754, 777, 792, 843, 856, 867, 868, 873, 884, 909, 912, 913, 926, 1093, 1094, 1100, 1110, 1113, 1114, 1127, 1149, 1188, 1342, 1348, 1349, 1354, 1365, 1391, 1394, 1395, 1413, 1437, 1575, 1576, 1687, 1688, 1701, 1712, 1756, 1772, 1884, 1890, 2140, 2287, 2583, 5003, 5004, 5121, 5122, 5123, 5770, 5776, 5777, 5782, 5793, 5816, 5819, 5820, 5836, 5946, 5952, 5953, 5958, 5969, 5992, 5995, 5996, 6023, 6106, 6117, 6119, 6255, 6270, 6273,

6274, 6301, 6315,
6331, 6349, 6361,
6374, 6405, 6441,
6482, 6483, 6487,
6488, 6490, 6497,
6503, 6522, 6525,
6526, 6532, 6537,
6644, 6647, 6664,
6668, 7495, 7575,
7590, 7612, 7613,
7614, 7615, 7638,
7658, 7661, 7662,
7672, 7686, 7699,
7709, 7925, 7948,
7963, 7979, 7999,
8002, 8007, 8015,
9913, 9928, 9931,
9932, 9939, 9951,
9968, 10226,
10368, 10644,
10724, 10726,
10982, 10984,
10987, 10988,
11005, 11008,
11015, 11024,
11030, 11034,
11037, 11051,
11076, 11083,
11228, 11330,
11432, 11440,
11822, 11858,
11890, 11919,
11945, 11951,
11955, 11958,
12003, 12007,
12010, 12015,
12123, 12126,
12130, 12565,
12612, 12695,
12703, 12891,
13217, 13305,
13306, 13307,
13308, 13309,
13310, 13389,
13391, 13424,
13664, 13668,
13669, 13676,
13681, 13688,
13693, 13897,
13975, 13995,
14010, 14024,
14149, 14199,
14274, 14326,
14327, 14330,
14334, 14353,
14354, 14355,
14400, 14402,
14408, 14419,
14421, 14432,
14434, 14445,
14447, 14456,
14458, 14475,
14497, 14498,
14518, 14531,
14542, 14543,
14548, 14559,
14582, 14585,
14586, 14607,
14901, 14902,
14913, 14914,
14919, 14930,
14953, 14956,
14957, 14967,
14980, 15000,
15028, 15144,
15159, 15162,
15163, 15168,
15169, 15193,
15328, 15343,
15346, 15347,
15374, 15386,
15395, 15505,
15507, 15511,
15515, 15517,
15522, 15526,
15529, 15533,
15535, 15539,
15566, 15575,
15766, 15767,
15794, 15851,
15852, 15853,
15855, 15926,
16114, 16123,
16314, 16373,
16430, 16431,
16432, 16434,
16505, 16686,
16693, 16778,
16784, 16812,
16821, 17012,
17055, 17112,
17113, 17114,
17116, 17187,
17362, 17365,
17395, 17415,
17429, 17615,
17640, 17657,
17677, 17680,
17685, 17689,
17690, 17705,
17800, 17801,
17802, 17810,
17831, 17832,
17833, 17841,
17854, 17855,
17856, 17864,
17871, 17872,
17873, 17881,
17888, 17889,
17890, 17898,
17905, 17906,
17907, 17915,
17922, 17923,
17924, 17932,
17939, 17940,
17941, 17949,
17957, 17958,
17959, 17967,
17976, 17977,
17978, 17986,
17996, 17997,
17998, 18006,
18031, 18032,
18033, 18041,
18081, 18082,
18083, 18761,
18823, 18824,
18825, 18831,
18834, 18881,
18941, 18946,
18969, 18976,
19036, 19039,
19123, 19158,
19166, 19193,
19194, 19197,
19198, 19200,
19237, 19241,
19294, 19299,
19341, 19342,
19353, 19354,

19357, 19361, 19439, 19447, 19453, 19459, 19470, 19542, 19543, 19545, 19548, 19551, 19555, 19556, 19557, 19558, 19560, 19562, 19563, 19568, 19575, 19617, 19618, 19624, 19629, 19846, 19851, 19855, 19863, 19864, 19865, 19866, 19933, 19936, 19944, 19954, 20046, 20056, 20062
\if@RTL@footnote 36, 245, 1766, 1886, 4374, 8041, 8088, 8287, 8332, 8436, 8478, 8578, 8623, 8727, 8772, 8876, 8920, 9025, 9069, 9174, 9219, 9323, 9368, 9472, 9517, 9678, 9728, 10544, 10590, 10628, 10629
\if@RTLbibitems . 84, 293, 792, 926, 1188, 1437, 1762, 2583, 5836, 6023, 6331, 7709, 7979, 9968, 13424, 13897, 14607, 15000, 15193, 15395, 15794, 16373, 17055, 17705
\if@RTLcolumnfootnotes 1765, 8261, 8262, 8265, 8266, 8297, 8349, 8445, 8494, 8588, 8640, 8737, 8789, 8886, 8938, 9035, 9087, 9184, 9236, 9333, 9385, 9482, 9534
\if@RTLmain . . 1755, 1771, 1883, 1889, 6540, 6563, 6586, 6609, 6817, 7443, 7449, 7452, 7466, 7484, 10373, 11101, 11111, 13621, 13777, 19723, 19910, 19920
\if@RTLmarginpar 1759, 19846, 19851, 19855
\if@RTLtab 582, 583, 599, 602, 624, 626, 1583, 1584, 1603, 1604, 1641, 1642, 1758, 2151, 2155, 2156, 2346, 2349, 6407, 6409, 6431, 6435, 6453, 6454, 6467, 6478, 10643, 12513, 12515, 17430, 17434, 17435, 17453, 17461, 17468, 17493, 17581, 17582, 19397, 19445, 19469, 19502, 19511, 19520, 19529, 19540, 19541, 19555, 19556, 19576, 19580, 19581, 19602, 19610, 19611
\if@sectionentrywithdots 16008
\if@sentdir 1885
\if@specialpage 10245, 19881
\if@star 14389
\if@tab@rl 1758
\if@tablecaptionabove 15978, 16557, 17239
\if@tempswa 3521, 3566, 7351, 7408, 18475
\if@thmmarks . . 13958, 13962, 13979, 13983
\if@titlecentered 1557, 14881
\if@titlepage 631, 844, 951, 1150, 1202, 1401, 1451, 6153, 7731, 7824, 9982, 14519, 14632, 14769, 14968, 15030, 15226, 15600, 16148, 16846
\if@tocstyle@penalties 18744, 18853
\if@todonotes@authorgiven 19012, 19023, 19048, 19065
\if@todonotes@disabled 19006, 19007
\if@todonotes@dviStyle 19009, 19043
\if@ttb@rotate . . . 10367
\if@twocolumn 94, 224, 678, 810, 826, 853, 860, 1027, 1074, 1159, 1170, 1278, 1325, 1410, 1417, 1527, 2295, 5301, 5753, 5929, 6138, 6200, 7774, 7871, 10025, 13288, 14501, 14528, 14535, 14708, 14755, 14849, 14977, 14984, 15092, 15212, 15273, 15679, 16227, 16925, 17730, 19816, 19947
\if@twoside 5292, 10249, 15648, 15661, 15729, 16196, 16209, 16277, 16894, 16907, 16975, 19149, 19884
\if@vihproof 13649, 13655
\ifadl@inactive . . 1589
\ifadl@usingarypkg 1592
\ifAM@output 14071

\ifAM@survey 14049
\ifartopt 13325
\ifbidi@autofootnoterule 10374, 10602, 10615, 10628
\ifblendcolors 19205, 19226, 19248, 19275
\ifbool 12634, 12643
\ifcase 1624, 1651, 1655, 1659, 1663, 1689, 1787, 1793, 1799, 1805, 1817, 1823, 1829, 6455, 11428, 12583, 17671, 18051, 18813, 18883, 18993, 19001, 19225, 19274
\ifcat 1782, 1900
\ifconvertcolorsU 19211, 19227, 19254, 19276
\ifcpoddpage 3878
\ifcsname . . 378, 437, 506, 527, 2722, 2728, 2855, 3295, 3310, 3524, 3532, 13920, 13930, 13944, 18768, 18769, 18778, 18789, 18793, 18803, 18815, 18869, 18897, 18898, 18906, 18910, 18914, 18918, 18922, 18926, 18930, 18934
\ifdefined 538, 546, 2740, 2746
\ifdfn@allowcbreak 7304, 7325
\ifdfn@ruleboth 7362, 7416
\ifdfn@trysingle 7343, 7400
\ifdim 445, 1677, 1678, 2333, 2336, 4108, 4675, 5441, 5478, 5480, 5539, 5540, 5542, 5548, 5588, 5601, 5608, 5689, 5691, 5704, 5706, 5714, 6382, 6810, 6855, 6867, 6880, 6883, 6885, 6915, 6919, 6920, 6934, 6959, 6984, 7019, 7032, 7045, 7048, 7050, 7298, 7319, 7339, 7348, 7375, 7379, 7396, 7405, 7427, 7431, 8159, 8164, 8171, 8176, 8183, 8188, 10090, 10092, 10225, 10736, 10744, 10760, 10761, 10791, 10799, 10812, 10827, 10860, 10861, 10993, 11000, 11039, 11046, 11091, 11161, 11299, 11315, 12091, 12097, 12177, 12566, 12577, 13295, 13338, 13345, 13349, 13351, 13390, 13450, 13458, 13460, 13548, 13556, 13558, 13631, 13642, 13726, 13734, 13740, 13754, 13762, 14099, 14146, 14171, 14229, 14240, 14247, 14252, 14267, 14365, 14390, 15885, 15893, 16464, 16472, 16724, 16730, 16736, 16742, 16748, 16754, 16760, 16766, 16772, 17146, 17154, 17479, 18386, 18400, 18405, 18779, 18804, 18870, 19126, 19128, 19130, 19132, 19133, 19134, 19136, 19176, 19183, 19828, 19932
\ifdofullc@p 15888, 16467, 17149
\iffalse 2698, 2699, 2701, 10851, 10852, 12216, 12620, 12621, 14466, 14467, 14480, 14481
\IfFileExists 3235, 3250, 3858, 5321, 5386
\iffootdir@debug 10382, 10386
\ifGin@grid 14011, 14024
\ifGin@iso 11090
\ifhbox 9633, 9643, 9647
\ifhmode . 2217, 4333, 4377, 4421, 4664, 4670, 6488, 6490, 6497, 6503, 6522, 17633, 19198, 19200, 19237, 19241, 19294, 19555, 19556, 19601, 19727, 19771
\ifhv@fbox . . . 11230, 11236, 11243, 11249, 11255, 11261, 11270, 11274, 11279, 11283, 11287, 11291, 11305, 11321, 11332, 11336, 11341, 11345, 11349, 11353, 11360, 11366, 11373, 11379, 11385, 11391
\ifhv@nonFloat 11173, 11180, 11198, 11219, 11411, 11413

\ifhv@onlyText 11181, 11199
\ifhv@useOBox 11144, 11148
\ifHy@href@ismap . 11910
\ifHy@hyperfootnotes 11447
\ifHy@nesting 11496, 11507, 11518, 11529, 11544, 11559, 11619, 11657, 11690, 11721, 11752
\ifHy@pdfa . . . 11836, 11870, 11901, 11930
\ifin@ 3540
\ifinner 2223, 4339, 4383, 4427, 10739, 19118, 19733, 19777
\ifL@grid 12092
\ifL@image 12068
\ifLettrineImage 12038
\ifLettrineOnGrid 12039
\ifmaskcolors . 19215, 19226, 19258, 19275
\ifmmode . . 180, 6482, 6487, 10195, 10205, 10982, 10984, 10987, 10988, 11005, 11008, 11015, 11024, 11030, 11034, 11037, 11051, 11076, 11083, 11807, 11819, 11822, 11858, 11890, 11919, 11945, 14082, 14140, 14357, 14393, 15505, 15507, 15511, 15515, 15517, 15522, 15526, 15529, 15533, 15535, 15539, 19193, 19197, 19479, 19566
\ifNAT@openbib . . 13899
\ifnum 3, 133, 139, 204, 306, 414, 453, 478, 561, 573, 574, 575, 576, 578, 679, 728, 745, 771, 780, 863, 879, 897, 1028, 1089, 1122, 1140, 1279, 1344, 1360, 1378, 1528, 1594, 1595, 1596, 1597, 1599, 1638, 1639, 1845, 1846, 2249, 2291, 2328, 2329, 5561, 5772, 5788, 5804, 5867, 5869, 5871, 5948, 5964, 5980, 6043, 6045, 6047, 6107, 6201, 6250, 6265, 6288, 6290, 6292, 6302, 6383, 6642, 6650, 6655, 6662, 6842, 6851, 6861, 7006, 7015, 7025, 7239, 7653, 7667, 7680, 7689, 7775, 7872, 7921, 7935, 7937, 7939, 7949, 8267, 9908, 9923, 9940, 10026, 10076, 10078, 10080, 10343, 10345, 10347, 10356, 10358, 10360, 10506, 10602, 10615, 10628, 10860, 10862, 11809, 11814, 12075, 12154, 12157, 12163, 12166, 12219, 12527, 12528, 13289, 13322, 13447, 13477, 13545, 13575, 13662, 13674, 13686, 13779, 13785, 13939, 13949, 14159, 14165, 14177, 14180, 14181, 14182, 14184, 14185, 14186, 14187, 14196, 14218, 14223, 14234, 14245, 14246, 14252, 14256, 14259, 14260, 14351, 14352, 14359, 14404, 14538, 14554, 14570, 14627, 14629, 14631, 14709, 14850, 14909, 14925, 14941, 14992, 14994, 14996, 15093, 15140, 15154, 15180, 15182, 15184, 15274, 15323, 15338, 15361, 15363, 15365, 15375, 15668, 15680, 16216, 16228, 16317, 16333, 16341, 16349, 16914, 16926, 17524, 17572, 17573, 17574, 17575, 17577, 17662, 17664, 17782, 17786, 17828, 17847, 17869, 17886, 17903, 17920, 17937, 17955, 17974, 17994, 18029, 18212, 18213, 18320, 18321, 18345, 18355, 18743, 18748, 18766, 18939, 19157, 19420, 19607, 19608, 19622, 19824, 19846, 19941, 19942
\ifodd 2234, 5292, 7457, 7474,

7534, 10250, 19149, 19820, 19885
\ifoddpage 3872
\ifonelinecaptions 15859, 16438, 17120
\ifpdf 358
\ifpgfrememberpicturepositiononpage 14095
\ifpoem@started 5535, 5541, 5688, 5695, 5709
\ifprimitive . 2774, 2781
\ifPst@shift@star 14381
\ifrot@messages 15475, 15487
\ifshowgrid 14359
\ifstr . 18094, 18095, 18096, 18097, 18098, 18099, 18100, 18101, 18102, 18117, 18118, 18119, 18120, 18122, 18123, 18124, 18127, 18130, 18139, 18140, 18141, 18144, 18147, 18166, 18167, 18168, 18170, 18171, 18172, 18175, 18178, 18187, 18188, 18189, 18192, 18195, 18249, 18250, 18251, 18252, 18253, 18254, 18255, 18256, 18257, 18272, 18273, 18274, 18275, 18277, 18278, 18279, 18282, 18285, 18294, 18295, 18296, 18299, 18302, 18500, 18501, 18502, 18503, 18504, 18505, 18506, 18507, 18508, 18551, 18552, 18553, 18554, 18556, 18557, 18558, 18561, 18564, 18573, 18574, 18575, 18578, 18581, 18611, 18612, 18613, 18615, 18616, 18617, 18620, 18623, 18632, 18633, 18634, 18637, 18640, 18660, 18663, 18666, 18686, 18690, 18695, 18707, 18710, 18714, 18724
\ifstrstart 18491, 18523, 18597
\iftagsleft@ . . 330, 7492
\ifthenelse . . . 177, 182, 190, 383, 386, 392, 401, 406, 510, 513, 519, 2537, 2554, 2558, 2562, 2570, 3761, 3831, 3833, 3836, 3840, 3843, 3846, 3871, 3928, 3947, 3962, 3967, 3973, 3982, 3987, 3993, 3999, 4000, 4007, 4014, 4016, 4022, 4039, 4057, 4059, 4063, 4081, 4082, 4085, 4086, 4121, 4130, 4141, 4151, 4200, 4315, 4539, 4557, 4558, 4576, 4577, 4595, 4596, 4627, 4628, 4743, 4748, 4772, 4777, 4801, 4806, 4883, 4887, 4935, 5148, 5194, 5203, 5211, 5238, 5285, 5354, 5365, 7143, 7149, 7166, 7169, 7170, 7171, 7172, 7173, 7259, 7264, 7267, 7268, 7269, 7270, 7271, 7274, 7278, 10316, 10331, 14039, 15429, 15474
\iftocstyle@autolength 18788
\iftocstyle@indentnotnumbered 18833, 18880
\iftrue 2700, 4280, 4293, 4306
\ifttl@label 17638
\ifTX@ 17514
\ifvbox 9844
\ifvmode . 3679, 4069, 4072, 4075, 4078, 12649, 13716, 13969, 13989, 17466
\ifvoid . . 2326, 2346, 6706, 6722, 6761, 6777, 6796, 6804, 6837, 6962, 6973, 7001, 7302, 7323, 7334, 7359, 7391, 7413, 8204, 8221, 8231, 9880, 9893, 10662, 10820, 10841, 11986, 11990, 12665, 13701, 14274, 19299
\ifWF@float 19131, 19145
\ifx 111, 130, 132, 147, 151, 155, 162, 389, 516, 1012, 1016, 1263, 1267, 1512, 1516, 2099, 2105, 2111, 2126, 2157, 2210, 2213, 2289, 2315, 2543, 2544, 2545, 2547, 2607, 2610, 2630, 2634, 2654, 2658, 2673, 2677, 2715, 2729, 2747, 2818, 3006, 3022, 3240, 3264, 3279, 3344, 3356, 3388, 3399, 3434, 3440, 3451, 3452, 3463, 3493, 3502, 3503,

3523, 3538, 3548, 3562, 3569, 3581, 3597, 3652, 3663, 4609, 5430, 5451, 5612, 5663, 5668, 5670, 6686, 6745, 7371, 7423, 7997, 8013, 8017, 10136, 10168, 10503, 10704, 10895, 10939, 11019, 11061, 11062, 11068, 11135, 11137, 11143, 11154, 11156, 11159, 11160, 11177, 11183, 11184, 11186, 11189, 11201, 11202, 11204, 11207, 11216, 11218, 11227, 11229, 11242, 11269, 11278, 11298, 11314, 11331, 11340, 11359, 11372, 11406, 11412, 11425, 11456, 11467, 11478, 11785, 11788, 11791, 11794, 11838, 11846, 11872, 11880, 11903, 11932, 12005, 12052, 12187, 12188, 12192, 12194, 12532, 13399, 13439, 13537, 13793, 13797, 13801, 13925, 13929, 13936, 13942, 14055, 14067, 14335, 14374, 14415, 14428, 14441, 14693, 14697, 14834, 14838, 15562, 15588, 15595, 15615, 15620, 15627, 15633, 15657, 15728, 15732, 15740, 15746, 15758, 15782, 15843, 15848, 16110, 16136, 16143, 16163, 16168, 16175, 16181, 16205, 16276, 16280, 16288, 16294, 16306, 16360, 16422, 16427, 16682, 16710, 16711, 16712, 16713, 16714, 16715, 16716, 16717, 16721, 16727, 16733, 16739, 16745, 16751, 16757, 16763, 16769, 16778, 16808, 16834, 16841, 16861, 16866, 16873, 16879, 16903, 16974, 16978, 16986, 16992, 17004, 17042, 17104, 17109, 17474, 17673, 18014, 18369, 18373, 18377, 18474, 18755, 18826, 18838, 18846, 18863, 18888, 18955, 18960, 18962, 19206, 19249, 19362, 19473, 19652, 19695, 19890, 19891, 19893, 19894

\ifXC@@tst 19229, 19278

\ignorespaces . . . 45, 58, 73, 118, 254, 267, 281, 338, 542, 849, 858, 1155, 1406, 1415, 3163, 4092, 4099, 4100, 4109, 4695, 4712, 4729, 4765, 4794, 4823, 5088, 5512, 5523, 5683, 5684, 5831, 6018, 6386, 6392, 6497, 6503, 6511, 6518, 8002, 8016, 8051, 8067, 8083, 8097, 8110, 8123, 10555, 10571, 10586, 10612, 10625, 10638, 11103, 11107, 11112, 11117, 12010, 13412, 13419, 14524, 14533, 14973, 14982, 15505, 15515, 15533, 15868, 15889, 15894, 15899, 15904, 15922, 16447, 16468, 16473, 16478, 16483, 16501, 16784, 17129, 17150, 17155, 17160, 17165, 17183, 19237, 19241, 19465, 19496, 19506, 19515, 19524, 19533

\ilg 14168, 14191

\immediate 2310, 3676, 5675

\in@ 3539

\includegraphics 2578, 7145, 7276, 13999, 14041

\includemedia 12866, 13194, 13195

\includepdf 14032

\IncMargin 182

\indentedwidth . . . 8015

\index 10299, 19900

\indexname 817, 818, 819, 833, 834, 1081, 1082,

1332, 1333, 5108, 5109, 5760, 5761, 5936, 5937, 6145, 6146, 6147, 14508, 14509, 14762, 14763, 15219, 15220, 15221, 17739, 17740, 17741, 17745, 17746, 17747, 17750, 17751, 17757, 17758, 17762, 17763, 17764, 17767, 17768
\indexspace 5124
\input . . . 1784, 1785, 1838, 1881, 1902, 2390, 5322, 5387, 19946, 19956, 19957, 19958, 19959, 19960, 19961, 19962, 19963, 19964, 19965, 19966, 19967, 19968, 19969, 19970, 19971, 19972, 19973, 19974, 19975, 19976, 19977, 19978, 19979, 19980, 19981, 19983, 19984, 19990, 19997, 19998, 19999, 20000, 20001, 20002, 20003, 20004, 20005, 20006, 20007, 20008, 20009, 20010, 20011, 20012, 20013, 20014, 20015, 20016, 20017, 20018, 20019, 20020, 20021, 20022, 20023, 20024, 20025, 20026, 20027, 20028, 20029, 20030, 20031, 20032, 20033, 20034, 20035, 20036, 20037, 20039, 20040, 20041, 20042, 20043, 20044, 20067, 20068, 20069, 20070, 20071, 20072, 20073, 20074, 20075, 20076, 20077, 20078, 20079, 20080, 20081, 20082, 20083, 20084, 20085, 20086, 20087, 20088
\input@path 379, 507, 12887
\InputIfFileExists 3234, 3238, 3247, 12043
\insert 35, 48, 63, 244, 257, 271, 2326, 7293, 7309, 7314, 7330, 7377, 7383, 7429, 7435, 8040, 8056, 8072, 8287, 8297, 8307, 8385, 8436, 8445, 8454, 8528, 8578, 8588, 8598, 8676, 8727, 8737, 8747, 8825, 8876, 8886, 8896, 8974, 9025, 9035, 9045, 9123, 9174, 9184, 9194, 9272, 9323, 9333, 9343, 9421, 9472, 9482, 9492, 9570, 9669, 9681, 9693, 9783, 10543, 10559, 10574
\insert@column 1626, 1627, 1628, 1629, 1631, 1632, 1692, 1694, 1695, 1697, 1698, 1699, 6458, 6460, 6461, 6463, 6464, 6465
\insertpenalties . 10511
\int 12920, 12967, 12968, 12972, 13050, 13138, 13141, 13142, 13153, 13189, 13235, 13260
\interfootnotelinepenalty . 38, 51, 66, 247, 260, 274, 8213, 10546, 10562, 10577
\interlinepenalty 38, 51, 66, 247, 260, 274, 778, 841, 866, 1092, 1147, 1340, 1347, 5000, 5768, 5775, 5944, 5951, 6114, 6309, 6317, 6840, 6849, 6859, 7004, 7013, 7023, 7687, 7700, 7956, 7965, 8213, 9945, 9953, 10546, 10562, 10577, 13666, 13678, 13690, 14408, 14516, 14541, 14912, 14965, 15026, 15380, 15388, 17630, 17671, 17804, 17835, 17858, 17875, 17892, 17909, 17926, 17943, 17961, 17980, 18000, 18035, 18368, 18829, 18943, 19124, 19626
\intermath@penalty 6385
\intextsep . 19184, 19186
\InTheoType 7508, 13959, 13961, 13980, 13982
\invoicename 16747
\ior . . 12970, 12971, 12975
\isempty 3947, 4539, 4743, 4748, 4772, 4777, 4801, 4806, 5194, 5203, 5211, 5238

\isodd 15429, 15474
\isSC@ODD 17363, 17364, 17366, 17367, 20047, 20049, 20051, 20053
\isundefined . . . 4151, 4200, 7143, 7149, 7166, 7169, 7170, 7171, 7172, 7173, 7264, 7267, 7268, 7269, 7270, 7271, 7274, 7278
\item 98, 228, 822, 837, 1085, 1168, 1336, 5080, 5088, 5093, 5114, 5764, 5940, 6150, 10200, 10215, 14512, 14766, 15224, 17774
\itemindent . . 5075, 5076, 5084, 19427
\itemsep 3820, 5021, 5060, 5074
\itemx 13825
\itemxox 13860
\itemxoxx 13870
\itemxx 13828
\itemxxo 13865
\itemxxox 13877
\itemxxx 13833
\itemxxxo 13884
\itemxxxx 13840
\itemxxxxx 13849
\itshape 2007, 2550, 4884, 4886, 4890, 4897, 4904, 4939, 4946, 4953, 4960, 4967, 5271, 5272, 5273

J

\juo@ht 13466, 13473, 13564, 13571, 13638, 13645
\juo@pr 13449, 13479, 13547, 13577
\juo@sar 13448, 13478, 13518, 13546, 13576, 13613
\juo@sk . 13447, 13477, 13518, 13545, 13575, 13613, 13646
\justifying . . 3854, 3924, 4476, 14453
\JustifyingParfillskip 14459
\JustifyingParindent 3826, 4479, 5047, 14460

K

\keepthetitle 13271
\kern 27, 29, 30, 31, 237, 239, 240, 241, 759, 761, 763, 765, 941, 942, 944, 947, 948, 950, 962, 1177, 1179, 1182, 1184, 1213, 1420, 1421, 1423, 1426, 1427, 1429, 1462, 1690, 1695, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2041, 2042, 2089, 2091, 2092, 4290, 4291, 4301, 4302, 4304, 4766, 4767, 4795, 4796, 4824, 4825, 5851, 5852, 5854, 5857, 5858, 5860, 5881, 6004, 6005, 6007, 6010, 6011, 6013, 6057, 6280, 6282, 6284, 6286, 6456, 6461, 6483, 7288, 7289, 7578, 7585, 7593, 7600, 7639, 7643, 7724, 7726, 7728, 7730, 8022, 8024, 8026, 8028, 8035, 8036, 8150, 8151, 9958, 9960, 9962, 9964, 10101, 10102, 10103, 10320, 10463, 10465, 10466, 10467, 10468, 10469, 10501, 10709, 10773, 11001, 11047, 12019, 12021, 12023, 12025, 13725, 13819, 13821, 13822, 13823, 14342, 14345, 14372, 14388, 14594, 14595, 14597, 14600, 14601, 14603, 14643, 14782, 15015, 15016, 15018, 15021, 15022, 15024, 15172, 15174, 15176, 15178, 15353, 15355, 15357, 15359, 15587, 15591, 15594, 15597, 15598, 15842, 15845, 15847, 15850, 16135, 16139, 16142, 16145, 16146, 16421, 16424, 16426, 16429, 16702, 16704, 16706, 16708, 16833, 16837, 16840, 16843, 16844, 17103, 17106, 17108, 17111, 17399, 17405, 17644, 19159, 19163, 19169, 19172, 19194, 19373, 19376, 19378, 19843
\keys . . . 12686, 12879, 12973, 13212, 13213
\keywords 326
\kill 12529
\KOMAClassName 15669, 15985, 16217, 16564, 16915, 17246

\KV@do 12060, 12065
\KV@prefix 12058, 12063

L

\l 7534, 7550, 7553, 7559, 7562, 7564, 7565, 7568, 7569, 7572, 7575, 7576, 7577, 7582, 7583, 7584, 7590, 7591, 7592, 7597, 7598, 7599, 7608, 7611, 7619, 12694, 12695, 12696, 12702, 12703, 12704, 12710, 12711, 12712, 12713, 12714, 12715, 12716, 12717, 12718, 12719, 12720, 12722, 12723, 12725, 12726, 12727, 12734, 12735, 12736, 12738, 12740, 12743, 12744, 12751, 12761, 12762, 12763, 12764, 12765, 12766, 12767, 12768, 12769, 12770, 12771, 12772, 12773, 12774, 12775, 12779, 12780, 12781, 12783, 12785, 12788, 12789, 12791, 12792, 12793, 12802, 12812, 12813, 12814, 12815, 12816, 12817, 12818, 12819, 12820, 12826, 12828, 12829, 12830, 12833, 12835, 12836, 12841, 12842, 12843, 12845, 12847, 12851, 12852, 12853, 12861, 12873, 12874, 12889, 12890, 12891, 12892, 12910, 12930, 12938, 12943, 12957, 12962, 12966, 12967, 12968, 12970, 12971, 12972, 12975, 12979, 12981, 12982, 12983, 12984, 12985, 12986, 12987, 12989, 12990, 12991, 12992, 12994, 12995, 12996, 12998, 12999, 13000, 13003, 13004, 13005, 13008, 13041, 13043, 13046, 13071, 13073, 13105, 13109, 13121, 13122, 13168, 13176, 13177, 13183, 13194, 13195, 13216, 13217, 13218, 13219, 13220, 13221, 13222, 13265, 13266
\l@ 18045
\L@ante 12033, 12108, 12133
\l@chapter 5811, 5825, 5987, 6001, 6264, 9922, 14577, 14591, 14948, 14962, 15153, 15337, 17695, 17696, 17827, 18908
\l@color .. 12048, 12049
\l@figure 5008, 5009, 17936, 18936
\L@Findent 12034, 12110, 12134
\L@first 12076, 12077, 12080, 12081, 12083, 12084, 12085, 12086, 12091, 12097, 12099, 12103, 12108, 12109, 12111, 12112, 12123
\L@gridfalse 12039
\L@gridtrue 12039
\L@hang 12030, 12107
\L@imagefalse ... 12038
\L@imagetrue 12038
\L@lbox 12061, 12062, 12069, 12071, 12076, 12086, 12106, 12107, 12118, 12119, 12120, 12133
\l@LOKeys 12053, 12055, 12060, 12065
\L@lraise 12078, 12084, 12085, 12087, 12088, 12133
\L@next 12114, 12115, 12126, 12128
\l@ngrel@x 2818, 2819, 2821
\L@Nindent ... 12035, 12113, 12115, 12117, 12126, 12127
\L@novskip 12037, 12091, 12095
\L@oversize 12031
\l@paragraph 17902, 18924
\L@parshape .. 12123, 12126, 12130, 12132
\l@part 727, 878, 896, 1121, 1139, 1359, 1377, 5787, 5803, 5963, 5979, 6249, 7666, 7920, 9907, 14553, 14569, 14924, 14940, 15139, 15322, 17692, 17693, 17780, 18900, 18903
\L@Pindent ... 12106, 12107, 12109, 12110, 12112, 12113, 12116, 12123

\L@raise . . 12032, 12084
\l@section 744, 904, 917, 1105, 1118, 1386, 1399, 7652, 17846, 18912
\L@slope 12036, 12127, 12128
\l@subfigure 17973
\l@subparagraph 17919, 18928
\l@subsection 17868, 18916
\l@subsubsection 17885, 18920
\l@subtable 17993
\l@table 5009, 17954, 18932
\L@tbox 12073, 12077, 12135
\l@textcolor 12050, 12051
\label . . . 2574, 3976, 3978, 3980, 3984, 4030, 10298, 11191, 11209, 19899
\labelitemi 961, 1212, 1275, 1461, 5880, 6056, 14642, 14781
\labelname . . . 13826, 13829, 13831, 13834, 13836, 13838, 13841, 13843, 13845, 13847, 13850, 13852, 13854, 13856, 13858, 13861, 13863, 13866, 13868, 13871, 13873, 13875, 13878, 13880, 13882, 13885, 13887, 13889
\labelsep 82, 86, 291, 295, 796, 930, 1192, 1441, 2588, 2590, 5037, 5039, 5096, 5840, 6027, 6335, 7713, 7983, 9972, 13826, 13829, 13831, 13834, 13836, 13838, 13841, 13843, 13845, 13847, 13850, 13852, 13854, 13856, 13858, 13861, 13863, 13866, 13868, 13871, 13873, 13875, 13878, 13880, 13882, 13885, 13887, 13889, 14609, 14610, 15002, 15003, 15195, 15196, 15397, 15398, 15798, 15799, 16377, 16378, 17059, 17060, 17707, 17708
\langle 2008
\Larg 2007, 2008, 2009, 2010, 2011
\Larga 2008
\Largb 2009
\LARGE 643, 714, 969, 1059, 1220, 1310, 1469, 1560, 1571, 4939, 4946, 5028, 5271, 5888, 6064, 6165, 6236, 7228, 7741, 7806, 7836, 7907, 9992, 10057, 14650, 14740, 14789, 14886, 14897, 15052, 15238, 15309
\Large 781, 4890, 4953, 5027, 5272, 5273, 7139, 7232, 7690, 15128, 15635, 15641, 15643, 15659, 15748, 15755, 15757, 15760, 16183, 16189, 16191, 16207, 16296, 16303, 16305, 16308, 16881, 16887, 16889, 16905, 16994, 17001, 17003, 17006
\large . . 645, 651, 716, 722, 736, 887, 976, 986, 1061, 1067, 1130, 1227, 1237, 1312, 1318, 1368, 1476, 1486, 1562, 1568, 1572, 1577, 4897, 4960, 5026, 5796, 5895, 5905, 5972, 6071, 6081, 6167, 6173, 6238, 6244, 6258, 7138, 7140, 7231, 7233, 7675, 7743, 7749, 7808, 7814, 7838, 7844, 7909, 7915, 7928, 9916, 9994, 10000, 10059, 10065, 14562, 14657, 14667, 14742, 14748, 14796,

14806, 14888, 14894, 14898, 14903, 14933, 15054, 15060, 15147, 15240, 15246, 15311, 15317, 15331, 18338, 18688, 18726
\Largr 2011
\Largs 2010
\lastbox 6921, 6925, 6951, 9609, 9632, 9642, 9646, 12646, 14274, 19299
\lastbox@a . . . 6921, 6922, 6925, 6926
\LastFrameCommand 10727, 10837
\lastkern . . 4675, 10812
\lastpenalty 6383, 18748
\lastrule 6428
\lastskip 4108, 5601, 5602, 5714, 5715, 6382, 6908, 6909, 6913, 6914, 6916, 6923, 6928
\lastskip@a 6911, 6915, 6919
\lastskip@b 6909, 6911, 6913, 6915, 6919, 6920
\lastskip@d . . 6908, 6914, 6916, 6922, 6923, 6926, 6928, 6929, 6932, 6942
\LastTOCLevelWasHigher 18658
\LastTOCLevelWasLower 18654
\LastTOCLevelWasSame 18656
\LaTeX 11967, 19365, 19366, 19378
\LaTeXe . . . 19367, 19368
\LBEG 2012
\lcb 2009, 2012, 2013, 2016
\lccode 19150, 19151
\Lcs 2023
\LcsStar 2024
\leaders 15597, 16145, 16843, 17412, 17686, 18839, 18948, 19631
\leavevmode 14, 215, 307, 357, 501, 598, 735, 752, 872, 886, 911, 962, 1099, 1112, 1129, 1213, 1276, 1353, 1367, 1393, 1462, 2141, 2519, 4663, 5001, 5469, 5545, 5781, 5795, 5818, 5881, 5957, 5971, 5994, 6057, 6257, 6272, 6351, 6352, 6482, 6534, 7660, 7674, 7927, 8321, 8467, 8612, 8761, 8910, 9059, 9208, 9357, 9506, 9915, 9930, 10200, 10215, 10641, 10989, 11035, 11055, 11825, 11862, 11894, 12641, 12870, 13203, 13667, 13679, 13691, 14273, 14339, 14344, 14390, 14411, 14547, 14561, 14584, 14643, 14782, 14918, 14932, 14955, 15146, 15161, 15330, 15345, 15597, 16145, 16843, 17379, 17430, 17636, 17659, 17805, 17836, 17859, 17876, 17893, 17910, 17927, 17944, 17962, 17981, 18001, 18036, 18229, 18337, 18382, 18830, 18944, 19193, 19370, 19375, 19377, 19385, 19392, 19467, 19576, 19627
\left . 19386, 19393, 19401
\left@footnoterule 30, 240, 635, 758, 940, 957, 1176, 1208, 1419, 1457, 5850, 5876, 6003, 6052, 6157, 6279, 7723, 7735, 7828, 8021, 9957, 9986, 10466, 10472, 10485, 10487, 10615, 10628, 12018, 14593, 14638, 14775, 15014, 15034, 15171, 15230, 15352, 15585, 15607, 15841, 16133, 16155, 16420, 16702, 16831, 16853, 17102
\leftfootnoterule 1808, 7285, 8032, 10470, 10473, 10701, 10973, 19949
\leftline 14354, 19547, 19553, 19555
\leftmargin 86, 295, 795, 796, 929, 930, 1165, 1191, 1192, 1440, 1441, 2589, 2590, 3817, 5018, 5077, 5078, 5085, 5091, 5839, 5840, 6026, 6027, 6334, 6335, 7712, 7713, 7982, 7983, 9971, 9972, 14408, 14610, 14611, 15003, 15004, 15196, 15197, 15398, 15399,

15799, 15800, 16378, 16379, 17060, 17061, 17708, 17709, 19437, 19440, 19450, 19454, 19462, 19501, 19503, 19504, 19505, 19510, 19512, 19513, 19514, 19519, 19521, 19522, 19523, 19528, 19530, 19531, 19532
\leftmargini . . 3817, 5018, 5031, 5038
\leftmarginii 5032
\leftmarginiii . . . 5033
\leftmarginiv 5034
\leftmarginv 5035
\leftmarginvi 5036
\leftmarginwidth . 15168
\leftmark 5368
\leftskip 12, 13, 213, 214, 307, 311, 733, 750, 753, 754, 843, 856, 867, 868, 873, 884, 909, 912, 913, 1093, 1094, 1100, 1110, 1113, 1114, 1127, 1149, 1342, 1348, 1349, 1354, 1365, 1391, 1394, 1395, 1413, 4995, 5003, 5004, 5575, 5770, 5776, 5777, 5782, 5793, 5816, 5819, 5820, 5946, 5952, 5953, 5958, 5969, 5992, 5995, 5996, 6255, 6270, 6273, 6274, 6407, 6409, 6411, 6525, 6526, 6532, 7658, 7661, 7662, 7672, 7925, 8246, 9834, 9913, 9928, 9931, 9932, 12628, 13305, 13306, 13664, 13668, 13669, 13676, 13681, 13688, 13693, 14419, 14421, 14432, 14434, 14445, 14447, 14456, 14458, 14475, 14518, 14531, 14542, 14543, 14548, 14559, 14582, 14585, 14586, 14913, 14914, 14919, 14930, 14953, 14956, 14957, 14967, 14980, 15028, 15144, 15159, 15162, 15163, 15168, 15169, 15328, 15343, 15346, 15347, 17628, 17640, 17657, 17678, 17680, 17685, 17689, 17690, 17800, 17801, 17802, 17810, 17831, 17832, 17833, 17841, 17854, 17855, 17856, 17864, 17871, 17872, 17873, 17881, 17888, 17889, 17890, 17898, 17905, 17906, 17907, 17915, 17922, 17923, 17924, 17932, 17939, 17940, 17941, 17949, 17957, 17958, 17959, 17967, 17976, 17977, 17978, 17986, 17996, 17997, 17998, 18006, 18031, 18032, 18033, 18041, 18081, 18082, 18083, 18761, 18823, 18824, 18825, 18831, 18834, 18881, 18941, 18946, 18969, 18976, 19341, 19342, 19536, 19562, 19563, 19624, 19629
\LEND 2013
\LenToUnit 7452, 7466, 7484
\leqno . . . 330, 14350, 14352, 19940, 19942
\let 83, 98, 111, 148, 149, 152, 153, 156, 157, 160, 180, 184, 199, 200, 228, 292, 321, 329, 330, 342, 379, 491, 507, 539, 540, 569, 599, 600, 603, 620, 624, 628, 633, 634, 635, 636, 637, 638, 639, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 711, 712, 713, 799, 822, 837, 933, 955, 956, 957, 958, 959, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1058, 1085, 1195, 1206, 1207, 1208, 1209,

1210, 1248, 1249,
1250, 1251, 1252,
1253, 1254, 1255,
1256, 1257, 1292,
1293, 1294, 1295,
1296, 1297, 1298,
1299, 1300, 1301,
1302, 1309, 1336,
1444, 1455, 1456,
1457, 1458, 1459,
1497, 1498, 1499,
1500, 1501, 1502,
1503, 1504, 1505,
1506, 1541, 1542,
1543, 1544, 1545,
1546, 1547, 1548,
1549, 1550, 1551,
1559, 1585, 1586,
1590, 1606, 1607,
1608, 1644, 1645,
1646, 1671, 1672,
1673, 1674, 1679,
1714, 1715, 1777,
1779, 1781, 1853,
1895, 1897, 1899,
1948, 1949, 1950,
1951, 1952, 1953,
1954, 1955, 1956,
1957, 1958, 2096,
2097, 2098, 2125,
2142, 2143, 2144,
2145, 2146, 2147,
2148, 2149, 2150,
2152, 2153, 2154,
2265, 2266, 2267,
2268, 2269, 2270,
2271, 2272, 2273,
2303, 2310, 2593,
2602, 2607, 2625,
2649, 2668, 2673,
2698, 2699, 2706,
2707, 2710, 2711,
2713, 2791, 2794,
2802, 2819, 2841,
2863, 2864, 2994,
3074, 3076, 3077,
3078, 3079, 3080,
3135, 3146, 3153,
3159, 3165, 3172,
3176, 3178, 3260,
3276, 3296, 3311,
3327, 3420, 3441,
3442, 3458, 3501,
3504, 3506, 3511,
3525, 3533, 3534,
3554, 3555, 3582,
3593, 3598, 3602,
3604, 3607, 3617,
3628, 3655, 3666,
3675, 3724, 3729,
3745, 3746, 3747,
3748, 3750, 3751,
3752, 3753, 3809,
3939, 3940, 3977,
3978, 3984, 4029,
4030, 4112, 4114,
4116, 4262, 4263,
4276, 4280, 4282,
4283, 4289, 4293,
4297, 4306, 4550,
4551, 4569, 4570,
4588, 4589, 4616,
4617, 4645, 4646,
4647, 4741, 4762,
4763, 4764, 4770,
4791, 4792, 4793,
4799, 4820, 4821,
4822, 4838, 4842,
4843, 4844, 4847,
4851, 4852, 4853,
4856, 4860, 4861,
4862, 5009, 5073,
5114, 5201, 5268,
5269, 5270, 5460,
5461, 5463, 5464,
5482, 5503, 5504,
5505, 5506, 5507,
5508, 5509, 5510,
5511, 5514, 5515,
5516, 5517, 5518,
5519, 5520, 5521,
5522, 5583, 5609,
5659, 5665, 5686,
5699, 5709, 5723,
5727, 5728, 5729,
5730, 5731, 5732,
5733, 5734, 5735,
5741, 5742, 5743,
5744, 5745, 5746,
5747, 5748, 5749,
5764, 5843, 5874,
5875, 5876, 5877,
5878, 5916, 5917,
5918, 5919, 5920,
5921, 5922, 5923,
5924, 5925, 5940,
6030, 6050, 6051,
6052, 6053, 6054,
6092, 6093, 6094,
6095, 6096, 6097,
6098, 6099, 6100,
6101, 6150, 6155,
6156, 6157, 6158,
6159, 6160, 6161,
6179, 6180, 6181,
6182, 6183, 6184,
6185, 6186, 6187,
6188, 6189, 6190,
6214, 6215, 6216,
6217, 6218, 6219,
6220, 6221, 6222,
6223, 6224, 6225,
6226, 6233, 6234,
6235, 6338, 6362,
6364, 6367, 6368,
6369, 6375, 6380,
6400, 6413, 6414,
6415, 6417, 6418,
6423, 6424, 6425,
6426, 6438, 6447,
6488, 6494, 6515,
6687, 6690, 6691,
6746, 6749, 6750,
7283, 7284, 7285,
7286, 7287, 7290,
7291, 7293, 7311,
7312, 7314, 7332,
7333, 7337, 7372,
7374, 7386, 7389,
7390, 7394, 7424,
7426, 7438, 7441,
7442, 7716, 7733,
7734, 7735, 7736,
7737, 7755, 7756,
7757, 7758, 7759,
7760, 7761, 7762,
7763, 7764, 7788,
7789, 7790, 7791,
7792, 7793, 7794,
7795, 7796, 7797,

7798, 7805, 7826,
7827, 7828, 7829,
7830, 7831, 7832,
7850, 7851, 7852,
7853, 7854, 7855,
7856, 7857, 7858,
7859, 7860, 7861,
7885, 7886, 7887,
7888, 7889, 7890,
7891, 7892, 7893,
7894, 7895, 7896,
7897, 7904, 7905,
7906, 7986, 8030,
8031, 8032, 8033,
8034, 8126, 8127,
8128, 8129, 8130,
8131, 8133, 8134,
8135, 8136, 8137,
8138, 8139, 8275,
8276, 8277, 8281,
8282, 8283, 8284,
8286, 8424, 8425,
8426, 8430, 8431,
8432, 8433, 8435,
8566, 8567, 8568,
8572, 8573, 8574,
8575, 8577, 8715,
8716, 8717, 8721,
8722, 8723, 8724,
8726, 8864, 8865,
8866, 8870, 8871,
8872, 8873, 8875,
9013, 9014, 9015,
9019, 9020, 9021,
9022, 9024, 9162,
9163, 9164, 9168,
9169, 9170, 9171,
9173, 9311, 9312,
9313, 9317, 9318,
9319, 9320, 9322,
9460, 9461, 9462,
9466, 9467, 9468,
9469, 9471, 9651,
9652, 9653, 9657,
9658, 9659, 9660,
9662, 9670, 9682,
9694, 9719, 9733,
9747, 9841, 9903,
9975, 9984, 9985,
9986, 9987, 9988,
10006, 10007,
10008, 10009,
10010, 10011,
10012, 10013,
10014, 10015,
10039, 10040,
10041, 10042,
10043, 10044,
10045, 10046,
10047, 10048,
10049, 10056,
10137, 10140,
10141, 10169,
10172, 10173,
10251, 10252,
10254, 10255,
10258, 10259,
10288, 10290,
10298, 10299,
10300, 10310,
10313, 10445,
10473, 10499,
10500, 10602,
10615, 10628,
10653, 10654,
10655, 10656,
10690, 10705,
10711, 10716,
10851, 10852,
10853, 10854,
10896, 10899,
10900, 10940,
10943, 10944,
10973, 10974,
10975, 10976,
10977, 11058,
11092, 11094,
11448, 11449,
11450, 11491,
11492, 11493,
11535, 11536,
11537, 11550,
11551, 11552,
11565, 11566,
11567, 11573,
11575, 11576,
11577, 11578,
11579, 11580,
11581, 11590,
11626, 11664,
11697, 11728,
11759, 11765,
11767, 11768,
11769, 11770,
11771, 11772,
11773, 11774,
11786, 11789,
11792, 11795,
11962, 11963,
11964, 11965,
11980, 11991,
12049, 12059,
12064, 12216,
12519, 12520,
12521, 12523,
12525, 12529,
12531, 12533,
12534, 12536,
12537, 12538,
12542, 12548,
12560, 12596,
12597, 12598,
12620, 12621,
12622, 12623,
12624, 12632,
12679, 12680,
12681, 13273,
13274, 13275,
13276, 13277,
13278, 13279,
13280, 13281,
13337, 13340,
13341, 13343,
13344, 13440,
13443, 13444,
13538, 13541,
13542, 13771,
13774, 13794,
13795, 13798,
13799, 13802,
13803, 13906,
13907, 13908,
14016, 14017,
14018, 14019,
14020, 14022,
14035, 14040,
14054, 14086,
14275, 14279,
14322, 14323,
14324, 14325,

14328, 14329,
14331, 14336,
14346, 14347,
14348, 14349,
14350, 14412,
14416, 14418,
14429, 14431,
14442, 14444,
14454, 14455,
14466, 14467,
14468, 14469,
14470, 14480,
14481, 14482,
14483, 14484,
14493, 14495,
14496, 14512,
14614, 14636,
14637, 14638,
14639, 14640,
14678, 14679,
14680, 14681,
14682, 14683,
14684, 14685,
14686, 14687,
14722, 14723,
14724, 14725,
14726, 14727,
14728, 14729,
14730, 14731,
14732, 14739,
14766, 14773,
14774, 14775,
14776, 14777,
14778, 14779,
14817, 14818,
14819, 14820,
14821, 14822,
14823, 14824,
14825, 14826,
14827, 14828,
14863, 14864,
14865, 14866,
14867, 14868,
14869, 14870,
14871, 14872,
14873, 14874,
14875, 14883,
14884, 14885,
15007, 15032,
15033, 15034,
15035, 15036,
15037, 15038,
15066, 15067,
15068, 15069,
15070, 15071,
15072, 15073,
15074, 15075,
15076, 15077,
15106, 15107,
15108, 15109,
15110, 15111,
15112, 15113,
15114, 15115,
15116, 15117,
15118, 15124,
15125, 15126,
15200, 15224,
15228, 15229,
15230, 15231,
15232, 15233,
15234, 15252,
15253, 15254,
15255, 15256,
15257, 15258,
15259, 15260,
15261, 15262,
15263, 15287,
15288, 15289,
15290, 15291,
15292, 15293,
15294, 15295,
15296, 15297,
15298, 15299,
15306, 15307,
15308, 15402,
15427, 15454,
15455, 15472,
15544, 15545,
15546, 15605,
15606, 15607,
15608, 15609,
15610, 15611,
15613, 15677,
15694, 15695,
15696, 15697,
15698, 15699,
15700, 15701,
15702, 15703,
15704, 15705,
15706, 15707,
15708, 15709,
15710, 15711,
15712, 15713,
15714, 15715,
15716, 15717,
15718, 15719,
15720, 15721,
15725, 15726,
15727, 15811,
15836, 15837,
15861, 15862,
15863, 15864,
15865, 15866,
15872, 15873,
15874, 15875,
15876, 15877,
15971, 15973,
15979, 15981,
16092, 16093,
16094, 16153,
16154, 16155,
16156, 16157,
16158, 16159,
16161, 16225,
16242, 16243,
16244, 16245,
16246, 16247,
16248, 16249,
16250, 16251,
16252, 16253,
16254, 16255,
16256, 16257,
16258, 16259,
16260, 16261,
16262, 16263,
16264, 16265,
16266, 16267,
16268, 16269,
16273, 16274,
16275, 16390,
16415, 16416,
16440, 16441,
16442, 16443,
16444, 16445,
16451, 16452,
16453, 16454,
16455, 16456,
16550, 16552,
16558, 16560,
16790, 16791,

16792, 16851,
16852, 16853,
16854, 16855,
16856, 16857,
16859, 16923,
16940, 16941,
16942, 16943,
16944, 16945,
16946, 16947,
16948, 16949,
16950, 16951,
16952, 16953,
16954, 16955,
16956, 16957,
16958, 16959,
16960, 16961,
16962, 16963,
16964, 16965,
16966, 16967,
16971, 16972,
16973, 17072,
17097, 17098,
17122, 17123,
17124, 17125,
17126, 17127,
17133, 17134,
17135, 17136,
17137, 17138,
17232, 17234,
17240, 17242,
17370, 17371,
17372, 17375,
17431, 17432,
17433, 17437,
17448, 17449,
17450, 17457,
17458, 17464,
17473, 17474,
17475, 17477,
17480, 17484,
17487, 17489,
17492, 17501,
17504, 17517,
17518, 17519,
17534, 17535,
17536, 17537,
17538, 17539,
17541, 17542,
17545, 17546,
17623, 17652,
17681, 17686,
17692, 17695,
17712, 17774,
17778, 17807,
17808, 17809,
17838, 17839,
17840, 17861,
17862, 17863,
17878, 17879,
17880, 17895,
17896, 17897,
17912, 17913,
17914, 17929,
17930, 17931,
17946, 17947,
17948, 17964,
17965, 17966,
17983, 17984,
17985, 18003,
18004, 18005,
18038, 18039,
18040, 18103,
18258, 18395,
18476, 18479,
18509, 18742,
18958, 18966,
18971, 18978,
18995, 18998,
19058, 19116,
19120, 19198,
19203, 19213,
19217, 19246,
19256, 19260,
19300, 19304,
19349, 19350,
19351, 19352,
19355, 19356,
19358, 19363,
19365, 19367,
19379, 19380,
19381, 19382,
19386, 19387,
19393, 19394,
19395, 19409,
19430, 19482,
19535, 19538,
19539, 19553,
19554, 19572,
19577, 19578,
19579, 19583,
19595, 19596,
19597, 19598,
19604, 19605,
19606, 19653,
19656, 19657,
19696, 19699,
19700, 19870,
19872, 19885,
19886, 19887,
19888, 19890,
19891, 19893,
19894, 19899,
19900, 19901,
19924, 19927,
19939, 19940,
19948, 19949,
19950, 20090, 20092
\Letter 2439
\lettergroup 5125
\LettrineDepth . . . 12120
\LettrineFont 12061, 12071
\LettrineFontEPS 12069
\LettrineHeight . . 12119
\LettrineTextFont .
. . . . . 12073, 12082
\LettrineWidth . . . .
. . . . . 12062, 12118
\lftside 14205,
14207, 14210,
14212, 14226, 14228
\line 6544, 6545,
6547, 6548, 6554,
6555, 6557, 6558,
6567, 6568, 6570,
6571, 6577, 6578,
6580, 6581, 6590,
6591, 6593, 6594,
6600, 6601, 6603,
6604, 6613, 6614,
6616, 6617, 6623,
6624, 6626, 6627,
14353, 14354, 14355
\lineskip 198, 621, 646,
717, 977, 1062,
1228, 1313, 1477,
1563, 1572, 2423,
5896, 6072, 6168,
6239, 7744, 7809,
7839, 7910, 9995,
10060, 10302,

12561, 12629, 14476, 14490, 14658, 14743, 14797, 14889, 14898, 15055, 15131, 15241, 15312, 15635, 15749, 16183, 16297, 16881, 16995, 17452, 17492, 19600, 19902
\lineskiplimit 10303, 19902
\linespacing 24
\linewidth ... 2547, 4006, 10201, 10216, 10220, 10863, 10871, 10872, 10874, 10875, 11138, 12111, 12114, 12130, 12626, 13345, 13351, 13973, 13975, 13993, 13995, 14163, 14169, 14255, 14264, 14265, 14316, 14318, 14473, 14487, 15957, 16536, 17218, 19343, 19345, 19436, 19437, 19464, 19501, 19503, 19504, 19505, 19510, 19512, 19513, 19514, 19519, 19521, 19522, 19523, 19528, 19530, 19531, 19532, 19862, 19865
\link 2553
\list 85, 294, 793, 927, 1163, 1189, 1438, 5056, 5074, 5083, 5091, 5837, 6024, 6332, 7710, 7980, 9969, 13898, 14608, 15001, 15194, 15396, 15795, 16374, 17056, 17706, 19419
\listdoubleitemmaincolumnwidth 2493, 2506, 2507, 2508, 2535, 2539
\listfigurename ... 4978, 4979
\listitemmaincolumnwidth 2492, 2500, 2501, 2533
\listitemsymbol ... 2434, 2491, 2532, 2534, 7094, 7192
\listitemsymbolwidth 2490, 2491, 2501, 2507
\listoffigures ... 4976
\listoftables 4984
\listparindent 1163, 5076, 5083, 5084, 19426, 19435
\listtablename 4986, 4987
\llap 5063, 7507, 8160, 8172, 8184, 10116, 10122, 10980, 11103, 11105, 11107, 11109, 11112, 11114, 11117, 11119, 12133, 17397, 17641, 17659
\LoadClass .. 5310, 5334
\long . 34, 47, 62, 243, 256, 270, 675, 960, 1025, 1211, 1274, 1460, 1525, 1941, 2160, 2163, 2166, 2171, 2174, 2177, 2643, 2644, 2653, 2656, 2667, 2759, 2763, 2796, 2821, 2825, 2935, 2954, 3029, 3045, 3057, 3066, 3098, 3126, 3138, 3139, 3672, 3946, 4089, 4349, 4353, 4357, 4393, 4397, 4401, 4437, 4441, 4445, 4656, 4740, 4769, 4798, 5616, 5619, 5622, 5626, 5629, 5632, 5879, 6055, 6197, 6481, 7292, 7313, 7771, 7868, 10022, 10543, 10559, 10574, 10601, 10614, 10627, 10978, 10988, 11034, 11075, 11082, 11494, 11505, 11516, 11527, 11542, 11557, 11600, 11617, 11638, 11655, 11671, 11688, 11702, 11719, 11733, 11750, 11975, 12162, 13287, 13337, 13387, 13409, 13806, 13810, 13814, 14144, 14338, 14641, 14706, 14780, 14847, 15042, 15085, 15270, 15560, 16108, 16681, 16781, 16806, 17369, 17557, 17561, 17564, 17568, 19192, 19369, 19466, 19743, 19747, 19751, 19787, 19791, 19795, 19854, 19929
\longindentation . 8014
\longtable 2287
\longthickrule 15123, 15129
\loop 453, 1845, 1846, 6637, 6799, 6805, 6910, 6965, 6977, 9630, 9640, 12097, 14161, 14197, 14224, 14235, 14262, 17512

\lower 14344, 14378, 14386, 19186, 19375, 19377
\lowercase . . 3794, 4495
\lowertitleback . . . 15718, 16266, 16964
\LR 11963, 14324, 14344, 19351, 19375, 19377
\lrb 2011, 2020
\LRE . 1778, 1896, 11962, 14324, 14327, 18998, 19351, 19354
\LRfootnoterule 7287, 8034, 10473
\lsb 2010, 2018
\lst@@caption . 12188, 12194, 12201, 12206
\lst@alloverstyle 1999, 2005
\lst@HRefStepCounter 12188, 12194
\lst@ifnumberbychapter 12216, 12217
\lst@Key . . . 12138, 12145
\lst@MakeCaption 12186, 12199
\lst@makecaption . 12184
\lst@maketitle 12185, 12211, 12213
\lst@title@dropdelim 12185
\lstKV@SwitchCases 12139, 12146
\lstset 1969
\LT@@hl 12521, 12523
\LT@@save@row 2315
\LT@@tabarray 12520, 12524
\LT@array 2299, 11971, 12510, 15971, 15972, 16550, 16551, 17232, 17233
\LT@bchunk 12551, 12558, 12562
\LT@caption . . 12529, 15973, 15979, 15981, 16552, 16558, 16560, 17234, 17240, 17242
\LT@cols 12564, 15956, 16535, 17217
\LT@echunk 2305
\LT@end@pen . 2321, 2329
\LT@endpbox 12531
\LT@entry . . . 2303, 2310
\LT@entry@chop . . . 2303
\LT@entry@write . . 2310
\LT@err 2296, 2330
\LT@final@warn . . . 2319
\LT@foot 2333, 2337, 2346, 2349, 11986, 11990
\LT@get@widths . . . 2308
\LT@head 2340, 2353
\LT@hline 12529
\LT@kill 12529
\LT@lastfoot 2333, 2335, 2346
\LT@LL@FM@cr 12538, 12542
\LT@make@row 12559
\LT@makecaption 12563, 12574, 15948, 16527, 17209
\LT@mcol 12519, 12564, 15956, 16535, 17217
\LT@no@pgbk 12527, 12528
\LT@nofcols 12558
\LT@output 2327
\LT@p@ftn 11595, 11598, 11602, 11612, 11633, 11636, 11640, 11650, 12603, 12604, 12606, 12607
\LT@p@ftntext . . . 12596
\LT@p@LTRftntext 11593, 11600, 12597, 12602
\LT@p@RTLftntext 11631, 11638, 12598, 12605
\LT@rows . . 12553, 12583
\LT@save@row 2304, 2313, 2315
\LT@setprevdepth . 12554
\LT@start 2306, 11988, 11998
\LT@startpbox 12535, 12542, 12594
\LT@tabularcr . . . 12525
\LT@warn 2317
\LTcaptype 12576, 12585, 12586
\LTcapwidth 12564, 12577, 12578
\LTleft 12513, 12515, 12517, 12555
\LTpost 2325
\LTR 14316, 19343
\LTR@column@boxes . 13732, 13775, 13777
\LTR@outputdblcol 6733, 10157, 10881, 13525, 19683, 19723, 19725
\LTRbidituftesidenotemarginpar . . 4376, 4701, 4849
\LTRcite 4646, 4763, 4792, 4821, 4843, 4852, 4861
\LTRcolumnfootnotes 8141
\LTRdblcol 19725
\LTRdfnmakecol . . . 7445
\LTRfootfootmark 8170, 8327, 8473, 8618, 8767, 8916, 9065, 9214, 9363, 9512, 9712
\LTRfootmarkstyle 8156, 8195
\LTRfootnote . . . 638, 712, 2097, 2105, 4832, 5182, 6160, 6234, 7831, 7905, 10528, 14778, 14884, 15037, 15125, 15233, 15307, 15610, 15726, 16158, 16274, 16856, 16972
\LTRfootnotetext . . 2164, 2175, 5620, 5630, 10674, 10676, 11596, 12603, 17558, 17562
\LTRfootscript 8156, 8173, 8177, 8179
\LTRfoottextfont 8076, 8083,

8104, 8110, 8208, 8299, 8327, 8347, 8447, 8473, 8492, 8590, 8618, 8638, 8739, 8767, 8787, 8888, 8916, 8936, 9037, 9065, 9085, 9186, 9214, 9234, 9335, 9363, 9383, 9484, 9512, 9532, 9684, 9712, 9736
\LTright 12513, 12515, 12517, 12556
\LTRmarginnote . . . 4846
\LTRmarginpar 19726
\LTRmulticolcolumns 13773
\LTRsidenote . 4571, 4828
\LTRthanks 638, 658, 693, 712, 5182, 5190, 5207, 5223, 5234, 6160, 6180, 6215, 6234, 7831, 7851, 7886, 7905, 10672, 13274, 14778, 14818, 14864, 14884, 15037, 15067, 15107, 15125, 15233, 15253, 15288, 15307, 15610, 15695, 15726, 16158, 16243, 16274, 16856, 16941, 16972
\ltx@firstofthree 10398, 10422
\ltx@ifundefined 10392, 10416
\ltx@secondofthree 10401, 10425
\ltx@thirdofthree . . . 10394, 10411, 10418

M

\m@addvipersep 13469, 13567
\m@m@float@spacing 8145
\m@m@footnote@spacing . . . 8042, 8058, 8074, 8090, 8103, 8116, 8144, 8288, 8298, 8308, 8334, 8346, 8359, 8386, 8399, 8414, 8419, 8437, 8446, 8455, 8480, 8491, 8503, 8529, 8541, 8556, 8561, 8579, 8589, 8599, 8625, 8637, 8650, 8677, 8690, 8705, 8710, 8728, 8738, 8748, 8774, 8786, 8799, 8826, 8839, 8854, 8859, 8877, 8887, 8897, 8923, 8935, 8948, 8975, 8988, 9003, 9008, 9026, 9036, 9046, 9072, 9084, 9097, 9124, 9137, 9152, 9157, 9175, 9185, 9195, 9221, 9233, 9246, 9273, 9286, 9301, 9306, 9324, 9334, 9344, 9370, 9382, 9395, 9422, 9435, 9450, 9455, 9473, 9483, 9493, 9519, 9531, 9544, 9571, 9584, 9599, 9604, 9663, 9671, 9683, 9695, 9720, 9734, 9748, 9775, 9784, 9798, 9820, 9828
\m@m@h 8257, 8259, 8261, 8264, 8265, 8270
\m@m@k 8257, 8259, 8264, 8267, 8268, 8270
\m@m@makecolfloats . . 9839, 9886, 9892
\m@m@makecolintro . . . 9854, 9879, 9890
\m@m@makecoltext . . . 9843, 9887, 9898
\m@m@singlespace . 8143
\m@make@eightcol@footgroup . . 9167, 9259, 9299
\m@make@eightcolfootfmt 9258, 9294
\m@make@eightcolfootnotetext 9256, 9270
\m@make@fivecol@footgroup . . 8720, 8812, 8852
\m@make@fivecolfootfmt 8811, 8847
\m@make@fivecolfootnotetext 8809, 8823
\m@make@footstart . . . 8242, 8253, 8374, 8517, 8665, 8814, 8963, 9112, 9261, 9410, 9559
\m@make@fourcol@footgroup . . 8571, 8663, 8703
\m@make@fourcolfootfmt 8662, 8698
\m@make@fourcolfootnotetext 8660, 8674
\m@make@mpeightcol@footgroup . . 9172, 9260, 9304
\m@make@mpeightcolfootnotetext 9257, 9282
\m@make@mpfivecol@footgroup . . 8725, 8813, 8857
\m@make@mpfivecolfootnotetext 8810, 8835
\m@make@mpfourcol@footgroup . . 8576, 8664, 8708
\m@make@mpfourcolfootnotetext 8661, 8686
\m@make@mpninecol@footgroup . . 9321, 9409, 9453
\m@make@mpninecolfootnotetext 9406, 9431
\m@make@mppara@footgroup . . 9661, 9764, 9823
\m@make@mpparafootnotetext 9761, 9794
\m@make@mpsevencol@footgroup . . . 9023, 9111, 9155
\m@make@mpsevencolfootnotetext 9108, 9133
\m@make@mpsixcol@footgroup . . 8874, 8962, 9006
\m@make@mpsixcolfootnotetext 8959, 8984

\m@make@mptencol@footgroup . . 9470, 9558, 9602
\m@make@mptencolfootnotetext 9555, 9580
\m@make@mpthreecol@footgroup . . 8434, 8516, 8559
\m@make@mpthreecolfootnotetext 8513, 8537
\m@make@mptwocol@footgroup . . 8285, 8373, 8417
\m@make@mptwocolfootnotetext 8370, 8395
\m@make@ninecol@footgroup . . 9316, 9408, 9448
\m@make@ninecolfootfmt 9407, 9443
\m@make@ninecolfootnotetext 9405, 9419
\m@make@para@footgroup . . 9656, 9763, 9814
\m@make@para@footstart 9765, 9831
\m@make@parafootfmt 9762, 9808
\m@make@parafootnotetext 9760, 9781
\m@make@sevencol@footgroup . . . 9018, 9110, 9150
\m@make@sevencolfootfmt 9109, 9145
\m@make@sevencolfootnotetext 9107, 9121
\m@make@sixcol@footgroup . . 8869, 8961, 9001
\m@make@sixcolfootfmt 8960, 8996
\m@make@sixcolfootnotetext 8958, 8972
\m@make@tencol@footgroup . . 9465, 9557, 9597
\m@make@tencolfootfmt 9556, 9592
\m@make@tencolfootnotetext 9554, 9568
\m@make@threecol@footgroup . . 8429, 8515, 8554
\m@make@threecolfootfmt 8514, 8549
\m@make@threecolfootnotetext 8512, 8526
\m@make@twocol@footgroup . . 8280, 8372, 8412
\m@make@twocolfootfmt 8371, 8407
\m@make@twocolfootnotetext 8369, 8383
\m@mdoextrafeet 8199, 9885, 9897
\m@mdoextrafeetendmini 8227, 8237
\m@mdoextrafeetmini 8218
\m@mdosplits . . 8262, 8266, 8267, 8268
\m@minterparanoteglue 9622, 9624
\m@mipn@skip 9614, 9621, 9623
\m@mmakehboxofhboxes 9626, 9637, 9817, 9826
\m@mmf@prepare 8054, 8070, 8086, 8149, 8296, 8306, 8316, 8342, 8355, 8367, 8394, 8406, 8444, 8453, 8462, 8487, 8499, 8510, 8536, 8548, 8587, 8597, 8607, 8633, 8646, 8658, 8685, 8697, 8736, 8746, 8756, 8782, 8795, 8807, 8834, 8846, 8885, 8895, 8905, 8931, 8944, 8956, 8983, 8995, 9034, 9044, 9054, 9080, 9093, 9105, 9132, 9144, 9183, 9193, 9203, 9229, 9242, 9254, 9281, 9293, 9332, 9342, 9352, 9378, 9391, 9403, 9430, 9442, 9481, 9491, 9501, 9527, 9540, 9552, 9579, 9591, 9680, 9692, 9704, 9730, 9744, 9758, 9793, 9807
\m@mold@footnotetext 8126, 8133
\m@mold@LTRfootnotetext 8127, 8134
\m@mold@mpfootnotetext 8129, 8136
\m@mold@mpLTRfootnotetext 8130, 8137
\m@mold@mpRTLfootnotetext 8131, 8138
\m@mold@RTLfootnotetext 8128, 8135
\m@mopfootnote 9855, 9883
\m@mremovehboxes 9646, 9647, 9818, 9827
\m@mrigidbalance 8259, 8264, 8416, 8421, 8558, 8563, 8707, 8712, 8856, 8861, 9005, 9010, 9154, 9159, 9303, 9308, 9452, 9457, 9601, 9606
\m@msplitoff . 8267, 8269
\m@mungebox . . 9615, 9680, 9692, 9704, 9730, 9744, 9758, 9793, 9807
\m@munvxh . . . 9607, 9616
\m@ne 306, 771, 780, 2697, 2799, 4344, 4388, 4432, 6107, 6265, 6302, 6637, 7680, 7689, 7949, 9923, 9940, 11818, 13706, 14404, 15154, 15338, 15375, 16035, 16612, 16615, 17294, 17297, 17786, 17828, 18767, 19738, 19782, 19817, 19820
\m@th 623, 7496, 7501, 7507, 10201, 10216, 12560, 18839, 18948,

19401, 19484, 19568, 19570, 19631
\maincolumnwidth 2488, 2497, 2498, 2499, 2500, 2502, 2506, 2521, 2525, 2550
\mainmatter 5361
\makeatletter 3001, 3020
\makebox 7495, 7500, 7569, 7572, 7575, 7582, 7590, 7597, 7638, 7642, 14010, 14028
\makefooter 7159, 7160, 7176
\MakeFramed 10729
\makelabel . 5063, 19430
\maketag@@@ 338, 7493, 7506
\makethanksmark . . 13287
\maketitle . 106, 315, 322, 632, 660, 671, 695, 953, 998, 1020, 1042, 1204, 1249, 1271, 1293, 1453, 1498, 1520, 1542, 1937, 1949, 2514, 5158, 5262, 5286, 5872, 5917, 6048, 6093, 6154, 6182, 6193, 6217, 7141, 7255, 7732, 7756, 7767, 7789, 7825, 7853, 7864, 7888, 9983, 10007, 10018, 10040, 11765, 11766, 13282, 14634, 14679, 14701, 14723, 14771, 14820, 14842, 14866, 15031, 15069, 15080, 15109, 15227, 15255, 15266, 15290, 15599, 15670, 15697, 16147, 16218, 16245, 16845, 16916, 16943
\maketitledetailsnewline 7250, 7265, 7267, 7268, 7269, 7270, 7271
\maketitledetailswidth 7242, 7244, 7245, 7246, 7247, 7262
\maketitlehookb . 13332
\maketitlehookc . . 13334
\maketitlenamefullwidth . . 7236, 7237, 7239
\maketitlenamemaxwidth . . 7234, 7235, 7239
\maketitlenamewidth 7238, 7239, 7245, 7257
\maketitlepage 5244, 5286
\maketitlepicturewidth 7240, 7241, 7247, 7276
\MakeUppercase . . 121, 791, 818, 819, 834, 925, 1082, 1187, 1333, 1436, 5761, 5835, 5937, 6022, 6146, 6147, 6330, 7708, 7978, 9967, 14509, 14606, 14763, 14999, 15220, 15221, 15394
\marginline 15854, 16433, 17115
\marginnote 4837
\marginpar . . . 3916, 4618, 15855, 16434, 17116, 19034
\marginparpush 3849, 19836
\marginparsep . 1927, 2399, 3890, 3893, 3897, 4043, 4050, 11102, 11104, 11108, 11113, 11116, 11118, 19847, 19849
\marginparwidth 1926, 2400, 3889, 3894, 3906, 3998, 4268, 4361, 4405, 4449, 11102, 11104, 11116, 11118, 19755, 19799, 19849
\markboth 120, 785, 5366, 7694
\mathindent 10202, 10218
\mathsurround 6379
\max@poem@no 5561, 5670, 5671
\maxdepth . . . 9888, 9899
\maxdimen 6678, 6679, 6681, 6737, 6738, 6740, 9676, 9688, 9700, 9726, 9740, 9754, 9789, 9803, 10083, 10129, 10130, 10131, 10161, 10162, 10163, 10736, 10887, 10888, 10890, 10931, 10932, 10934, 13431, 13432, 13434, 13529, 13530, 13532, 17505, 17544, 18899, 18902, 18907, 18911, 18915, 18919, 18923, 18927, 18931, 18935, 19120, 19644, 19645, 19647, 19687, 19688, 19690
\mbox . 11063, 12133, 16784
\mc@col@status@write 13736, 13757
\mc@gridwarn 13726
\mc@lastcol@status@write 13742, 13765
\mdf@footenotedistance@length 12667
\mdf@footnoteinput 12675
\mdf@footnoteoutput 12664
\mdf@frametitleaboveskip@length 12659
\mdf@frametitlealignment 12640
\mdf@frametitlebelowskip@length 12660

\mdf@frametitlebox . . 12639, 12652, 12653, 12654, 12655, 12657, 12658
\mdf@frametitlefont 12642
\mdf@frametitlefontcolor 12641
\mdf@horizontalmargin@equation 12617
\mdf@ignorevbadness 12651
\mdf@lrbox . 12610, 12639
\mdf@par@local . . 12633
\mdf@patchamsthm . 12611
\mdfframedtitleenv 12638
\mdfframetitleboxdepth 12655
\mdfframetitleboxheight 12654
\mdfframetitleboxtotalheight 12656
\mdfframetitleboxwidth 12653
\mdseries 309, 7135, 7137, 7139, 7140, 7227, 7228, 7229, 7232, 7233
\meaning 2606, 2609, 2765, 2991, 3018, 3033, 3051, 3059, 3068, 3132
\mediabutton 13199, 13265, 13266
\medskip 5468
\medskipamount . . . 8016
\mem@makecol . 9878, 9900
\memRTLleftskip . 13305
\memRTLraggedleft 13310
\memRTLraggedright 13309
\memRTLrightskip 13306
\memRTLvleftskip . 13307
\memRTLvrightskip 13308
\message . 1878, 1880, 10737, 10745, 10749, 10754, 10762, 10768, 10778, 10783, 10785, 10792, 10800, 10813, 10821, 10826, 10831, 10844, 10855, 10863, 10875
\MessageBreak . . 144, 2317, 3191, 3205, 3217, 3231, 3436, 3447, 3454, 3466, 3472, 3570, 3623, 3624, 3625, 3639, 3640, 3642, 3930, 4020, 4247, 4248, 4316, 4917, 4918, 4919, 4921, 4922, 4926, 4927, 4928, 4930, 4931, 13383, 13384, 13709, 13728, 13790, 15671, 15821, 15828, 16219, 16400, 16407, 16917, 17082, 17089, 18411, 18413, 18416
\MH . 7509, 7515, 7528, 7543, 7555, 7563, 7610, 7626, 7628, 7632, 7633, 7635
\MHInternalSyntaxOff 7650
\MHInternalSyntaxOn 7490
\MidFrameCommand . . 10725, 10769, 10837
\minrowclearance 1676, 1710, 6476
\mintagvsep 7510
\missingfigure 19078, 19108
\mix 12696, 12697, 12704, 12705, 12731, 12748, 12771, 12774, 12776, 12799, 12831, 12838, 12847, 12855, 12867, 12874, 12875, 12877, 12878, 12880, 12892, 12901, 12904, 12905, 12906, 12916, 12926, 12927, 12929, 12930, 12935, 12936, 12952, 12954, 12956, 12961, 13000, 13007, 13008, 13011, 13029, 13031, 13034, 13036, 13039, 13046, 13054, 13056, 13109, 13114, 13125, 13126, 13129, 13160, 13165, 13167, 13174, 13175, 13176, 13177, 13195, 13200, 13211, 13214, 13222, 13223, 13231, 13233, 13256, 13266
\mkern 18840, 18841, 18949, 19632
\mobile 2476
\Mobilefone 2436
\mobilesymbol 2436, 7169, 7267
\modernpoem 5723
\modernpoem@obeylines 5463, 5723
\modernpoem@par 5463, 5464, 5687
\morefloats . 4150, 4247
\moreLRE 1779, 1897, 14280, 19305
\moreRLE 1781, 1899, 14281, 19306
\moveleft . . 4300, 13621
\moveright 10304, 13719, 19905
\mp@footgroupv@r 8223, 8256, 8286, 8435, 8577, 8726, 8875, 9024, 9173, 9322, 9471, 9662
\mpfootnoterule 10500, 10504

\msg 12751, 12754, 12802, 12805, 12820, 12823, 12861
\MT . . . 7529, 7535, 7537
\mult@cols 13805
\mult@footnotetext 147, 149, 13793, 13795, 13806
\mult@gfirstbox . . . 13733, 13747, 13753
\mult@info 13707
\mult@LTRfootnotetext 151, 153, 13797, 13799, 13810
\mult@rightbox 13700, 13740, 13741, 13743, 13762, 13763, 13766
\mult@RTLfootnotetext 155, 157, 13801, 13803, 13814
\multfootsep . 4660, 4678
\multicol@leftmargin 13710, 13719
\multicols . 2289, 13778
\multicolumn 12519, 17479
\multiframe 540
\multiplefootnotemarker . . . 4659, 4675, 4766, 4767, 4795, 4796, 4824, 4825, 8148, 8150, 8151
\multiply 1911, 1916, 2255, 9666, 9667, 9778, 9779, 14180, 14184
\myrefname 16735

N

\n@xt 1777, 1779, 1781, 1782, 1895, 1897, 1899, 1900
\na 14183, 14185, 14187, 14196, 14198, 14223, 14224
\narrower 19561
\NAT@bibitem@first@sw 13906
\nb 14183, 14186, 14187, 14196, 14197, 14218, 14234, 14235
\NC@find 17511
\NC@rewrite@X 17510
\NeedsTeXFormat 1717, 1904, 1960, 2093, 2355, 2603, 3755, 4325, 4864, 5010, 5126, 5153, 5302, 5326, 5391, 7079, 7177
\new@command . 2801, 2803
\new@poem@width 5478, 5479, 5480, 5481, 5566, 5608, 5611
\newblock 2601, 5578, 5685, 13900, 13902
\newboolean 3763, 3767, 3769, 3771, 3772, 3784, 3857, 3867, 3934, 3957, 4252, 4873, 5132, 5159
\newbox 5533, 5534
\newcommand . . 1849, 1998, 2004, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2380, 2466, 2471, 2472, 2473, 2475, 2476, 2477, 2479, 2480, 2482, 2483, 2494, 2495, 2515, 2522, 2524, 2528, 2532, 2534, 2540, 2549, 2551, 2553, 2557, 2561, 2566, 2578, 2601, 2721, 2727, 2739, 2745, 2757, 2760, 2762, 2769, 2773, 2779, 2786, 2789, 2792, 2795, 2810, 2854, 2859, 2981, 3005, 3056, 3065, 3142, 3156, 3168, 3258, 3259, 3275, 3290, 3294, 3300, 3303, 3306, 3309, 3314, 3317, 3320, 3324, 3328, 3331, 3332, 3333, 3335, 3343, 3352, 3354, 3364, 3366, 3378, 3380, 3387, 3395, 3397, 3406, 3408, 3419, 3421, 3422, 3426, 3430, 3500, 3510, 3514, 3519, 3553, 3591, 3614, 3615, 3616, 3648, 3649, 3650, 3651, 3662, 3759, 3760, 3761, 3762, 3785, 3788, 3793, 3824, 3851, 3852, 3853, 3854, 3869, 3888, 3924, 3926, 3927, 3932, 3933, 3935, 3936, 3943, 3944, 3945, 3953, 3956, 4038, 4056, 4266, 4274, 4284, 4287, 4295, 4464, 4465, 4466, 4467, 4468, 4469, 4470, 4471, 4472, 4473, 4474, 4475, 4476, 4477, 4486, 4494, 4548, 4567, 4586, 4608, 4614, 4639, 4640, 4674, 4827, 4828, 4829, 4837, 4846, 4855, 4868, 4869, 4992, 5045, 5125, 5138, 5172, 5173, 5174, 5175, 5176, 5177, 5178, 5179, 5230, 5244, 5420, 5427, 5436, 5440, 5450, 5469, 5673, 5674, 7250, 7444, 7445, 9867, 9900, 9901, 9902, 9903, 10316, 10319, 10378, 10383, 10385, 10391, 10407, 10431, 10443, 10497,

10591, 10593, 11126, 12152, 13770, 13773, 13776, 15542, 15543, 16090, 16091, 16788, 16789, 18989, 18991, 19296, 19297, 19341, 19342, 19542, 19543, 19724, 19725
\newcount 1840, 1907, 1908, 8257
\newcounter 4547, 5669, 10227, 10376, 18015, 18019, 18020
\newdimen 5424, 5425, 5475, 8257
\newenvironment 2045, 2056, 2065, 2074, 2579, 3903, 3918, 3921, 3959, 4080, 5658, 5722, 19498, 19507, 19516, 19525
\newfloat@@setwithin 13933, 13939, 13947, 13949
\newfloat@Error . 13952
\newfloat@setwithin 13919
\newframe 539
\newif 1757, 1759, 1760, 1761, 1762, 1763, 1764, 1765, 1767, 1768, 1883, 1884, 1885, 1886, 2357, 2386, 2565, 3007, 5347, 5535, 7082, 7084, 7086, 7088, 7153, 7180, 7182, 7184, 7186, 7249, 10374, 10382, 12609, 18987, 18988
\newinsert 4153, 4154, 4155, 4156, 4157, 4158, 4159, 4160, 4161, 4162, 4163, 4164, 4165, 4166, 4167, 4168, 4169, 4170, 4171, 4172, 4173, 4174, 4175, 4176, 4177, 4178, 4179, 4180, 4181, 4182, 4183, 4184, 4185, 4186, 4202, 4203, 4204, 4205, 4206, 4207, 4208, 4209, 4210, 4211, 4212, 4213, 4214, 4215, 4216, 4217, 4218, 4219, 4220, 4221, 4222, 4223, 4224, 4225, 4226, 4227, 8249, 8255
\newlength ... 2484, 2485, 2486, 2488, 2489, 2490, 2492, 2493, 2576, 3885, 3886, 3887, 3941, 3958, 4737, 7234, 7236, 7238, 7240, 7242, 18047, 18049, 18050, 18677
\newline 2547, 4114
\newlinechar 1854
\newlinetospace 4111, 4131, 4132, 4133, 5367, 5368, 5369
\newlistentry 18012, 18079
\newpage 685, 707, 1034, 1054, 1285, 1305, 1534, 1554, 3617, 3619, 3623, 3628, 3629, 3632, 3636, 3638, 3641, 5263, 5300, 5301, 6207, 6229, 7076, 7781, 7801, 7878, 7900, 10032, 10052, 12526, 13296, 14715, 14735, 14856, 14878, 15099, 15121, 15280, 15302, 15686, 16234, 16932
\newpoem@tabcr 5686, 5695, 5696
\newsavebox .. 2044, 3902, 3937, 3938
\newskip . 2082, 2083, 2084, 2804, 9621
\newthought 5066
\newtoks 2095, 2617, 2618, 5476, 10384, 14276, 19301
\newXeTeXintercharclass 1842, 1843
\next@tpage 15616, 15648, 15658, 15661, 15729, 16164, 16196, 16206, 16209, 16277, 16862, 16894, 16904, 16907, 16975
\ninecolumnfootnotes 9309
\ninecolumnfootstyle 9404
\nl 184
\no@bib@break 15807, 16386, 17068
\noalign 1590, 2302, 5589, 8267, 12526, 12527, 12528, 15949, 15974, 15976, 16528, 16553, 16555, 17210, 17235, 17237
\nobibliography .. 4544
\nobreak 14, 16, 215, 217, 737, 755, 782, 786, 873, 874, 888, 914, 1100, 1101, 1115, 1131, 1354, 1355, 1369, 1396, 2353, 3679, 4667, 5004, 5005, 5489, 5491, 5497, 5782, 5783, 5797, 5821, 5958, 5959, 5973, 5997, 6110, 6118, 6130, 6259, 6275, 6305, 6310, 6318, 6527, 7663, 7676, 7691, 7695,

7703, 7929, 7952, 7957, 7966, 8009, 8010, 9917, 9933, 9942, 9946, 9954, 12017, 12666, 13670, 13681, 13682, 13693, 13694, 14407, 14409, 14548, 14549, 14563, 14587, 14919, 14920, 14934, 14958, 15148, 15164, 15332, 15348, 15377, 15381, 15389, 15783, 16781, 17646, 17663, 17670, 17810, 17813, 17841, 17842, 17864, 17865, 17881, 17882, 17898, 17899, 17915, 17916, 17932, 17933, 17949, 17950, 17967, 17968, 17986, 17987, 18006, 18007, 18041, 18042, 18077, 18235, 18236, 18342, 18344, 18392, 18424, 18429, 18432, 18832, 18837, 18845, 18946, 18947, 18951, 19629, 19630, 19634

\nobreakspace 781

\node 19032, 19062, 19068

\noexpand 613, 2117, 2118, 2132, 2133, 2161, 2164, 2167, 2311, 2613, 2622, 2626, 2646, 2650, 2717, 2764, 2765, 2767, 2986, 2987, 2988, 2990, 2991, 3016, 3018, 3036, 3037, 3038, 3041, 3048, 3049, 3050, 3052, 3058, 3059, 3061, 3067, 3068, 3070, 3129, 3131, 3132, 3284, 3445, 3446, 3448, 3584, 3689, 3723, 3724, 4516, 4518, 4526, 4916, 4919, 4925, 4928, 5617, 5620, 5623, 5675, 6868, 7033, 7386, 7438, 10229, 10230, 10235, 10236, 10288, 11586, 11596, 11604, 11605, 11606, 11608, 11634, 11642, 11643, 11644, 11646, 11675, 11676, 11677, 11679, 11706, 11707, 11708, 11710, 11737, 11738, 11739, 11741, 12555, 12603, 12606, 13127, 13400, 15804, 15805, 16383, 16384, 17065, 17066, 17373, 17446, 17484, 17485, 17558, 17565, 18022, 18494, 18527, 18534, 18539, 18540, 18600, 18971, 18972, 18973, 18974, 18975, 18976, 18977, 18978, 18979, 19221, 19236, 19264, 19270, 19283, 19491, 19492, 19593, 19870

\NoHyper 538

\noindent 167, 169, 675, 849, 858, 1155, 1406, 1415, 1941, 3912, 4099, 4689, 4706, 4723, 4840, 4849, 4858, 5068, 5088, 5249, 5251, 5253, 5444, 5831, 6018, 6197, 6392, 7771, 7868, 8012, 9678, 9690, 9702, 9728, 9742, 9756, 9791, 9805, 9822, 9830, 10022, 10979, 12131, 13360, 14524, 14533, 14973, 14982, 15047, 15090, 15270, 15579, 15616, 15729, 15783, 15896, 15901, 16127, 16164, 16277, 16475, 16480, 16696, 16725, 16731, 16737, 16743, 16749, 16755, 16761, 16767, 16773, 16782, 16825, 16862, 16975, 17157, 17162, 19010, 19013, 19015, 19017, 19020, 19024, 19026, 19082, 19144, 19560

\nointerlineskip 7303, 7324, 10708, 12649, 13717, 19844, 19852

\nopagebreak 5543, 5553, 12528

\nopagenumbers . . . 2566

\normalbaselines . 19401

\normalbaselineskip 313, 3810, 12630, 14477, 14491

\normalcolor 2263, 6488, 6699, 6758, 7624,

8223, 8233, 9863, 9874, 10664, 10717, 10909, 10953, 12003, 12668, 13695, 18730, 18952, 19198, 19635, 19665, 19708, 19909, 19919, 19944
\normalfont . 25, 37, 50, 65, 82, 246, 259, 273, 291, 674, 677, 779, 1024, 1026, 1277, 1524, 1526, 1940, 1943, 2007, 2012, 2013, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 3851, 4464, 4554, 4573, 4592, 4658, 4890, 4897, 4904, 5096, 6106, 6126, 6196, 6199, 6301, 6316, 7496, 7501, 7507, 7688, 7701, 7770, 7773, 7867, 7870, 7948, 7964, 8161, 8165, 8167, 8173, 8177, 8179, 8185, 8189, 8191, 9939, 9952, 10021, 10024, 12003, 12642, 13286, 13695, 14012, 14025, 14705, 14707, 14846, 14848, 15041, 15048, 15084, 15091, 15269, 15272, 15374, 15387, 18067, 18072, 18073, 18431, 18730, 18952, 19635, 19944
\normalfootnotes 8132, 8139
\normallineskip 198, 2424, 12629, 14476, 14490
\normalparindent 41, 54, 69, 250, 263, 277
\normalsfcodes 10297, 19898
\normalsize . . . 309, 3803, 3804, 3811, 4372, 4416, 4460, 4554, 4573, 4592, 4967, 7137, 7229, 10297, 13418, 15130, 15586, 15593, 16134, 16141, 16832, 16839, 18431, 19766, 19810, 19897
\NOT . . 392, 519, 3999, 4000, 4039, 4059, 4063, 4743, 4772, 4801, 4883, 4887
\null 640, 654, 708, 847, 850, 965, 994, 1055, 1153, 1156, 1216, 1245, 1306, 1404, 1407, 1465, 1494, 1555, 5004, 5578, 5829, 5832, 5884, 5913, 6016, 6019, 6060, 6089, 6162, 6176, 6230, 7738, 7752, 7802, 7833, 7847, 7901, 9989, 10003, 10053, 13671, 13681, 13682, 13693, 13694, 14522, 14525, 14646, 14675, 14736, 14785, 14814, 14879, 14971, 14974, 15049, 15063, 15122, 15235, 15249, 15303, 15625, 15647, 15658, 15729, 15737, 16173, 16195, 16206, 16277, 16285, 16871, 16893, 16904, 16975, 16983, 17398, 17404, 17426, 17810, 17841, 17864, 17881, 17898, 17915, 17932, 17949, 17967, 17986, 18006, 18041, 18392, 18832, 18946, 19629
\number 8, 135, 209, 3002, 5561, 5662, 7310, 7331, 7376, 7382, 7385, 7428, 7434, 7437, 7547, 7550, 13781
\numberline 4092, 12201, 12206, 13412, 17740, 18742, 18960, 18963, 18966
\numberline@box 18395, 18396
\numberline@tempa 18962
\numberwithin 331
\numexpr 3696, 18212, 18320, 18494
\nxLcs . 2023, 2024, 2025

O

\obeylines . . 5579, 5687
\ocgbase . . . 13182, 13184
\ocgxii@insert@OC . . 13116, 13225, 13226, 13227, 13237
\oddpage 1908, 1912, 1913, 1914, 1917, 1918, 1919
\oddsidemargin 1930, 2395, 7475, 19886
\on@line 19492
\on@stripcols@break 6952
\onecolumn 823, 839, 1087, 1338, 2433, 5766, 5942, 6151, 14514, 14768, 15225, 17775
\opening . . . 7997, 12005
\OptArg 2024, 2090

\OptArg@i . . . 2090, 2091
\OptArg@ii . . 2090, 2092
\OptArgs 2089
\optparams . . . 3979, 4827, 4828, 4829, 4831, 4832, 4833
\OR 383, 386, 401, 406, 510, 513, 3973, 4039, 4059, 4063, 4315
\or 1626, 1627, 1628, 1630, 1631, 1651, 1652, 1653, 1657, 1658, 1659, 1660, 1661, 1665, 1666, 1694, 1695, 1696, 1698, 1699, 1789, 1795, 1801, 1807, 1809, 1811, 1813, 1819, 1825, 1831, 6459, 6460, 6461, 6463, 6464, 7568, 7571, 7574, 7589, 7612, 7613, 7614, 7615, 11430, 11434, 18054, 18057, 18060, 18885, 18996, 19003, 19225, 19274
\orig@footnotetext . . 148, 13794, 13809
\orig@LTRfootnotetext . . 152, 13798, 13813
\orig@RTLfootnotetext . . 156, 13802, 13817
\origin@RaggedLeft 14495, 14497, 14498
\origin@RaggedRight 14496, 14497, 14498
\originalHbadness 19058, 19076
\othermargin 1097
\outer@nobreak 2281, 4366, 4410, 4454, 19760, 19804
\outputpenalty 2328, 2329, 6842, 6843, 6851, 6852, 6861, 6862, 7006, 7007, 7015, 7016, 7025, 7026
\overfullrule 2384, 2385, 14390
\OVP@calc 14007

P

\p@ 27, 29, 30, 31, 95, 99, 225, 229, 237, 239, 240, 241, 313, 445, 641, 730, 747, 759, 761, 763, 765, 816, 821, 832, 836, 865, 881, 899, 906, 941, 947, 966, 1080, 1084, 1091, 1107, 1124, 1142, 1177, 1179, 1182, 1184, 1217, 1331, 1335, 1346, 1362, 1380, 1388, 1420, 1426, 1466, 2423, 2424, 2428, 2429, 3805, 3806, 3807, 3814, 3815, 3816, 3818, 3819, 5015, 5016, 5017, 5019, 5020, 5086, 5759, 5763, 5774, 5790, 5806, 5813, 5851, 5857, 5885, 5935, 5939, 5950, 5966, 5982, 5989, 6004, 6010, 6061, 6105, 6111, 6116, 6120, 6122, 6125, 6128, 6132, 6134, 6144, 6149, 6163, 6252, 6267, 6280, 6282, 6284, 6286, 6300, 6306, 6311, 6314, 6319, 6542, 6552, 6565, 6575, 6588, 6598, 6611, 6621, 6975, 7288, 7289, 7655, 7669, 7724, 7726, 7728, 7730, 7739, 7834, 7923, 7947, 7953, 7958, 7962, 7967, 8022, 8024, 8026, 8028, 8035, 8036, 9910, 9925, 9938, 9943, 9947, 9950, 9955, 9958, 9960, 9962, 9964, 9990, 10091, 10463, 10465, 10466, 10467, 10468, 10469, 10501, 10993, 11000, 11039, 11046, 11091, 12001, 12019, 12021, 12023, 12025, 13338, 13663, 13675, 13687, 13819, 13821, 13822, 13823, 14507, 14511, 14540, 14556, 14572, 14579, 14594, 14600, 14647, 14761, 14765, 14786, 14911, 14927, 14943, 14950, 15015, 15021, 15050, 15142, 15156, 15172, 15174, 15176, 15178, 15218, 15223, 15236, 15325, 15340, 15353, 15355, 15357, 15359, 15373, 15378, 15382, 15385, 15390, 15587, 15591, 15594, 15598, 15842, 15845, 15847, 15850, 16001, 16020, 16135, 16139, 16142, 16146, 16421, 16424, 16426, 16429, 16580,

16599, 16702, 16704, 16706, 16708, 16833, 16837, 16840, 16844, 17103, 17106, 17108, 17111, 17262, 17281, 17773, 18048, 18216, 18219, 18223, 18324, 18327, 18331, 18661, 18664, 18668, 18674, 18756, 18940, 19623, 19954
\p@enumiv 83, 292, 799, 933, 1195, 1444, 2593, 5843, 6030, 6338, 7716, 7986, 9975, 14614, 15007, 15200, 15402, 15811, 16390, 17072, 17712
\p@subfigure 17457
\p@subtable 17458
\PackageError . . 140, 402, 407, 446, 2683, 2806, 3633, 3760, 3796, 3798, 4497, 4499, 4869, 12143, 12150, 12298, 12301, 12304, 12307, 12310, 12313, 12316, 12319, 12323, 12326, 12329, 12332, 12335, 12338, 12341, 12344, 12347, 12350, 12353, 12356, 12359, 12362, 12365, 12368, 12371, 12374, 12377, 12380, 12383, 12386, 12389, 12392, 12395, 12398, 12401, 12404, 12407, 12410, 12413, 12416, 12419, 12422, 12425, 12428, 12431, 12434, 12437, 12440, 12443, 12446, 12449, 12452, 12455, 12458, 12461, 12464, 12467, 12470, 12473, 12476, 12479, 12482, 12485, 12488, 12491, 12494, 12497, 12500, 12503, 12506, 13786, 17674, 18026
\PackageInfo 2808, 3321, 3423, 3570, 3762, 18982
\PackageWarning 134, 2807, 3424, 3453, 5664, 7091, 7189, 10231, 10842, 12045, 13727, 13780, 13913, 18017, 18408
\PackageWarningNoLine 3620
\page@sofar . 160, 13699
\pagebreak 12527, 19128, 19137
\pagedepth 19122
\pagefillstretch . 19134
\pagefilstretch . . 19133
\pagefootnoterule 10499, 10507
\pagegoal 2324, 2334, 10736, 10738, 10743, 10750, 10791, 10793, 13633, 19125
\pageinwindow 6644
\pagenumbering 2431, 5351
\pageref 2570, 2572
\pageshrink . . 10752, 10756, 10772, 10798, 10810, 19128
\pagestretch . . 10751, 10772, 10810, 19132
\pagestyle . . . 1906, 2422, 2430, 2573, 4119, 5352, 7175
\pagetotal . . . 10738, 10743, 10749, 13295, 13631, 13634, 13645, 19120, 19125, 19183
\paperheight . . 2359, 2362, 2365, 2368, 2371, 2374, 2377, 2378, 7452
\paperwidth . . 2360, 2363, 2366, 2369, 2372, 2375, 2378, 2379, 7452, 7460
\par 5, 15, 45, 58, 73, 103, 104, 105, 106, 168, 170, 206, 216, 233, 234, 235, 254, 267, 281, 312, 315, 624, 643, 649, 651, 652, 671, 714, 720, 724, 736, 755, 782, 785, 850, 860, 874, 887, 914, 974, 984, 991, 992, 1020, 1059, 1065, 1069, 1101, 1115, 1130, 1156, 1170, 1225, 1235, 1242, 1243, 1271, 1310, 1316, 1320, 1355, 1368, 1396, 1407, 1417, 1474, 1484, 1491, 1492, 1520, 1560, 1566, 1571, 1576, 1579, 1937, 2279, 2288, 3993, 4001, 4060, 4061, 4064, 4065, 4090, 4099, 4100, 4269, 4285, 5006, 5121, 5122, 5123, 5124, 5249, 5251, 5253, 5271, 5272, 5273, 5447, 5554, 5568, 5579,

5597, 5679, 5687, 5712, 5783, 5796, 5821, 5832, 5893, 5903, 5910, 5911, 5959, 5972, 5997, 6019, 6069, 6079, 6086, 6087, 6110, 6118, 6130, 6165, 6171, 6173, 6174, 6193, 6236, 6242, 6246, 6258, 6275, 6305, 6310, 6318, 6394, 6527, 6936, 7296, 7317, 7663, 7675, 7691, 7694, 7702, 7741, 7747, 7749, 7750, 7767, 7806, 7812, 7816, 7836, 7842, 7844, 7845, 7864, 7907, 7913, 7917, 7928, 7952, 7957, 7966, 7999, 8004, 8007, 8009, 8010, 8020, 8229, 8324, 8327, 8330, 8411, 8470, 8473, 8476, 8553, 8615, 8618, 8621, 8702, 8764, 8767, 8770, 8851, 8913, 8916, 8919, 9000, 9062, 9065, 9068, 9149, 9211, 9214, 9217, 9298, 9360, 9363, 9366, 9447, 9509, 9512, 9515, 9596, 9822, 9830, 9916, 9933, 9942, 9946, 9954, 9992, 9998, 10000, 10001, 10018, 10057, 10063, 10067, 10225, 10660, 12007, 12012, 12015, 12017, 12090, 12178, 12560, 12622, 12645, 12649, 13282, 13354, 13360, 13366, 13370, 13376, 13391, 13410, 13419, 13671, 13683, 13696, 13827, 13839, 13900, 14147, 14316, 14317, 14318, 14319, 14399, 14400, 14407, 14408, 14468, 14482, 14525, 14535, 14549, 14562, 14587, 14655, 14665, 14672, 14673, 14701, 14740, 14746, 14750, 14794, 14804, 14811, 14812, 14842, 14886, 14892, 14897, 14902, 14905, 14920, 14933, 14958, 14974, 14984, 15047, 15052, 15058, 15060, 15061, 15080, 15090, 15128, 15133, 15136, 15147, 15164, 15238, 15244, 15246, 15247, 15266, 15309, 15315, 15319, 15331, 15348, 15377, 15381, 15389, 15578, 15623, 15628, 15631, 15633, 15638, 15641, 15643, 15645, 15651, 15659, 15665, 15735, 15741, 15744, 15746, 15752, 15755, 15757, 15760, 15763, 15783, 15891, 15895, 15896, 15900, 15901, 15905, 16126, 16171, 16176, 16179, 16181, 16186, 16189, 16191, 16193, 16199, 16207, 16213, 16283, 16289, 16292, 16294, 16300, 16303, 16305, 16308, 16311, 16470, 16474, 16475, 16479, 16480, 16484, 16695, 16725, 16731, 16737, 16743, 16749, 16755, 16761, 16767, 16773, 16775, 16778, 16781, 16785, 16824, 16869, 16874, 16877, 16879, 16884, 16887, 16889, 16891, 16897, 16905, 16911, 16981, 16987, 16990, 16992, 16998, 17001, 17003, 17006, 17009, 17152, 17156, 17157, 17161, 17162, 17166, 17489, 18078, 18084, 18237, 18343, 18424, 18851, 18953, 19010, 19011, 19017, 19018, 19020, 19028, 19081, 19343, 19344, 19345, 19346, 19499, 19508, 19517, 19526, 19597, 19636, 19933, 19954 \par@updaterelative

. . . . . 15619, 15731, 16167, 16279, 16865, 16977
\paragraph 4902
\paragraphfootnotes 9649
\paragraphfootstyle 9759
\parbox . . 2519, 2521, 7163, 8015, 10114, 10115, 10116, 10120, 10121, 10122, 11231, 11233, 11237, 11239, 11270, 11271, 11274, 11275, 11332, 11333, 11336, 11337, 11361, 11363, 11367, 11369, 12564, 13348, 13377, 13825, 13827, 13828, 13830, 13832, 13833, 13835, 13837, 13839, 13840, 13842, 13844, 13845, 13846, 13847, 13848, 13849, 13851, 13852, 13853, 13854, 13855, 13856, 13857, 13858, 13859, 13860, 13862, 13863, 13864, 13865, 13867, 13868, 13869, 13870, 13872, 13873, 13874, 13875, 13876, 13877, 13879, 13880, 13881, 13882, 13883, 13884, 13886, 13887, 13888, 13889, 13890, 15957, 16536, 16725, 16731, 16737, 16743, 16749, 16755, 16761, 16767, 16773, 16784, 17218
\parfillskip 13, 214, 734, 751, 869, 885, 910, 1095, 1111, 1128, 1350, 1366, 1392, 4997, 5573, 5778, 5794, 5817, 5954, 5970, 5993, 6256, 6271, 6422, 6533, 7659, 7673, 7926, 9707, 9711, 9715, 9811, 9914, 9929, 12629, 13664, 13676, 13688, 14422, 14435, 14448, 14459, 14476, 14544, 14560, 14583, 14915, 14931, 14954, 15145, 15160, 15329, 15344, 17625, 17654, 17684, 17802, 17833, 17856, 17873, 17890, 17907, 17924, 17941, 17959, 17978, 17998, 18033, 18228, 18336, 18362, 18364, 18424, 18825, 18827, 18941, 19537, 19624
\parindent 12, 41, 54, 69, 99, 213, 229, 250, 263, 277, 675, 733, 750, 777, 820, 835, 871, 884, 909, 960, 977, 1083, 1098, 1110, 1127, 1164, 1211, 1228, 1274, 1334, 1352, 1365, 1391, 1460, 1477, 1941, 2426, 3827, 4480, 4998, 5040, 5048, 5113, 5266, 5572, 5682, 5762, 5780, 5793, 5816, 5879, 5896, 5938, 5956, 5969, 5992, 6055, 6072, 6106, 6126, 6148, 6197, 6255, 6270, 6301, 6315, 6419, 6441, 6532, 7658, 7672, 7686, 7699, 7771, 7868, 7925, 7948, 7963, 8319, 8465, 8610, 8759, 8908, 9057, 9206, 9355, 9504, 9706, 9710, 9714, 9810, 9836, 9913, 9928, 9939, 9951, 10022, 10978, 12625, 13665, 13677, 13689, 13894, 14423, 14436, 14449, 14460, 14471, 14510, 14546, 14559, 14582, 14641, 14658, 14764, 14780, 14797, 14917, 14930, 14953, 15047, 15090, 15127, 15144, 15159, 15222, 15270, 15328, 15343, 15374, 15386, 15579, 16127, 16696, 16825, 17635, 17672, 17772, 17803, 17834, 17857, 17874, 17891, 17908, 17925, 17942, 17960, 17979, 17999, 18034, 18227, 18335, 18366, 18761, 18822,

18823, 18942, 19435, 19537, 19562, 19563, 19625
\parsep . . . 1167, 3819, 3820, 5020, 5021, 5059, 5086, 19434
\parshape 6391, 10864, 10872, 12132, 13975, 13995, 14153, 14316, 14318, 15046, 15089, 15566, 15575, 16114, 16123, 16686, 16693, 16812, 16821, 19343, 19345, 19464, 19501, 19503, 19504, 19505, 19510, 19512, 19513, 19514, 19519, 19521, 19522, 19523, 19528, 19530, 19531, 19532
\parskip 99, 177, 229, 821, 836, 1084, 1335, 1934, 2427, 3828, 4481, 5041, 5049, 5112, 5267, 5571, 5603, 5681, 5716, 5763, 5939, 6149, 6842, 6851, 6861, 7006, 7015, 7025, 8003, 8006, 8008, 8010, 12011, 12014, 12016, 12625, 12634, 14153, 14471, 14485, 14511, 14765, 15127, 15223, 16718, 17773, 18761, 19119, 19123, 19434
\part 23
\partname 781, 7690
\partopsep 5062, 13333, 13335, 13969, 13989
\PassOptionsToClass 5304, 5305, 5306, 5307, 5308, 5328, 5329, 5330, 5331, 5332
\PassOptionsToPackage 4324, 5151
\pdfstringdefDisableCommands 11961
\penalty 969, 1220, 1469, 2321, 2325, 5493, 5822, 5888, 5998, 6064, 6276, 6379, 6385, 6840, 6849, 6859, 7004, 7013, 7023, 9620, 9708, 9712, 9716, 9813, 9934, 10773, 14588, 14650, 14789, 14959, 15165, 15349, 18238, 18749, 18857, 19124
\pgf@baseline 14108
\pgf@insertlayers 14130
\pgf@nodecallback 14086
\pgf@oldpicture . . 14093
\pgf@picmaxx . . 14087, 14099, 14101, 14119
\pgf@picmaxy 14089, 14103
\pgf@picminx 14088, 14102, 14112
\pgf@picminy 14090, 14104
\pgf@picture 14093
\pgf@picture@serial@count 14084, 14085
\pgf@process 14108, 14111, 14118
\pgf@relevantforpicturesizefalse 14107
\pgf@relevantforpicturesizetrue 14091
\pgf@remember@layerlist@globally 14125
\pgf@resetpathsizes 14092
\pgf@restore@layerlist@from@global 14129
\pgf@shift@baseline 14109
\pgf@trimleft 14111
\pgf@trimleft@final . 14113, 14114, 14116
\pgf@trimright . . . 14118
\pgf@trimright@final . 14120, 14121, 14123
\pgf@x 14112, 14116, 14119, 14123
\pgf@y 14109
\pgfpic 14139
\pgfpicture 14080
\pgfpictureid 14085, 14096
\pgfpicturetrue . . 14083
\pgfsys@discardpath 14132
\pgfsys@endpicture 14135
\pgfsys@endscope . 14134
\pgfsys@markposition 14096
\pgfsys@typesetpicturebox 14139
\pgfutil@gobble . . 14086
\pgfutil@ifnextchar 14093
\phantom . . . 12873, 13722
\phantomsection . . 2517
\phone 2477
\phonesymbol 2437, 7170, 7268
\photo 2482
\picbox 14258
\picinwindow 6664
\picwd 14146, 14149, 14257, 14259
\plainauthor 4131, 5171, 5173, 5212, 5213, 5216
\plainfootnotes . . 8139
\plainpublisher 5174, 5239, 5240
\plaintitle 4132, 4133, 5171, 5172, 5195, 5196, 5199, 5367, 5369
\pltemsep 5060
\plparsep 5059
\plpartopsep 5062
\pLRE 1778, 1779, 1896, 1897
\pltopsep 5061

\poem@finish 5612, 5661, 5668
\poem@line 5531, 5537, 5588
\poem@linebegin 5488, 5546
\poem@lineend 5489, 5552
\poem@lineparsebegin . . 5500, 5557, 5584
\poem@lineparseend . . 5526, 5538, 5595
\poem@lineversesep 5490, 5549
\poem@needrun . 5482, 5609, 5663, 5665
\poem@obeylines 5583, 5659, 5699, 5723
\poem@prop . . 5564, 5673
\poem@startedfalse . . 5581, 5697, 5703
\poem@startedtrue 5539, 5540, 5580, 5689, 5691, 5696, 5704, 5706
\poem@verse 5477, 5547, 5550
\poem@width . . 5480, 5481, 5485, 5562, 5564, 5567, 5608
\poem@write@aux 5611, 5662, 5674
\poemblocksep 5474, 5578, 5685
\poemcolsepskip 5465, 5494
\poemextrabaselineskip . . 5467, 5555, 5590
\poemmarginskip 5466, 5488, 5489
\poemskip 5468, 5568, 5599
\postbibhook 13425
\postdisplaypenalty 10199, 10213
\postmath 6385
\PotEndMark 7499, 7504, 7507
\predisplaydirection 14351, 14352, 19941, 19942
\predisplaypenalty 10198, 10212
\premath 6381
\preparefootins 10903, 10947
\prepnext@tok 1623, 1633, 1681, 1713, 6451, 6479
\presetkeys 19110
\presig@skip 16784
\prevdepth 3993, 4001, 7366, 7420, 13338, 13724
\pRLE 1780, 1781, 1898, 1899
\process@cols . 13700, 13733, 13747, 13753
\ProcessOptions 2389, 3786, 4877, 5136, 5168, 5309, 5333, 7093, 7191
\ProcessOptionsX . 1835
\protect 403, 620, 1778, 1779, 1780, 1781, 1853, 1896, 1897, 1898, 1899, 2099, 2105, 2111, 2117, 2126, 2132, 2863, 2864, 3675, 4092, 10288, 10674, 10688, 12201, 12206, 12548, 13412, 17479, 17480, 17484, 17492, 17740, 18084, 19290, 19870
\protected . . . 1896, 1898, 2806, 2807, 2808, 2811, 2819, 2821, 2827, 3013, 3029, 3045, 3068, 3070, 3120, 3148, 3161, 14282, 14291, 14300, 14308, 19307, 19316, 19325, 19333
\protected@edef . 42, 55, 70, 251, 264, 278, 4690, 4707, 4724, 8047, 8063, 8079, 8092, 8105, 8118, 8291, 8301, 8311, 8337, 8350, 8362, 8389, 8402, 8440, 8449, 8458, 8483, 8495, 8506, 8532, 8544, 8582, 8592, 8602, 8628, 8641, 8653, 8680, 8693, 8731, 8741, 8751, 8777, 8790, 8802, 8829, 8842, 8880, 8890, 8900, 8926, 8939, 8951, 8978, 8991, 9029, 9039, 9049, 9075, 9088, 9100, 9127, 9140, 9178, 9188, 9198, 9224, 9237, 9249, 9276, 9289, 9327, 9337, 9347, 9373, 9386, 9398, 9425, 9438, 9476, 9486, 9496, 9522, 9535, 9547, 9574, 9587, 9674, 9686, 9698, 9724, 9738, 9752, 9787, 9801, 10550, 10566, 10581, 10608, 10621, 10634
\protected@write 3655, 3666
\protected@xdef 4751, 4780, 4809, 5192, 5209, 5225, 5236, 10520, 10529, 10673, 10678, 10687, 10693, 11605, 11643, 11676, 11707, 11738, 11801
\providecommand 2434, 2435, 2436, 2437, 2438, 2439, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2605, 4652, 4659,

4660, 5066, 7154, 7159, 10406
\ProvidesClass 2356, 5303, 5327
\ProvidesExplPackage 12683
\ProvidesFile 1, 127, 161, 202, 328, 339, 344, 346, 571, 630, 824, 1072, 1323, 1582, 5751, 5927, 6103, 6136, 6348, 6403, 6437, 6439, 6442, 6480, 6523, 6538, 6634, 6672, 7282, 7447, 7450, 7489, 7651, 7823, 7996, 8029, 9906, 10081, 10110, 10124, 10193, 10223, 10232, 10237, 10372, 10702, 10879, 10981, 11099, 11121, 11422, 12000, 12004, 12026, 12137, 12223, 12509, 12608, 13270, 13426, 13660, 13698, 13824, 13891, 13918, 13956, 13977, 13997, 14031, 14079, 14143, 14356, 14397, 14413, 14499, 14753, 15029, 15210, 15412, 15541, 16089, 16679, 16787, 17361, 17368, 17428, 17455, 17460, 17495, 17570, 17600, 17619, 17648, 17697, 17777, 18085, 18740, 18986, 19115, 19191, 19295, 20089
\ProvidesPackage . . 1720, 1905, 1961, 2094, 2286, 2604, 3756, 4326, 4865, 5011, 5127, 5154, 5392, 7080, 7178
\prune 14163, 14201, 14205, 14210, 14214, 14226, 14237, 14264
\prw@mkboth . . 17746, 17751, 17763, 17768
\psgrid 14360
\pspicture 14357
\psset 14395
\pst@dima 14372
\pst@dimb 14370, 14375, 14377, 14382, 14385
\pst@dimc 14388
\pst@dimd 14369, 14375, 14376, 14377, 14378, 14382, 14383, 14384, 14385, 14386
\pst@hbox 14365, 14369, 14370, 14371, 14387, 14389, 14390, 14392
\pst@ifstar 14357
\pst@killglue 14361
\pst@picture 14357
\pst@shift 14362, 14384, 14392
\pst@tempa . 14374, 14376
\publisher . . 5229, 5230
\publishers 15716, 16264, 16962
\put 6543, 6544, 6545, 6546, 6547, 6548, 6553, 6554, 6555, 6556, 6557, 6558, 6566, 6567, 6568, 6569, 6570, 6571, 6576, 6577, 6578, 6579, 6580, 6581, 6589, 6590, 6591, 6592, 6593, 6594, 6599, 6600, 6601, 6602, 6603, 6604, 6612, 6613, 6614, 6615, 6616, 6617, 6622, 6623, 6624, 6625, 6626, 6627, 7452, 7466, 7484, 14010, 14012, 14025, 14028

Q

\Q 4509, 4531
\q 12771, 12774, 13000, 13054
\qauthor 14398
\qquad 4942, 4949, 4956, 4963, 4970, 5005, 14400
\quad 4131, 4132, 4133, 5367, 5368, 5369, 5474, 19402, 19411
\quote 2483
\quotecolour 2445, 7098, 7196
\quotefont . . . 2454, 2462, 7138, 7231
\quotestyle 2462, 7151, 7280
\quotewidth . . 2484, 2496, 7151, 7280

R

\R@@page 15417, 15418, 15427, 15429, 15460, 15461, 15472, 15474
\raggedbottom 2432
\raggeddictum 15851, 16430, 17112
\raggeddictumauthor 15853, 16432, 17114
\raggeddictumtext . . 15852, 16431, 17113
\RaggedLeft 14427, 14495, 14497, 17366, 17367, 20049, 20053, 20057, 20065
\raggedleft 25, 100, 230, 777, 6106, 6301, 6315, 7686, 7699, 7948,

7963, 7999, 8002, 8007, 8015, 9939, 9951, 12007, 12010, 12015, 13309, 13310, 14400, 14402, 14408, 15374, 15386, 15766, 15767, 15851, 15852, 15853, 15855, 16314, 16430, 16431, 16432, 16434, 16778, 16784, 17012, 17112, 17113, 17114, 17116, 19538, 19540, 19542, 19543
\RaggedLeftLeftskip 14432
\RaggedLeftParfillskip 14435
\RaggedLeftParindent 14436
\RaggedLeftRightskip 14433
\raggedpart 15767
\RaggedRight . . 14440, 14489, 14496, 14498, 17366, 17367, 20049, 20053, 20059, 20063
\raggedright 25, 100, 181, 230, 777, 6106, 6126, 6301, 6315, 7686, 7699, 7948, 7963, 7999, 8002, 8007, 8015, 9939, 9951, 12007, 12010, 12015, 13309, 13310, 14400, 14402, 14408, 15374, 15386, 15766, 15767, 15851, 15852, 15853, 15855, 16314, 16430, 16431, 16432, 16434, 16778, 16784, 17012, 17112, 17113, 17114, 17116, 18369, 18372, 18376, 18477, 19534, 19539, 19541, 19542, 19543
\RaggedRightLeftskip 14445
\RaggedRightParfillskip 14448
\RaggedRightParindent 3825, 4478, 5046, 14449
\RaggedRightRightskip 5043, 14446
\raggedsection 15766, 16314, 17012
\raise 10104
\raisebox 4044, 4049, 4060, 4061, 4064, 4065, 7497, 7502, 7518, 7521, 7637, 11244, 11246, 11250, 11252, 11279, 11280, 11283, 11284, 11341, 11342, 11345, 11346, 11374, 11376, 11380, 11382, 12133
\rangle 2008
\rawtext 14153, 14159, 14181, 14182, 14263, 14267
\rbrace . . . 19389, 19398
\rcb 2009, 2012, 2013, 2017
\rcol@footinsskip 10886, 10930
\realfootnote 11798
\recomputelengths 2495, 2512
\recomputethemelengths 2494, 2510, 7243, 7248
\reflectbox 11033
\refname 790, 791, 924, 925, 1186, 1187, 1435, 1436, 2581, 5101, 7707, 7708
\refstepcounter 772, 7681, 10214, 11975, 12189, 12195, 12511, 13403, 13966, 13987, 17737
\refvskip 16719
\regex 12711, 12716, 12719, 12722, 12725, 12726, 12762, 12767, 12769, 12813, 12814, 12826
\relax . 2, 8, 10, 12, 14, 28, 82, 99, 128, 162, 203, 209, 211, 213, 215, 229, 238, 291, 303, 321, 414, 453, 478, 561, 620, 634, 635, 636, 657, 658, 659, 660, 665, 666, 667, 668, 692, 693, 694, 695, 696, 701, 702, 703, 704, 728, 821, 836, 843, 873, 879, 897, 949, 956, 957, 958, 962, 971, 980, 997, 998, 1003, 1004, 1005, 1006, 1009, 1012, 1016, 1041, 1042, 1043, 1048, 1049, 1050, 1051, 1084, 1100, 1122, 1140, 1149, 1183, 1207, 1208, 1209, 1213, 1222, 1231, 1248, 1249, 1254, 1255, 1256, 1257, 1260, 1263, 1267, 1292, 1293, 1294, 1299, 1300, 1301, 1302, 1335, 1342, 1354, 1360, 1378, 1428, 1456, 1457, 1458, 1462, 1471, 1480,

1497, 1498, 1503,
1504, 1505, 1506,
1509, 1512, 1516,
1541, 1542, 1543,
1548, 1549, 1550,
1551, 1638, 1639,
1656, 1657, 1658,
1787, 1793, 1799,
1805, 1817, 1823,
1829, 1853, 1948,
1949, 1950, 1955,
1956, 1957, 1958,
2183, 2191, 2199,
2250, 2389, 2605,
2729, 2747, 2801,
2818, 3002, 3006,
3240, 3264, 3279,
3296, 3311, 3327,
3344, 3356, 3388,
3399, 3478, 3686,
3687, 3696, 3724,
3790, 4291, 4488,
4608, 4671, 4675,
4679, 4756, 4767,
4785, 4796, 4814,
4825, 4883, 5080,
5088, 5093, 5124,
5309, 5333, 5429,
5434, 5437, 5444,
5482, 5488, 5583,
5609, 5637, 5644,
5651, 5663, 5699,
5763, 5770, 5782,
5788, 5804, 5859,
5875, 5876, 5877,
5881, 5890, 5899,
5916, 5917, 5922,
5923, 5924, 5925,
5939, 5946, 5958,
5964, 5980, 6012,
6051, 6052, 6053,
6057, 6066, 6075,
6092, 6093, 6098,
6099, 6100, 6101,
6149, 6156, 6157,
6158, 6179, 6180,
6181, 6182, 6187,
6188, 6189, 6190,
6214, 6215, 6216,
6217, 6218, 6223,
6224, 6225, 6226,
6250, 6391, 6413,
6414, 6415, 6416,
6422, 6423, 6424,
6425, 6426, 6431,
6432, 6435, 6436,
6519, 6537, 6687,
6746, 7093, 7191,
7283, 7284, 7285,
7286, 7287, 7299,
7320, 7374, 7386,
7389, 7426, 7438,
7441, 7473, 7479,
7540, 7619, 7667,
7734, 7735, 7736,
7755, 7756, 7761,
7762, 7763, 7764,
7788, 7789, 7790,
7795, 7796, 7797,
7798, 7827, 7828,
7829, 7850, 7851,
7852, 7853, 7858,
7859, 7860, 7861,
7885, 7886, 7887,
7888, 7889, 7894,
7895, 7896, 7897,
7921, 8030, 8031,
8032, 8033, 8034,
8151, 8279, 8320,
8382, 8428, 8466,
8525, 8570, 8611,
8673, 8719, 8760,
8822, 8868, 8909,
8971, 9017, 9058,
9120, 9166, 9207,
9269, 9315, 9356,
9418, 9464, 9505,
9567, 9623, 9655,
9774, 9902, 9903,
9908, 9985, 9986,
9987, 10006,
10007, 10012,
10013, 10014,
10015, 10039,
10040, 10041,
10046, 10047,
10048, 10049,
10086, 10088,
10092, 10137,
10169, 10194,
10204, 10247,
10267, 10268,
10283, 10370,
10502, 10524,
10533, 10682,
10697, 10735,
10757, 10795,
10896, 10940,
11184, 11186,
11189, 11202,
11204, 11207,
11453, 11464,
11475, 11486,
11500, 11511,
11522, 11533,
11548, 11563,
11604, 11623,
11642, 11661,
11675, 11694,
11706, 11725,
11737, 11756,
11838, 11872,
11903, 11932,
12040, 12052,
12059, 12060,
12064, 12065,
12132, 12548,
12647, 12650,
12653, 12654,
12655, 12661,
13273, 13274,
13275, 13276,
13277, 13337,
13440, 13538,
13662, 13664,
13665, 13668,
13674, 13676,
13677, 13680,
13686, 13688,
13689, 13692,
13778, 13820,
14016, 14017,
14018, 14035,
14040, 14045,
14054, 14062,
14084, 14087,
14088, 14089,
14090, 14099,
14101, 14102,
14103, 14104,

14273, 14335,
14412, 14493,
14511, 14518,
14548, 14554,
14570, 14602,
14637, 14638,
14639, 14643,
14652, 14661,
14678, 14679,
14684, 14685,
14686, 14687,
14690, 14693,
14697, 14722,
14723, 14724,
14729, 14730,
14731, 14732,
14765, 14774,
14775, 14776,
14782, 14791,
14800, 14817,
14818, 14819,
14820, 14825,
14826, 14827,
14828, 14831,
14834, 14838,
14863, 14864,
14865, 14866,
14867, 14872,
14873, 14874,
14875, 14919,
14925, 14941,
14967, 15023,
15028, 15033,
15034, 15035,
15066, 15067,
15068, 15069,
15074, 15075,
15076, 15077,
15106, 15107,
15108, 15109,
15110, 15115,
15116, 15117,
15118, 15140,
15223, 15229,
15230, 15231,
15252, 15253,
15254, 15255,
15260, 15261,
15262, 15263,
15287, 15288,
15289, 15290,
15291, 15296,
15297, 15298,
15299, 15323,
15587, 15588,
15594, 15595,
15597, 15606,
15607, 15608,
15668, 15694,
15695, 15696,
15697, 15698,
15711, 15712,
15713, 15714,
15715, 15716,
15717, 15718,
15719, 15720,
15721, 15782,
15843, 15848,
16009, 16026,
16135, 16136,
16142, 16143,
16145, 16154,
16155, 16156,
16216, 16242,
16243, 16244,
16245, 16246,
16259, 16260,
16261, 16262,
16263, 16264,
16265, 16266,
16267, 16268,
16269, 16317,
16333, 16341,
16349, 16360,
16422, 16427,
16588, 16605,
16833, 16834,
16840, 16841,
16843, 16852,
16853, 16854,
16914, 16940,
16941, 16942,
16943, 16944,
16957, 16958,
16959, 16960,
16961, 16962,
16963, 16964,
16965, 16966,
16967, 17042,
17104, 17109,
17270, 17287,
17375, 17412,
17477, 17492,
17502, 17504,
17533, 17671,
17689, 17690,
17773, 17782,
17800, 17803,
17806, 17831,
17834, 17837,
17854, 17857,
17860, 17871,
17874, 17877,
17888, 17891,
17894, 17903,
17905, 17908,
17911, 17920,
17922, 17925,
17928, 17939,
17942, 17945,
17957, 17960,
17963, 17976,
17979, 17982,
17996, 17999,
18002, 18014,
18029, 18031,
18034, 18037,
18051, 18081,
18082, 18083,
18212, 18233,
18320, 18346,
18358, 18360,
18366, 18383,
18387, 18399,
18401, 18407,
18416, 18418,
18480, 18494,
18528, 18535,
18541, 18602,
18661, 18664,
18668, 18674,
18719, 18755,
18763, 18764,
18766, 18767,
18780, 18791,
18795, 18800,
18805, 18813,
18817, 18826,
18827, 18838,
18846, 18857,

18863, 18867, 18871, 18888, 18892, 18941, 18942, 18945, 18993, 19001, 19142, 19225, 19274, 19289, 19362, 19420, 19432, 19473, 19565, 19568, 19570, 19624, 19625, 19628, 19653, 19696, 19948, 19949, 19950
\remainx 13827
\remainxox 13862, 13869
\remainxoxx 13872, 13881, 13890
\remainxx . 13830, 13832
\remainxxx 13835, 13837, 13839, 13864, 13867
\remainxxxx . . 13842, 13844, 13846, 13848, 13874, 13876, 13879, 13883, 13886, 13888
\remainxxxxx 13851, 13853, 13855, 13857, 13859
\remove@strip . 13448, 13478, 13546, 13576
\renewcommand 19, 20, 21, 22, 83, 164, 171, 186, 220, 221, 222, 223, 292, 331, 355, 632, 671, 673, 727, 744, 758, 762, 766, 767, 768, 769, 800, 840, 862, 878, 896, 904, 917, 919, 920, 921, 922, 934, 940, 946, 952, 953, 963, 1020, 1022, 1088, 1105, 1118, 1121, 1139, 1146, 1172, 1173, 1174, 1175, 1176, 1181, 1196, 1203, 1204, 1214, 1271, 1273, 1339, 1343, 1359, 1377, 1386, 1399, 1419, 1425, 1430, 1431, 1432, 1433, 1445, 1452, 1453, 1463, 1520, 1522, 1937, 1939, 2381, 2382, 2383, 2419, 2420, 2425, 2474, 2478, 2509, 2514, 2594, 3238, 3262, 3594, 3599, 3619, 3632, 3654, 3665, 3803, 3812, 3853, 3971, 3974, 3975, 3979, 3980, 4126, 4127, 4469, 4470, 4471, 4472, 4538, 4653, 4662, 4683, 4700, 4717, 4831, 4832, 4833, 4915, 4924, 4976, 4984, 5008, 5013, 5024, 5025, 5026, 5027, 5028, 5029, 5030, 5096, 5101, 5103, 5104, 5121, 5122, 5123, 5124, 5181, 5182, 5183, 5185, 5189, 5190, 5191, 5195, 5196, 5202, 5206, 5207, 5208, 5212, 5213, 5218, 5222, 5223, 5224, 5233, 5234, 5235, 5239, 5240, 5262, 5286, 5348, 5361, 5366, 5374, 5767, 5771, 5787, 5803, 5811, 5825, 5844, 5850, 5856, 5861, 5862, 5863, 5864, 5865, 5866, 5868, 5870, 5872, 5882, 5943, 5947, 5963, 5979, 5987, 6001, 6003, 6009, 6031, 6037, 6038, 6039, 6040, 6041, 6042, 6044, 6046, 6048, 6058, 6154, 6193, 6195, 6249, 6264, 6279, 6283, 6287, 6289, 6291, 6293, 6294, 6295, 6296, 6297, 6298, 6321, 6339, 6430, 6434, 6440, 6524, 6529, 6539, 6562, 6585, 6608, 6635, 6651, 7094, 7134, 7135, 7136, 7137, 7138, 7139, 7140, 7141, 7155, 7160, 7192, 7226, 7227, 7228, 7229, 7230, 7231, 7232, 7233, 7243, 7255, 7443, 7444, 7445, 7448, 7451, 7455, 7471, 7624, 7625, 7652, 7666, 7717, 7723, 7727, 7732, 7767, 7769, 7819, 7820, 7821, 7822, 7825, 7864, 7866, 7920, 7934, 7936, 7938, 7940, 7941, 7942, 7943, 7944, 7945, 7969, 7987, 7997, 8010, 8021, 8025, 8039, 8055, 8071, 8087, 8100, 8113, 9907, 9922, 9957, 9961, 9976, 9983, 10018, 10020, 10070, 10071, 10072, 10073, 10074, 10075, 10077, 10079, 10194, 10204, 10224, 10233, 10323, 10342, 10344, 10346, 10348, 10349, 10350, 10351, 10352, 10353, 10355,

10357, 10359,
10361, 10362,
10363, 10364,
10365, 10366,
10367, 10377,
10446, 10703,
11100, 11110,
12001, 12005,
12018, 12022,
12030, 12031,
12032, 12033,
12574, 13271,
13282, 13305,
13306, 13307,
13308, 13309,
13310, 13311,
13312, 13314,
13316, 13318,
13320, 13321,
13323, 13324,
13331, 13332,
13334, 13340,
13341, 13825,
13828, 13833,
13840, 13849,
13860, 13865,
13870, 13877,
13884, 13900,
13902, 13919,
13961, 13982,
14032, 14041,
14398, 14401,
14410, 14414,
14427, 14440,
14453, 14464,
14479, 14515,
14537, 14553,
14569, 14577,
14591, 14593,
14599, 14615,
14621, 14622,
14623, 14624,
14625, 14626,
14628, 14630,
14633, 14634,
14644, 14701,
14703, 14770,
14771, 14783,
14842, 14844,
14908, 14924,
14940, 14948,
14962, 14964,
14986, 14987,
14988, 14989,
14990, 14991,
14993, 14995,
15008, 15014,
15020, 15025,
15031, 15039,
15080, 15082,
15139, 15153,
15168, 15171,
15175, 15179,
15181, 15183,
15185, 15186,
15187, 15188,
15189, 15201,
15227, 15266,
15268, 15322,
15337, 15352,
15356, 15360,
15362, 15364,
15366, 15367,
15368, 15369,
15370, 15371,
15403, 15547,
15551, 15555,
15559, 15585,
15592, 15599,
15612, 15614,
15676, 15678,
15723, 15768,
15769, 15770,
15773, 15774,
15788, 15812,
15841, 15846,
15851, 15852,
15853, 15854,
15857, 15930,
15948, 15970,
15972, 15993,
15995, 15997,
16000, 16006,
16015, 16017,
16019, 16025,
16095, 16099,
16103, 16107,
16133, 16140,
16147, 16160,
16162, 16224,
16226, 16271,
16315, 16316,
16324, 16325,
16328, 16329,
16332, 16340,
16348, 16367,
16391, 16420,
16425, 16430,
16431, 16432,
16433, 16436,
16509, 16527,
16549, 16551,
16572, 16574,
16576, 16579,
16585, 16593,
16595, 16598,
16604, 16680,
16793, 16797,
16801, 16805,
16831, 16838,
16845, 16858,
16860, 16922,
16924, 16969,
17013, 17014,
17018, 17019,
17022, 17023,
17026, 17030,
17034, 17049,
17073, 17102,
17107, 17112,
17113, 17114,
17115, 17118,
17191, 17209,
17231, 17233,
17254, 17256,
17258, 17261,
17267, 17275,
17277, 17280,
17286, 17362,
17365, 17620,
17649, 17655,
17687, 17700,
17713, 17724,
17780, 17827,
17846, 17868,
17885, 17902,
17919, 17936,
17954, 17972,
17973, 17992,
17993, 18012,

18080, 18354, 18376, 18653, 18655, 18657, 18673, 18680, 18682, 18684, 18687, 18691, 18696, 18700, 18704, 18718, 18723, 18725, 18728, 18732, 18735, 18741, 18861, 18968, 18990, 19008, 19030, 19042, 19078, 19540, 19541, 19723, 19724, 19725, 19954, 19992, 19994, 19995, 19996, 20046, 20048, 20050, 20052, 20056, 20058, 20062, 20064
\RenewDocumentCommand 12866, 13199
\renewenvironment 80, 289, 499, 789, 809, 825, 845, 852, 923, 1073, 1151, 1158, 1185, 1324, 1402, 1409, 1434, 4068, 4071, 4074, 4077, 5072, 5082, 5090, 5106, 5317, 5752, 5827, 5833, 5928, 6014, 6020, 6137, 6328, 6389, 6404, 6536, 7706, 7976, 9965, 10211, 10720, 13422, 13892, 13998, 14500, 14520, 14527, 14604, 14754, 14969, 14976, 14997, 15190, 15211, 15392, 15777, 16356, 17038, 17701, 17704, 17729, 19403
\renewrobustcmd . . . 12638, 12664, 12675
\repeat . . . 469, 1845, 1846, 6650, 6804, 6810, 6918, 6976, 6986, 9635, 9645, 12100, 14171, 14218, 14229, 14240, 14268, 17516
\RequirePackage 1748, 1750, 1751, 1752, 1753, 1754, 1962, 1963, 2391, 2392, 2393, 2394, 2401, 2402, 2417, 2470, 3441, 3442, 3458, 3502, 3503, 3506, 3758, 3830, 3832, 3839, 3860, 3864, 3900, 3901, 4118, 4328, 4329, 4330, 4331, 4535, 4536, 4651, 4867, 5042, 5053, 5105, 5131, 5139, 5156, 5311, 5312, 5313, 5314, 5315, 5316, 5335, 5336, 5337, 5338, 5339, 5340, 19986, 19987, 19988, 19989, 20038
\RequireXeTeX 1749, 1882
\reserved@a . . 2229, 2233, 2239, 2242, 2245, 2248, 2669, 2673, 2850, 2851, 2852, 3443, 3451, 3461, 3463, 3470, 3472, 3477, 3479, 3480, 3483, 3486, 3522, 3523, 3524, 3526, 3533, 3536, 3561, 3562, 3582, 3584, 3588, 3595, 3597, 3676, 3677, 18372, 18373, 18376, 18377, 18857, 18858, 19487, 19493
\reserved@b . . 2209, 2210, 2669, 2673, 2674, 3433, 3434, 3462, 3520, 3522, 3539, 3556, 3557, 3562, 3567, 3569, 3570, 3572, 3575, 3595, 3597
\reserved@c 3535, 3538, 3539, 3543, 3554, 3567, 3581, 3585
\reserved@d 2668, 2673, 3555, 3574, 3587
\reset@dir 14335, 19362
\reset@font . . 4371, 4415, 4459, 4687, 4704, 4721, 8043, 8059, 8075, 8095, 8108, 8121, 8289, 8299, 8309, 8335, 8347, 8360, 8387, 8400, 8438, 8447, 8456, 8481, 8492, 8504, 8530, 8542, 8580, 8590, 8600, 8626, 8638, 8651, 8678, 8691, 8729, 8739, 8749, 8775, 8787, 8800, 8827, 8840, 8878, 8888, 8898, 8924, 8936, 8949, 8976, 8989, 9027, 9037, 9047, 9073, 9085, 9098, 9125, 9138, 9176, 9186, 9196, 9222, 9234, 9247, 9274, 9287, 9325, 9335, 9345, 9371, 9383, 9396, 9423, 9436, 9474, 9484, 9494, 9520, 9532, 9545, 9572, 9585, 9672, 9684, 9696, 9722, 9736, 9750, 9785, 9799, 10297, 10545, 10561, 10576, 10605, 10618, 10631,

19765, 19809, 19896
\resizebox 11054
\restore@protect . 2865
\restoreCaptionSkip 11215
\restorecounters@ 7551
\restylefloat 4318
\resumename 2471
\righskip 18082
\right 19389, 19398, 19402
\right@cor . . . 13450, 13451, 13548, 13549
\right@footnoterule 26, 236, 634, 762, 946, 956, 1181, 1207, 1425, 1456, 5856, 5875, 6009, 6051, 6156, 6283, 7727, 7734, 7827, 8025, 9961, 9985, 10462, 10476, 10486, 10602, 10628, 12022, 13818, 14599, 14637, 14774, 15020, 15033, 15175, 15229, 15356, 15592, 15606, 15846, 16140, 16154, 16425, 16705, 16838, 16852, 17107
\rightfootnoterule 1810, 7284, 8031, 10474, 10974, 19950
\rightline . . . 14355, 19550, 19554, 19556
\rightmargin . . . 1166, 5058, 5077, 5085, 5091, 10857, 10861, 12116, 12117, 12130, 14408, 19425, 19436, 19442, 19448, 19456, 19460
\rightskip 12, 13, 213, 214, 307, 311, 733, 750, 753, 754, 843, 856, 867, 868, 873, 884, 909, 912, 913, 1093, 1094, 1100, 1110, 1113, 1114, 1127, 1149, 1342, 1348, 1349, 1354, 1365, 1391, 1394, 1395, 1413, 4996, 5003, 5004, 5574, 5770, 5776, 5777, 5782, 5793, 5816, 5819, 5820, 5946, 5952, 5953, 5958, 5969, 5992, 5995, 5996, 6255, 6270, 6273, 6274, 6407, 6409, 6411, 6525, 6526, 6532, 7658, 7661, 7662, 7672, 7925, 8247, 9835, 9913, 9928, 9931, 9932, 12628, 13305, 13306, 13664, 13668, 13669, 13676, 13681, 13688, 13693, 14419, 14421, 14432, 14434, 14445, 14447, 14456, 14458, 14475, 14518, 14531, 14542, 14543, 14548, 14559, 14582, 14585, 14586, 14913, 14914, 14919, 14930, 14953, 14956, 14957, 14967, 14980, 15028, 15144, 15159, 15162, 15163, 15168, 15169, 15328, 15343, 15346, 15347, 17624, 17629, 17640, 17653, 17657, 17677, 17680, 17685, 17689, 17690, 17800, 17801, 17802, 17810, 17831, 17832, 17833, 17841, 17854, 17855, 17856, 17864, 17871, 17872, 17873, 17881, 17888, 17889, 17890, 17898, 17905, 17906, 17907, 17915, 17922, 17923, 17924, 17932, 17939, 17940, 17941, 17949, 17957, 17958, 17959, 17967, 17976, 17977, 17978, 17986, 17996, 17997, 17998, 18006, 18031, 18032, 18033, 18041, 18081, 18083, 18761, 18823, 18824, 18825, 18831, 18834, 18881, 18941, 18946, 18969, 18976, 19341, 19342, 19535, 19562, 19563, 19624, 19629
\RL . . 11965, 14325, 19352
\rlap 308, 674, 1023, 1523, 1940, 6196, 7770, 7867, 10021, 10114, 10120, 10709, 10992, 11038, 11104, 11105, 11118, 11119, 12002, 13722, 14341, 14704, 14845, 15041, 15084, 15269, 15614, 15678, 16162, 16226, 16860,

16924, 17403, 19372
\RLE 1780, 1898, 11964, 14325, 14326, 14330, 18995, 19352, 19353, 19357
\rmfamily 952, 1203, 1452, 4886, 4939, 4942, 4946, 4949, 4953, 4956, 4960, 4963, 4967, 4970, 14633, 14770
\romannumeral . 2312, 5611, 5673, 7559, 7562, 7608, 10325, 10326, 10327, 10328, 10330, 10331, 10332, 10333, 10334, 10337, 10338, 10339, 19428
\rot@float@box 15420, 15421, 15422, 15436, 15445, 15463, 15464, 15465, 15466, 15467, 15483, 15494
\rot@label . 15416, 15459
\rot@LR 15427, 15472
\rot@mess@toks 15419, 15431, 15441, 15450, 15462, 15477, 15489, 15499
\rot@message 15450, 15499
\rot@pageref 15417, 15460
\rotate 15513
\rotatebox . . . 10368, 11147, 11196, 11409, 15436, 15445, 15483, 15494
\rotateframe 10330, 10367
\rotFPbot 15437, 15444, 15484, 15493
\rotFPtop 15435, 15446, 15482, 15495
\rrb 2011, 2021
\rsb 2010, 2019
\RTL 14318, 19345
\RTL@column@boxes . 13746, 13772, 13777
\RTL@outputdblcol 6674, 10125, 10925, 13427, 19640, 19723, 19724
\RTLbidituftesidenotemargin 4420, 4718, 4858
\RTLcases . . 19401, 19404
\RTLcite 4647, 4764, 4793, 4822, 4844, 4853, 4862
\RTLcolumnfootnotes 8140
\RTLdblcol 19724
\RTLdfnmakecol . . . 7444
\RTLfootfootmark . . . 8182, 8330, 8476, 8621, 8770, 8919, 9068, 9217, 9366, 9515, 9716
\RTLfootmarkstyle 8157, 8196
\RTLfootnote . . . 639, 713, 2098, 2111, 4833, 5183, 6161, 6235, 7832, 7906, 10519, 14779, 14885, 15038, 15126, 15234, 15308, 15611, 15727, 16159, 16275, 16857, 16973
\RTLfootnotetext . . 2167, 2178, 5623, 5633, 10688, 10691, 11634, 12606, 17565, 17569
\RTLfootscript 8157, 8185, 8189, 8191
\RTLfoottextfont . . . 8060, 8067, 8117, 8123, 8209, 8309, 8330, 8360, 8456, 8476, 8504, 8600, 8621, 8651, 8749, 8770, 8800, 8898, 8919, 8949, 9047, 9068, 9098, 9196, 9217, 9247, 9345, 9366, 9396, 9494, 9515, 9545, 9696, 9716, 9750
\RTLmarginnote . . . 4855
\RTLmarginpar 19770
\RTLmulticolcolumns 13770
\RTLsidenote . 4590, 4829
\RTLthanks 639, 659, 694, 713, 5183, 5191, 5208, 5224, 5235, 6161, 6181, 6216, 6235, 7832, 7852, 7887, 7906, 10686, 13275, 14779, 14819, 14865, 14885, 15038, 15068, 15108, 15126, 15234, 15254, 15289, 15308, 15611, 15696, 15727, 16159, 16244, 16275, 16857, 16942, 16973
\rtside 14201, 14203, 14214, 14216, 14237, 14239
\rule 45, 58, 73, 254, 267, 281, 2519, 7148, 7640, 7644, 7647, 8051, 8067, 8083, 8097, 8110, 8123, 10555, 10571, 10586, 10612, 10625, 10638, 12873, 14392

S

\s 12725, 12726
\save@dir . . 14334, 19361
\savebox 7565, 11144, 11146, 11226
\saveCaptionSkip . 11176
\savecounters@ . . . 7548
\saved@@dir . . 14334, 14335, 19361, 19362
\sbox 7631, 11178, 11195, 12061, 12069, 12071, 12073, 12082, 12172, 12565, 12695, 12703, 12891,

13177, 13217, 13342, 13357, 13389, 13999, 15867, 15881, 15921, 16446, 16460, 16500, 17128, 17142, 17182, 17639, 17656, 18397, 19931
\sc@@temp 16724, 16725, 16730, 16731, 16736, 16737, 16742, 16743, 16748, 16749, 16754, 16755, 16760, 16761, 16766, 16767, 16772, 16773
\SC@FLOAT 17362, 20046, 20050, 20056, 20058, 20062, 20064
\SC@justify@caption .. 17365, 20048, 20052, 20057, 20059, 20063, 20065
\sc@temp 16722, 16724, 16728, 16730, 16734, 16736, 16740, 16742, 16746, 16748, 16752, 16754, 16758, 16760, 16764, 16766, 16770, 16772, 16782, 16784
\sc@wm@text 7449
\scalebox 11052
\scantokens . 3001, 3021
\scr@caption 15973, 15975, 15977, 16552, 16554, 16556, 17234, 17236, 17238
\scr@caption@before@longtable@warning 15945, 16524, 17206
\scr@compatibility 16317, 16333, 16341, 16349
\scr@dte@current 18476, 18479
\scr@dte@def@l@largetocline 18243
\scr@dte@def@l@tocline 18445
\scr@dte@def@l@undottedtocline 18086
\scr@dte@donumwidth 18680, 18681
\scr@dte@largetocline@init 18244
\scr@dte@nosub 18492, 18494, 18524, 18525, 18527, 18532, 18534, 18539, 18540, 18598, 18600
\scr@dte@numberline@box 18395, 18422
\scr@dte@tocline 18354, 18737
\scr@dte@tocline@init 18446
\scr@dte@tocline@numberwidth 18398, 18400, 18402, 18405
\scr@dte@tocline@numbox 18397, 18399, 18413
\scr@dte@undottedtocline@init 18087
\scr@ifundefinedorrelax ... 18121, 18169, 18214, 18276, 18322, 18346, 18385, 18490, 18492, 18521, 18524, 18525, 18532, 18555, 18595, 18596, 18598, 18614, 18667, 18694, 18713
\scr@LT@array . 11974, 15970, 15971, 15973, 16549, 16550, 16562, 17231, 17232, 17244
\scr@parindent 16082, 16670, 17352
\scr@saved@footnotetext 15544, 15548, 16092, 16096, 16790, 16794
\scr@saved@LTRfootnotetext .. 15542, 15545, 15552, 16090, 16093, 16100, 16788, 16791, 16798
\scr@saved@RTLfootnotetext .. 15543, 15546, 15556, 16091, 16094, 16104, 16789, 16792, 16802
\scr@smashdp .. 15889, 15903, 15904, 15922, 16468, 16482, 16483, 16501, 17150, 17164, 17165, 17183
\scr@tmp@footnotetext .. 15861, 15872, 15873, 16440, 16451, 16452, 17122, 17133, 17134
\scr@tmp@LTRfootnotetext .. 15863, 15874, 15875, 16442, 16453, 16454, 17124, 17135, 17136
\scr@tmp@RTLfootnotetext .. 15865, 15876, 15877, 16444, 16455, 16456, 17126, 17137, 17138
\scriptsize .. 5024, 16723, 16729, 16735, 16741, 16747, 16753, 16759, 16765, 16771
\scshape 6109
\secshape .. 15127, 15168
\SectFont 848, 857, 1154, 1162, 1405, 1414, 5830, 6017, 14523, 14532, 14972, 14981
\sectfont 14402
\section 790, 817, 833, 848,

854, 857, 924, 1081, 1154, 1160, 1162, 1186, 1332, 1405, 1411, 1414, 1435, 2515, 2581, 4888, 4910, 4978, 4986, 5101, 5104, 5108, 5830, 6017, 7707, 14523, 14529, 14532, 14972, 14978, 14981
\sectionbib 17724
\sectionfont .. 2455, 2463, 7139, 7232
\sectionstyle 2463, 2521
\sectiontitlecolour 2446, 7101, 7109, 7116, 7123, 7130, 7200, 7206, 7212, 7218, 7224
\selectfont 342, 5249, 5251, 5253, 14012, 14025
\separatorcolumnwidth 2486, 2487, 2498, 2504, 2520, 2525, 2531, 2588, 7246, 7276
\SepMark ... 19413, 19414
\seq 12954, 12955
\set@color 6483, 6488, 6496, 6502, 6510, 6517, 6522, 10716, 19194, 19198, 19294
\set@typeset@protect 10292, 10296, 17451, 19599, 19876, 19878
\setboolean ... 384, 387, 390, 393, 511, 514, 517, 520, 3764, 3765, 3766, 3768, 3770, 3775, 3776, 3780, 3781, 3861, 3865, 3868, 3873, 3875, 3879, 3881, 4253, 4874, 4875, 4876, 5133, 5134, 5135, 5160, 5161
\setbox 607, 1629, 1631, 1632, 1688, 2261, 2332, 2337, 2340, 2349, 4299, 4355, 4358, 4399, 4402, 4443, 4446, 5502, 5513, 5726, 5740, 6363, 6390, 6395, 6454, 6483, 6638, 6639, 6643, 6646, 6656, 6660, 6663, 6667, 6677, 6680, 6681, 6695, 6708, 6724, 6736, 6739, 6740, 6754, 6763, 6779, 6800, 6801, 6806, 6807, 6812, 6815, 6838, 6846, 6856, 6907, 6921, 6925, 6935, 6940, 6949, 6951, 6966, 6967, 6978, 6979, 6991, 6992, 7002, 7010, 7020, 7068, 7292, 7300, 7301, 7305, 7313, 7321, 7322, 7326, 7341, 7344, 7349, 7353, 7361, 7398, 7401, 7406, 7410, 7415, 8088, 8101, 8114, 8201, 8259, 8264, 8271, 8332, 8344, 8357, 8397, 8478, 8489, 8501, 8539, 8623, 8635, 8648, 8688, 8772, 8784, 8797, 8837, 8921, 8933, 8946, 8986, 9070, 9082, 9095, 9135, 9219, 9231, 9244, 9284, 9368, 9380, 9393, 9433, 9517, 9529, 9542, 9582, 9608, 9609, 9616, 9629, 9632, 9634, 9639, 9642, 9644, 9646, 9676, 9688, 9700, 9718, 9726, 9732, 9740, 9746, 9754, 9789, 9796, 9803, 9818, 9827, 9847, 9855, 9868, 9881, 9891, 10100, 10128, 10131, 10144, 10160, 10163, 10177, 10224, 10264, 10269, 10603, 10616, 10629, 10647, 10771, 10780, 10784, 10808, 10822, 10884, 10889, 10890, 10905, 10928, 10933, 10934, 10949, 10984, 10991, 10992, 11037, 11038, 12544, 12553, 12614, 12646, 12652, 13430, 13433, 13434, 13456, 13461, 13471, 13489, 13494, 13528, 13531, 13532, 13554, 13559, 13569, 13587, 13592, 13621, 13702, 13718, 14145, 14159, 14162, 14181, 14182, 14188, 14189, 14200, 14202, 14204, 14206, 14209, 14211, 14213, 14215, 14225, 14227, 14236, 14238, 14253, 14255, 14263, 14265, 14274, 14340, 14341, 14371, 14389, 15505, 15515, 15526, 15533, 15887, 16466, 16723, 16729,

16735, 16741, 16747, 16753, 16759, 16765, 16771, 17148, 17391, 17440, 17482, 17532, 17602, 18899, 18902, 18907, 18911, 18915, 18919, 18923, 18927, 18931, 18935, 19186, 19194, 19299, 19371, 19372, 19489, 19559, 19587, 19643, 19646, 19647, 19661, 19686, 19689, 19690, 19704, 19749, 19752, 19793, 19796, 19824, 19838, 19856, 19906
\setcaptionfont . . 3853
\setcaptionwidth . 12578
\setchapterpreamble 16361, 17043
\setcitationfont . 4471
\setcounter . . . 656, 691, 964, 996, 1040, 1215, 1247, 1291, 1464, 1496, 1540, 1947, 4555, 4574, 4593, 4625, 4872, 5384, 5669, 5883, 5915, 6059, 6091, 6178, 6213, 7754, 7787, 7849, 7884, 10005, 10038, 10312, 12028, 12029, 13303, 13964, 13985, 14645, 14677, 14721, 14784, 14816, 14862, 15065, 15105, 15251, 15286, 15602, 15693, 15805, 15878, 15879, 16150, 16241, 16384, 16457, 16458, 16848, 16939, 17066, 17139, 17140, 18024
\setdefaultbibitems 19418
\setdefaultmarginpar 19860
\setDefaults 11133
\setfloatalignment 3933
\setfootnoteLR . . . 10541
\setfootnoteRL . . 10539
\setkeys 382, 509, 6354, 6371, 7529, 7535, 7537, 11027, 11135, 12067, 14005, 14038, 15424, 15469, 19079
\setlength 174, 197, 198, 731, 748, 883, 907, 1108, 1126, 1163, 1164, 1165, 1166, 1167, 1364, 1389, 2085, 2086, 2087, 2359, 2360, 2362, 2363, 2365, 2366, 2368, 2369, 2371, 2372, 2374, 2375, 2377, 2378, 2379, 2384, 2385, 2423, 2424, 2426, 2427, 2428, 2429, 2487, 2496, 2497, 2500, 2502, 2505, 2506, 2508, 2511, 2577, 2586, 2587, 2588, 3789, 3825, 3826, 3827, 3828, 3849, 3855, 3856, 3889, 3892, 3896, 3942, 3988, 3989, 4478, 4479, 4480, 4481, 4487, 4738, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5040, 5041, 5043, 5046, 5047, 5048, 5049, 5266, 5267, 5792, 5814, 5968, 5990, 6253, 6268, 6530, 7235, 7239, 7241, 7244, 7511, 7656, 7671, 8197, 8198, 8211, 9912, 9926, 10645, 11077, 11078, 11084, 11085, 11087, 11088, 11137, 11138, 11150, 11154, 11156, 11158, 11162, 11164, 12034, 12035, 12036, 12037, 12062, 12076, 12078, 12080, 12084, 12106, 12111, 12114, 12118, 12119, 12120, 12599, 14004, 14558, 14580, 14929, 14951, 15157, 15326, 15341, 15561, 15884, 15910, 16109, 16463, 16489, 16807, 17145, 17171, 17628, 17629, 17677, 17678, 17680, 18048, 18052, 18053, 18055, 18056, 18058, 18059, 18061, 18062, 18064, 18065, 18225, 18333, 18678, 19471, 19474
\setLR 14347, 19380
\setLTR . 14321, 14322, 14335, 14347, 14348, 19021, 19348, 19349, 19362, 19380, 19381
\setLTRbibitems . . 19417
\setLTRcitationfont 4472

\setLTRmarginpar 19859
\setLTRparagraphfootnotes 8038
\setmarginnotefont 4470
\setparsizes . . 15619, 15731, 16167, 16279, 16865, 16977
\setRL 14346, 19379
\setRTL 14320, 14323, 14335, 14346, 19061, 19095, 19347, 19350, 19362, 19379
\setRTLbibitems . . 19416
\setRTLmain 1888
\setRTLmarginpar 19858
\setRTLparagraphfootnotes 8037
\setsidenotefont . 4469
\setSingleSpace 8142, 8147
\setspace@singlespace . . 4686, 4703, 4720
\setthesection . . 13320
\settodepth 14000
\settoheight 7508, 14001
\settowidth 85, 294, 794, 928, 1190, 1439, 2491, 5838, 6025, 6333, 7237, 7553, 7711, 7981, 9970, 12108, 14003, 14609, 15002, 15195, 15397, 15798, 16377, 16722, 16728, 16734, 16740, 16746, 16752, 16758, 16764, 16770, 17059, 17707, 18864, 18866
\Setversedim 5397, 5401, 5427
\SetWatermarkText 7448
\sevencolumnfootnotes 9011
\sevencolumnfootstyle 9106
\sf 16723, 16729, 16735, 16741, 16747, 16753, 16759, 16765, 16771
\sfcode . 89, 298, 805, 936, 1198, 1447, 5846, 6033, 6344, 7719, 7992, 9978, 13905, 14617, 15010, 15206, 15408, 15815, 16394, 17076, 17718
\sh@wgridXunit . . . 14360
\sh@wgridYunit . . . 14360
\shadowbox 7625
\shadowsize . . 7635, 7639, 7640, 7643, 7644, 7647
\shipout . . 10292, 19875
\shortauthors 111, 112, 117
\shortcite 13907
\shorttitle . 110, 111, 117
\showbox 10845
\showgridp@s 14359
\showoutput 10845
\sidecaptionsep 17363, 17364, 20047, 20051, 20056, 20058, 20062, 20064
\sidenote 4552, 4606, 4644, 4736, 4827
\sidenotes 4649
\sideways 15531
\sigindent 16783
\sixcolumnfootnotes 8862
\sixcolumnfootstyle 8957
\sixt@@n 2228, 2250
\size@chapter 14402
\skip 5590, 5591, 7346, 7403, 8222, 8232, 8250, 9837, 9861, 9872, 10663, 10886, 10930
\skip@ 313, 314
\skipalgocfslide 182, 190
\skiptotal 198
\sloppy . . . 41, 54, 69, 88, 250, 263, 277, 297, 801, 935, 1197, 1446, 2595, 5845, 6032, 6340, 7718, 7988, 9977, 10877, 12631, 13904, 14478, 14492, 14616, 15009, 15202, 15404, 15814, 16393, 17075, 17714
\slshape . . 874, 1101, 1355, 2543, 5783, 5959, 7137, 7138, 7228, 7229, 7231, 14549, 14920, 15133
\small . 633, 857, 955, 1162, 1206, 1414, 1455, 1972, 2457, 2547, 2552, 2582, 5013, 5014, 5079, 5087, 5092, 5111, 5874, 6050, 6155, 7733, 7826, 9984, 14532, 14636, 14773, 14981, 15032, 15228, 15605, 16153, 16851
\smallcaps 5367, 5368, 5369
\smallskip 13827, 13832, 13839, 13848, 13859, 13864, 13869, 13876, 13883, 13890, 14399
\smash 4044, 4049, 4060, 4061, 4064, 4065, 4272, 7295, 7316, 10709, 12133, 14344, 19375, 19377
\SOUL@apo 17385
\SOUL@comma 17384
\SOUL@do 17387
\SOUL@eventuallyexhyphen 17374
\SOUL@grave 17386

\SOUL@ignorespacesfalse 17378
\SOUL@lasttoken . . 17381
\SOUL@lowerthan . . 17371
\SOUL@minus 17383
\SOUL@postamble . . 17388
\SOUL@preamble . . . 17380
\SOUL@soeventuallyskip 17375
\SOUL@spaceskip . . 17376
\SOUL@start 17369
\SOUL@ulcolor . 17400, 17406, 17412, 17420
\SOUL@uldp 17412
\SOUL@uleveryspace 17414
\SOUL@ulht 17412
\SOUL@ulleaders . . . 17400, 17406, 17422
\SOUL@uloverlap . . 17393
\SOUL@ulunderline 17390
\SOUL@word 17382
\soulomit 17373
\space 403, 443, 1720, 2987, 3130, 3436, 3623, 3625, 3636, 3638, 3641, 4108, 4113, 4114, 4247, 4248, 6109, 6304, 6803, 6809, 6972, 6980, 6981, 7951, 9941, 10745, 10753, 10754, 10778, 10786, 12046, 12999, 13708, 13710, 13711, 13712, 13713, 14367, 15376, 15418, 15461, 15670, 15820, 16218, 16399, 16916, 17081, 17552, 17554, 17611, 18415, 18417, 18983, 19829
\spacefactor . . 4665, 4670, 4676, 4679
\spaceskip . 17418, 17423
\special 1936, 14341, 17608, 17609, 17613, 17614, 17616, 19372
\spinemargin . 7458, 7462
\split@prev 10498, 10506, 10511
\splitbotmark 10782
\splitfirstmark 6684, 6743, 10134, 10166, 10781, 10893, 10937, 13437, 13535, 19650, 19693
\SplitFootnoteRule 1812, 10497
\splitfootnoterule 10501, 10509
\splitmaxdepth 39, 52, 67, 248, 261, 275, 6678, 6737, 8216, 10129, 10161, 10548, 10564, 10579, 10887, 10931, 13431, 13529, 19644, 19687
\splittopskip . . . 39, 52, 67, 248, 261, 275, 8215, 8261, 8265, 8415, 8416, 8420, 8421, 8557, 8558, 8562, 8563, 8706, 8707, 8711, 8712, 8855, 8856, 8860, 8861, 9004, 9005, 9009, 9010, 9153, 9154, 9158, 9159, 9302, 9303, 9307, 9308, 9451, 9452, 9456, 9457, 9600, 9601, 9605, 9606, 10547, 10563, 10578, 10776, 10777, 14155
\stepcounter 4563, 4582, 4601, 4633, 4750, 4779, 4808, 5560, 10311, 10379, 10449, 10519, 10528, 11800, 11808, 12511, 13959, 13963, 13980, 13984, 15415, 15458, 19926
\stopbreaks . 8011, 16782
\str 12714, 12765, 12836, 12852, 12914, 12938, 12943, 13017, 13048, 13061, 13083, 13137, 13169
\stretch 1690, 1693, 6456, 6459
\string 579, 1600, 2606, 2612, 2684, 2686, 2704, 2705, 2708, 2709, 2799, 2832, 2833, 2839, 2987, 3017, 3038, 3041, 3068, 3070, 3130, 3191, 3192, 3205, 3206, 3217, 3218, 3231, 3232, 3436, 3445, 3449, 3455, 3466, 3623, 3625, 3636, 3638, 3639, 3640, 3641, 3643, 4247, 4248, 6492, 6495, 6513, 6516, 10749, 10750, 10751, 10752, 10753, 10875, 11059, 11060, 15670, 15820, 15822, 15828, 16218, 16399, 16401, 16407, 16916, 17081, 17083, 17089, 17578, 18982, 19239, 19286
\strip@prefix 3038, 3051
\strip@pt . . . 9668, 9780
\stripsep 6725, 6780, 6795, 6841, 6850, 6860, 6905, 7005, 7014, 7024, 13465, 13467, 13474, 13563, 13565, 13572, 13632,

13635, 13637, 13644
\strut 45, 58, 73, 254, 267, 281, 2002, 8019, 8324, 8327, 8330, 8410, 8411, 8470, 8473, 8476, 8552, 8553, 8615, 8618, 8621, 8701, 8702, 8764, 8767, 8770, 8850, 8851, 8913, 8916, 8919, 8999, 9000, 9062, 9065, 9068, 9148, 9149, 9211, 9214, 9217, 9297, 9298, 9360, 9363, 9366, 9446, 9447, 9509, 9512, 9515, 9595, 9596, 9708, 9712, 9716, 9812, 12645, 15868, 15870, 15889, 15891, 15894, 15896, 15899, 15903, 15905, 15915, 15917, 15922, 15926, 16447, 16449, 16468, 16470, 16473, 16475, 16478, 16482, 16484, 16494, 16496, 16501, 16505, 16785, 17129, 17131, 17150, 17152, 17155, 17157, 17160, 17164, 17166, 17176, 17178, 17183, 17187, 17639, 17644
\strutbox 39, 52, 67, 248, 261, 275, 605, 609, 8052, 8068, 8084, 8098, 8111, 8124, 8216, 8415, 8420, 8557, 8562, 8706, 8711, 8855, 8860, 9004, 9009, 9153, 9158, 9302, 9307, 9451, 9456, 9600, 9605, 10548, 10555, 10564, 10571, 10579, 10586, 10612, 10625, 10638, 12530, 12546, 12588, 12647, 15912, 15913, 16491, 16492, 17173, 17174, 17441, 17442, 17478, 19588, 19589
\subfigure 3983
\subitem . . 104, 234, 5122
\subjclass 326
\subject 15715, 16263, 16961
\subject@font . 15628, 15741, 16176, 16289, 16874, 16987
\subparagraph 4924, 4925, 4928
\subsection 2522, 4895, 4911
\subsectioncolour 2448, 7102, 7110, 7117, 7124, 7131, 7201, 7207, 7213, 7219, 7225
\subsectionfont 2456, 2464, 7140, 7233
\subsectionstyle 2464, 2523
\subsubitem 105, 235, 5123
\subsubsection 4915, 4916, 4919
\subtable 3983
\symbol 2015, 2025
\sys 12932

T

\t@cb@bchapsec . . . 17700
\tabcaption 11186, 11204
\tabcolsep 599, 1572, 12541, 14898, 19386
\tablinesep 17475
\tabskip . . 615, 5570, 12555, 12556, 17447, 17486, 19594
\tabular 17547
\tabularnewline 624, 12525, 17449, 19596
\tabularx 17538
\tabularxcolumn . 17500
\tagform@ 338
\tamark 13286
\tcd . . 14152, 14159, 14160
\tcdsav 14152
\tcl . . 14176, 14177, 14183
\tcn 14160, 14161, 14183, 14184, 14185, 14186
\Telefon 2437
\tencolumnfootnotes 9458
\tencolumnfootstyle 9553
\TeX 11966, 14336, 14337, 14345, 19363, 19364, 19376
\textbf 2550, 5068, 10722, 10724, 10726, 10728
\textbullet . . 2434, 7094, 7158, 7192
\textcolor . . . 7624, 7639, 7643, 7646, 10712, 12050
\textdef@ 340
\textendash 961, 1212, 1275, 1461, 5880, 6056, 14642, 14781
\textheight 1921, 2398, 6708, 6763, 11137, 15423, 15468, 19925
\textit 18084
\textsl . 4131, 4132, 4133
\textsuperscript 4678, 8194, 8195, 8196, 15584, 16132, 16701, 16830
\texttt 2025, 2089, 2091, 2092
\textwidth . . . 1920, 2396, 2487, 2496, 2497, 2509, 2511, 3892, 3896, 3989,

4290, 4291, 5428, 6696, 6702, 6755, 6816, 6822, 6993, 7148, 7163, 7235, 7244, 7358, 7461, 8260, 9628, 10144, 10148, 10178, 10264, 10269, 10650, 10906, 10950, 10956, 11105, 11108, 11113, 11119, 12619, 13495, 13502, 13593, 13622, 13807, 13808, 13811, 13812, 13815, 13816, 13820, 13823, 15621, 15649, 15653, 15733, 16169, 16197, 16201, 16281, 16782, 16867, 16895, 16899, 16979, 19662, 19668, 19705, 19910, 19920

\textwidth@footnoterule . 636, 958, 1209, 1458, 5877, 6053, 6158, 7736, 7829, 9987, 10468, 10479, 13822, 14639, 14776, 15035, 15231, 15608, 16156, 16854

\textwidthfootnoterule 1814, 7286, 8033, 10477, 10975, 19951

\TeXXeTOff . 14271, 19297

\TeXXeTOn 14270, 14272, 19296, 19298

\TeXXeTstate .. 14270, 14271, 19296, 19297

\TF@conlab 10705, 10707, 10714

\TF@savecolor 10711, 10716

\TF@Title 10714

\thanklessauthor 5176, 5209, 5212, 5249

\thanklesspublisher 5177, 5236, 5239, 5253

\thanklesstitle 5175, 5192, 5195, 5251

\thanks 325, 637, 657, 692, 711, 959, 971, 997, 1008, 1009, 1018, 1041, 1058, 1210, 1222, 1248, 1259, 1260, 1269, 1292, 1309, 1459, 1471, 1497, 1508, 1509, 1518, 1541, 1559, 1948, 5175, 5176, 5177, 5178, 5181, 5188, 5189, 5205, 5206, 5221, 5222, 5233, 5878, 5890, 5916, 6054, 6066, 6092, 6159, 6179, 6214, 6233, 7737, 7755, 7788, 7805, 7830, 7850, 7885, 7904, 9988, 10006, 10039, 10056, 13273, 14640, 14652, 14678, 14689, 14690, 14699, 14722, 14739, 14777, 14791, 14817, 14830, 14831, 14840, 14863, 14883, 15036, 15066, 15106, 15124, 15232, 15252, 15287, 15306, 15609, 15694, 15725, 16157, 16242, 16273, 16855, 16940, 16971

\thankses 325

\the 120, 121, 439, 440, 456, 457, 461, 464, 470, 473, 476, 479, 482, 529, 530, 545, 549, 552, 555, 557, 562, 1588, 1682, 1683, 1685, 1686, 1746, 1879, 1912, 1914, 1917, 1919, 2158, 2161, 2164, 2167, 2172, 2175, 2178, 2283, 2619, 2621, 2622, 2643, 2645, 2646, 3002, 3689, 3696, 3725, 4520, 4530, 4665, 4676, 5479, 5486, 5617, 5620, 5623, 5627, 5630, 5633, 5738, 6350, 6355, 6399, 6452, 6683, 6685, 6742, 6744, 6803, 6809, 6810, 6811, 6943, 6953, 6972, 6980, 6981, 6982, 6985, 6987, 6988, 6989, 10133, 10135, 10165, 10167, 10377, 10392, 10393, 10396, 10397, 10400, 10453, 10457, 10511, 10674, 10688, 10738, 10745, 10749, 10750, 10751, 10752, 10753, 10754, 10762, 10768, 10775, 10776, 10778, 10783, 10785, 10786, 10800, 10826, 10856, 10857, 10858, 10863, 10864, 10865, 10875, 10892, 10894, 10936, 10938, 11029, 11074, 11587, 11595, 11596, 11602, 11604, 11633, 11634, 11640,

11642, 11673, 11675, 11704, 11706, 11735, 11737, 12122, 12123, 12126, 12130, 12134, 12603, 12606, 13127, 13436, 13438, 13449, 13466, 13473, 13479, 13534, 13536, 13547, 13564, 13571, 13577, 13645, 13708, 13710, 13711, 13712, 13713, 13714, 13898, 14037, 14053, 14057, 14060, 14085, 14109, 14116, 14123, 14277, 14278, 15431, 15441, 15450, 15477, 15489, 15499, 15805, 16384, 17066, 17471, 17472, 17502, 17521, 17523, 17547, 17552, 17554, 17555, 17558, 17559, 17562, 17565, 17566, 17569, 17657, 18413, 18416, 18418, 18494, 18765, 18768, 18769, 18771, 18773, 18777, 18782, 18786, 18797, 18798, 18801, 18807, 18811, 18819, 18820, 18857, 18873, 18877, 18976, 19139, 19151, 19156, 19177, 19178, 19180, 19302, 19303, 19428, 19475, 19649, 19651, 19692, 19694

\the@cornersize 10092, 10093

\thealgocf 164

\theAlgoLine 19992

\thechapter . . . 310, 4884, 5861, 5867, 5869, 5871, 6037, 6043, 6045, 6047, 6109, 6288, 6290, 6292, 6293, 6294, 6304, 7935, 7937, 7939, 7940, 7941, 7951, 9941, 10070, 10076, 10078, 10080, 10343, 10345, 10347, 10348, 10349, 10356, 10358, 10360, 10361, 10362, 12219, 13311, 13320, 13322, 13323, 13324, 13939, 14405, 14621, 14627, 14629, 14631, 14986, 14992, 14994, 14996, 15180, 15182, 15184, 15185, 15361, 15363, 15365, 15366, 15367, 15376, 16318, 16320, 16334, 16336, 16342, 16344, 16350, 16352, 17015, 17027, 17031, 17035, 17740

\thecontentspage 4942, 4949, 4956, 4963, 4970

\thedate 5171, 5179, 5225

\theDefaultDepth 12029

\theDefaultLines 12028

\theenumiv . . 83, 85, 292, 294, 800, 934, 1196, 1445, 2594, 5844, 6031, 6339, 7717, 7987, 9976, 14615, 15008, 15201, 15403, 15812, 16391, 17073, 17713

\theequation . . 5866, 6042, 6287, 7934, 10075, 10342, 10355, 12003, 13321, 14626, 14995, 15179, 15360, 16348, 17034, 19944

\thefigure . . . 5868, 6044, 6289, 7936, 10077, 10344, 10357, 13323, 14628, 14991, 15181, 15362, 16332, 17026, 17457

\thefootdir@label . . . 10377, 10380, 10409, 10414, 10432, 10435, 10455

\thefootnote . . . 673, 963, 1022, 1214, 1273, 1463, 1522, 1939, 5882, 6058, 6195, 7769, 7866, 10020, 11487, 14644, 14703, 14783, 14844, 15039, 15082, 15268, 15612, 15676, 16160, 16224, 16858, 16922

\thefootnotemark 15584, 16132, 16701, 16830

\theHchapter 13939

\theHsection 13947, 13949

\theindex 94, 224

\theL@lines 12075, 12080, 12087

\thelstlisting 12201, 12206, 12218, 12221

\thempfn 2184, 2192, 2200, 4751,

4757, 4780, 4786, 4809, 4815, 5638, 5645, 5652, 10520, 10525, 10529, 10534, 10652, 10678, 10683, 10693, 10698, 11454, 11465, 11476, 11606, 11644, 11677, 11708, 11739, 11801, 12677
\thempfootnote 10652, 12677
\theorem@indent 13973, 13974, 13993, 13994
\theorem@prework . 13967
\theorempostskipamount 13968, 13988
\theorempreskipamount 13971, 13991
\thepage . . 1910, 1915, 2572, 4019, 4131, 4132, 4133, 4142, 4143, 5355, 5356, 5367, 5368, 5369, 6869, 6887, 7034, 7052, 19183, 19829
\theparagraph . . . 21, 22, 222, 223, 768, 769, 921, 922, 1174, 1175, 1432, 1433, 4905, 5864, 5865, 6040, 6041, 6297, 6298, 7821, 7822, 7944, 7945, 10073, 10074, 10352, 10353, 10365, 10366, 13316, 13319, 14624, 14625, 14989, 14990, 15188, 15189, 15370, 15371, 15773, 15775, 16328, 16330, 17022, 17024
\thepart 773, 781, 7682, 7690
\ther@tfl@t . . 15416, 15417, 15459, 15460
\thesection 19, 220, 766, 919, 1172, 1430, 4891, 5861, 5862, 6037, 6038, 6294, 6295, 7819, 7941, 7942, 10070, 10071, 10349, 10350, 10362, 10363, 13311, 13313, 13947, 13949, 14621, 14622, 14986, 14987, 15185, 15186, 15367, 15368, 15769, 16316, 16324, 17014, 17018
\thesubparagraph 22, 223, 769, 922, 1175, 1433, 5865, 6041, 6298, 7822, 7945, 10074, 10353, 10366, 13318, 14625, 14990, 15189, 15371, 15774, 16329, 17023
\thesubsection . . 19, 20, 220, 221, 766, 767, 919, 920, 1172, 1173, 1430, 1431, 4898, 5862, 5863, 6038, 6039, 6295, 6296, 7819, 7820, 7942, 7943, 10071, 10072, 10350, 10351, 10363, 10364, 13312, 13315, 14622, 14623, 14987, 14988, 15186, 15187, 15368, 15369, 15769, 15771, 16324, 16326, 17018, 17020
\thesubsubsection 20, 21, 221, 222, 767, 768, 920, 921, 1173, 1174, 1431, 1432, 5863, 5864, 6039, 6040, 6296, 6297, 7820, 7821, 7943, 7944, 10072, 10073, 10351, 10352, 10364, 10365, 13314, 13317, 14623, 14624, 14988, 14989, 15187, 15188, 15369, 15370, 15770, 15773, 16325, 16328, 17019, 17022
\thetable 2318, 5870, 6046, 6291, 7938, 10079, 10346, 10359, 13324, 14630, 14993, 15183, 15364, 16340, 17030, 17458
\thinlines 6542, 6552, 6565, 6575, 6588, 6598, 6611, 6621
\thispagestyle . . 97, 109, 227, 689, 820, 835, 1038, 1083, 1289, 1334, 1538, 5256, 5278, 5299, 5762, 5938, 6148, 6211, 7785, 7882, 7998, 8001, 10036, 12006, 12009, 13301, 14510, 14719, 14764, 14860, 15103, 15222, 15284, 15617, 15690, 16165, 16238, 16863, 16936, 17772
\thm@topsepadd 13968, 13969, 13972, 13988, 13989, 13992
\thr@@ 576, 592, 1597, 1615, 1639, 1648, 8558, 8563,

17376, 17575, 17595
\threecolumnfootnotes 8422
\threecolumnfootstyle 8511
\tiny . . . 1985, 4656, 5025
\title 322, 665, 701, 1003, 1048, 1254, 1299, 1503, 1548, 1955, 2474, 2513, 5170, 5185, 5922, 6098, 6187, 6223, 7761, 7795, 7858, 7894, 10012, 10046, 14684, 14729, 14825, 14872, 15074, 15115, 15260, 15296, 15712, 16260, 16958
\TitleBarFrame 10703, 10722, 10724, 10726, 10728
\titlecolour . 2443, 7195
\titlecontents 4937, 4944, 4951, 4958, 4965
\TitleFont 952, 968, 1059, 1061, 1067, 1203, 1219, 1310, 1312, 1318, 1452, 1468, 1560, 1562, 1568, 1571, 1572, 1577, 5887, 6063, 14633, 14649, 14740, 14742, 14748, 14770, 14788, 14886, 14888, 14894, 14897, 14898, 14903
\titlefont 2452, 2460, 7228, 15631, 15744, 16179, 16292, 16877, 16990
\titleformat . . 4881, 4888, 4895, 4902
\titlehead 15714, 16262, 16960
\titlepage 846, 1152, 1403, 5828, 6015, 14521, 14970
\titlepagestyle . . . 15690, 16238, 16936
\titlespacing 4909, 4910, 4911
\titlestyle . 2460, 7259
\tl 12697, 12705, 12710, 12712, 12713, 12714, 12715, 12717, 12718, 12720, 12723, 12727, 12736, 12740, 12743, 12748, 12753, 12761, 12763, 12764, 12765, 12766, 12768, 12770, 12772, 12773, 12775, 12781, 12785, 12788, 12789, 12792, 12799, 12804, 12812, 12815, 12816, 12817, 12818, 12819, 12822, 12828, 12829, 12830, 12835, 12836, 12843, 12847, 12851, 12852, 12853, 12855, 12875, 12881, 12882, 12883, 12884, 12885, 12897, 12900, 12903, 12905, 12929, 12930, 12932, 12941, 12944, 12945, 12946, 12947, 12948, 12949, 12951, 12957, 12962, 12965, 12966, 12979, 12981, 12982, 12983, 12984, 12985, 12986, 12987, 12996, 12999, 13003, 13004, 13005, 13008, 13022, 13028, 13041, 13046, 13050, 13071, 13079, 13080, 13105, 13109, 13110, 13111, 13124, 13194, 13195, 13205, 13206, 13207, 13208, 13218, 13219, 13220, 13223, 13225, 13227, 13236, 13238, 13241, 13242, 13247, 13248, 13253, 13265, 13266
\toaddress . 8007, 12015
\toc@headstar 17762, 17767
\tocbasic@DependOnPenaltyAndTOCLevel 18357
\tocbasic@SetPenaltyByTOCLevel 18441
\TOCEntryStyleStartInitCode . . 15992, 16005, 16024, 16571, 16584, 16603, 17253, 17266, 17285
\toclevel@subfigure 17974
\toclevel@subtable 17994
\TOCLineLeaderFill 16009, 16026, 16588, 16605, 17270, 17287, 18458, 18719
\tocstyle@@numberline 18864, 18866, 18884, 18886, 18889, 18891
\tocstyle@activate@all@l 18977
\tocstyle@activate@features 18754
\tocstyle@dottedtocline 18741
\tocstyle@feature@dothook 18840

\tocstyle@feature@entryhook 18836
\tocstyle@feature@entryvskip 18755, 18758
\tocstyle@feature@leaders 18838, 18843
\tocstyle@feature@pagenumberbox 18846, 18849
\tocstyle@feature@pagenumberhook 18847, 18849
\tocstyle@feature@parfillskip 18826, 18827
\tocstyle@feature@raggedhook 18762
\tocstyle@feature@spaceafternumber 18863, 18867, 18888, 18892
\tocstyle@indentstyle 18813, 18883
\tocstyle@l@define . . 18900, 18903, 18908, 18912, 18916, 18920, 18924, 18928, 18932, 18936, 18968
\tocstyle@macrochangewarning 18956, 18963
\tocstyle@numberline 18742, 18861
\tocstyle@saved@dottedtocline 18958
\tocstyle@saved@numberline 18966
\tocstyledepth 18753, 18765, 18777, 18797, 18798, 18801, 18819, 18820, 18869, 18871, 18873, 18877
\tocstyleTOC 18765, 18768, 18769, 18771, 18773, 18777, 18778, 18780, 18781, 18785, 18789, 18790, 18793, 18794, 18797, 18798, 18801, 18803, 18805, 18806, 18810, 18815, 18816, 18819, 18820, 18869, 18871, 18872, 18876
\today 5179
\toks 118, 120, 1682, 1683, 1685, 1686, 4513, 4514, 4520, 6452, 10781, 10782, 10783
\toks@ 117, 121, 3721, 3725, 6682, 6683, 6684, 6685, 6741, 6742, 6743, 6744, 10132, 10133, 10134, 10135, 10164, 10165, 10166, 10167, 10891, 10892, 10893, 10894, 10935, 10936, 10937, 10938, 11026, 11029, 11063, 11065, 11069, 11071, 11074, 11584, 11587, 13435, 13436, 13437, 13438, 13533, 13534, 13535, 13536, 17521, 17541, 17547, 19648, 19649, 19650, 19651, 19691, 19692, 19693, 19694
\tolerance 8320, 8466, 8611, 8760, 8909, 9058, 9207, 9356, 9505
\toname 8007, 12015
\topheight 14164, 14166, 14167, 14168, 14170, 14176, 14178, 14180, 14181, 14182, 14245, 14246, 14247, 14248, 14252, 14253, 14257
\topmargin 1925, 2397, 7480, 10304, 19904
\topmark . 6682, 6691, 6741, 6750, 10132, 10141, 10164, 10173, 10891, 10900, 10935, 10944, 13435, 13444, 13533, 13542, 19648, 19657, 19691, 19700
\topsep . . 2067, 2076, 2586, 3818, 5019, 5061, 13333, 13335
\topskip 303, 1933, 6929, 6932, 10787, 10789, 10794, 13339, 13625, 17738, 17744, 17749, 17756, 17761, 17766
\TOTALHEIGHT 17607, 17611
\totalheight 11056
\traditionalconnverses . . 5417, 5440, 5456
\traditionalhalfverses 5406, 5410, 5417, 5450
\traditionalpoem . 5659
\traditionalpoem@cr . . 5530, 5579, 5580
\traditionalpoem@obeylines 5460, 5659
\traditionalpoem@par . . 5460, 5461, 5579
\trimb 4515, 4522
\trimc 4524
\trivlist 10215, 13970, 13990
\ttdefault . . 7134, 7226
\ttfamily 1972, 2012, 2013, 2015, 2016, 2017, 2018, 2019, 2020, 2021
\ttl@a 17662, 17664
\ttl@b 17657, 17658, 17662, 17664
\ttl@beginlongest 17632
\ttl@calc . . 17627, 17639

\ttl@changecentercr 17631
\ttl@contentsstretch 17669
\ttl@corr 17684, 17685, 17688
\ttl@endlongest . . 17647
\ttl@filleft 17621, 17650
\ttl@filright 17622, 17651
\ttl@glcmds 17634
\ttl@hmode@error . 17633
\ttl@leaders 17686
\ttl@lselect 17693, 17696
\ttl@makeline 17627, 17682
\ttl@margin 17681, 17687
\ttl@midlongest . . 17646
\ttl@outnoblock . . 17660
\ttl@savel@chapter 17695
\ttl@savel@part . . 17692
\ttlh@hang 17626
\turn 15503
\turnbox 15524
\tw@ 575, 583, 1596, 1604, 1638, 1642, 1647, 2240, 2833, 8416, 8421, 10097, 10098, 10780, 10784, 10785, 10799, 10803, 10808, 10811, 10822, 10826, 10827, 10828, 10829, 10832, 10992, 10994, 10995, 10997, 10998, 11001, 11003, 11004, 11038, 11040, 11041, 11043, 11044, 11047, 11049, 11050, 12124, 13718, 13725, 13726, 13734, 13735, 13740, 13741, 13754, 13755, 13762, 13763, 13779, 13784, 14341, 14342, 15575, 16123, 16693, 16821, 17376, 17476, 17574, 17582, 17886, 19372, 19373, 19607, 19611, 19613
\twocolumn 682, 817, 833, 1031, 1081, 1282, 1332, 1531, 1909, 5760, 5936, 6145, 6204, 6868, 7033, 7778, 7875, 10029, 13292, 14508, 14712, 14762, 14853, 15096, 15219, 15277, 15683, 16231, 16929, 17738, 17744, 17749, 17756, 17761, 17766
\twocolumnfootnotes 8273
\twocolumnfootstyle 8368
\TX@ 17498, 17499, 17527, 17528
\TX@align . . 17551, 17553
\TX@arith 17513
\TX@ckpt . . . 17503, 17549
\TX@col@width . 17500, 17506, 17511, 17554
\TX@cols 17507, 17511, 17555
\TX@endtabularx 11573, 11584, 11590, 17496
\TX@find@endtabularxa 17498, 17499
\TX@find@endtabularxb 17528
\TX@find@endtabularxbb 17526
\TX@ftn . 17523, 17558, 17560, 17562, 17565, 17567, 17569
\TX@ftntext 17517
\TX@LTRftntext 17518, 17557
\TX@newcol 17500
\TX@old@table 17505
\TX@RTLftntext 17519, 17564
\TX@target 17506, 17520
\TX@trial 17510, 17515, 17531
\TX@trial@ftn 17534, 17535, 17536
\TX@typeout@ 17508, 17550
\TX@verb 17501
\TX@vwarn 17537
\TX@xftntext 17517
\TX@xLTRftntext 17518, 17561
\TX@xRTLftntext 17519, 17568
\typeout 1745, 1747, 4015, 4017, 4018, 4019, 4021, 4023, 4024, 4025, 10387, 14381, 18765, 18777, 18797, 18798, 18801, 18819, 18820

U

\uc@authornothanks 980, 1009, 1014, 1231, 1260, 1265, 1480, 1509, 1514, 5899, 6075, 14661, 14690, 14695, 14800, 14831, 14836
\uc@ax 1010, 1011, 1261, 1262, 1510, 1511, 14691, 14692, 14832, 14833
\uc@nothanks . . . 971, 1008, 1009, 1018, 1222, 1259, 1260, 1269, 1471, 1508, 1509, 1518, 5890, 6066, 14652, 14689, 14690, 14699, 14791, 14830, 14831, 14840
\uc@tx 1008, 1016, 1259, 1267,

1508, 1516, 14689, 14697, 14830, 14838
\uc@ty 1017, 1018, 1268, 1269, 1517, 1518, 14698, 14699, 14839, 14840
\undefined 3527, 5612, 5665, 5668, 5670, 15873, 15875, 15877, 16452, 16454, 16456, 17134, 17136, 17138
\underline . 19564, 19572
\undertext 19572
\unexpanded 2860, 2869, 2870, 2877, 2878, 2891, 2892, 2899, 2900, 3001, 3122
\unhbox 1712, 5485, 5750, 6478, 9610, 9634, 9644, 9647, 9818, 9822, 9827, 9830, 19482, 19617, 19618, 19619, 19620
\unhcopy 17396, 17408, 17486
\unitindent . . . 856, 867, 868, 870, 943, 949, 1093, 1094, 1096, 1162, 1163, 1165, 1166, 1178, 1183, 1276, 1348, 1349, 1351, 1413, 1422, 1428, 5776, 5777, 5779, 5853, 5859, 5952, 5953, 5955, 6006, 6012, 14531, 14542, 14543, 14545, 14596, 14602, 14913, 14914, 14916, 14980, 15017, 15023
\unitlength . . 6542, 6552, 6565, 6575, 6588, 6598, 6611, 6621, 14004
\unkern 4677
\unpenalty 6385, 6912, 6924, 6935, 6941, 9613, 9631, 9641, 10811
\unrestored@protected@xdef 2184, 2192, 2200, 4757, 4786, 4815, 5638, 5645, 5652, 10525, 10534, 10683, 10698, 11454, 11465, 11476, 11487
\unsetfootnoteRL 10540, 10541
\unsetLTR . 14323, 19350
\unsetRL . . . 14348, 19381
\unsetRTL . . 14322, 19349
\unskip 45, 58, 73, 254, 267, 281, 338, 544, 1664, 1665, 1666, 4069, 4072, 4075, 4078, 4765, 4794, 4823, 5512, 5523, 6382, 6680, 6739, 6912, 6924, 6935, 6937, 6941, 6945, 8230, 9611, 9612, 10661, 10889, 10933, 12646, 12649, 13433, 13531, 15508, 15518, 15536, 15870, 15891, 15896, 15905, 16449, 16470, 16475, 16484, 17131, 17152, 17157, 17166, 19497, 19646, 19689, 19861
\unvbox 2307, 2332, 2337, 2346, 2349, 6396, 6397, 6643, 6646, 6663, 6667, 6680, 6726, 6739, 6781, 6839, 6847, 6848, 6857, 6935, 6937, 6941, 6944, 6950, 6954, 7003, 7011, 7012, 7021, 7069, 7300, 7303, 7304, 7321, 7324, 7325, 7350, 7357, 7362, 7367, 7407, 7412, 7416, 7421, 8089, 8102, 8115, 8203, 8235, 8241, 8272, 8333, 8345, 8358, 8398, 8479, 8490, 8502, 8540, 8624, 8636, 8649, 8689, 8773, 8785, 8798, 8838, 8922, 8934, 8947, 8987, 9071, 9083, 9096, 9136, 9220, 9232, 9245, 9285, 9369, 9381, 9394, 9434, 9518, 9530, 9543, 9583, 9608, 9721, 9735, 9749, 9797, 9816, 9825, 9850, 9858, 9865, 9870, 9876, 10604, 10617, 10630, 10666, 10671, 10774, 10784, 10811, 10889, 10933, 12652, 12670, 13433, 13462, 13464, 13472, 13490, 13492, 13531, 13560, 13562, 13570, 13588, 13590, 13643, 14202, 14206, 14211, 14215, 14227, 14238, 14258, 14261, 14266, 19482, 19646, 19689
\unvcopy 6907, 7344, 7401
\uppercase . 310, 988, 1008, 1239, 1259, 1488, 1508, 5907, 6083, 14669, 14689, 14808, 14830
\uppercasenonmath . 110
\uppermargin 7464

\uppertitleback . . . 15717, 16265, 16963
\upshape 4942, 4949, 4956, 4963, 4970, 7135, 7139, 7140, 7227, 7232, 7233, 14400
\urlstyle 2416
\use 12828
\usebox . . 2052, 2062, 3916, 4042, 4044, 4049, 4051, 4060, 4061, 4064, 4065, 4272, 7570, 7573, 7581, 7588, 7596, 7603, 7646, 11144, 11148, 11231, 11233, 11237, 11239, 11244, 11246, 11250, 11252, 11256, 11258, 11262, 11264, 11270, 11271, 11274, 11275, 11279, 11280, 11283, 11284, 11287, 11288, 11291, 11292, 11306, 11307, 11309, 11310, 11322, 11323, 11325, 11326, 11332, 11333, 11336, 11337, 11341, 11342, 11345, 11346, 11349, 11350, 11353, 11354, 11361, 11363, 11367, 11369, 11374, 11376, 11380, 11382, 11386, 11388, 11392, 11394, 11407, 11409, 12133, 12135, 14000, 14001, 14003, 14010, 14028, 14273, 14274, 19299
\usecounter 87, 296, 798, 932, 1194, 1443, 2592, 5057, 5842, 6029, 6337, 7715, 7985, 9974, 14613, 15006, 15199, 15401, 15804, 15809, 16383, 16388, 17065, 17070, 17711
\usekomafont . . 15589, 15596, 15633, 15746, 15996, 15999, 16016, 16018, 16137, 16144, 16181, 16294, 16575, 16578, 16594, 16597, 16835, 16842, 16879, 16992, 17257, 17260, 17276, 17279
\usepackage 3445, 3446, 3451, 3452, 3455, 3458, 3503, 3504
\usetocbasicnumberline 18394

V

\v@aaa . . . 6800, 6802, 6803, 6804, 6806, 6808, 6809, 6810, 6811, 6966, 6968, 6970, 6972, 6973, 6978, 6979, 6981, 6984, 6985, 6988
\v@ccc 6801, 6807, 6809, 6810, 6811, 6812, 6821, 6829, 6967, 6979, 6980, 6984, 6987, 6991, 6994
\vadjust 5488, 5489, 5496
\valign 8262, 8266
\value 4558, 4577, 4596, 4628, 10377, 10392, 10393, 10396, 10397, 10400, 11809, 11814, 15860, 16439, 17121, 17502
\varcustomer . . 16713, 16739, 16740, 16743
\varinvoice . . 16714, 16745, 16746, 16749
\varmyref 16712, 16733, 16734, 16737
\varrefitemi . . 16715, 16751, 16752, 16755
\varrefitemii . 16716, 16757, 16758, 16761
\varrefitemiii 16717, 16763, 16764, 16767
\varrefitemnamei . 16753
\varrefitemnameii 16759
\varrefitemnameiii 16765
\varyourmail . . 16711, 16727, 16728, 16731
\varyourref . . 16710, 16721, 16722, 16725
\vbadness 6679, 6738, 8261, 8265, 10130, 10162, 10263, 10888, 10932, 13432, 13530, 14154, 19645, 19688
\vbox . . 175, 308, 618, 624, 1632, 1699, 2264, 2332, 2337, 2340, 2345, 2346, 2349, 4299, 4300, 4302, 5472, 6390, 6395, 6465, 6643, 6646, 6663, 6667, 6680, 6695, 6708, 6724, 6739, 6754, 6763, 6779, 6801, 6807, 6812, 6815, 6821, 6824, 6829, 6834, 6838, 6846, 6856, 6907, 6935, 6937, 6940, 6949, 6967, 6979, 6991, 6992, 6994, 6998, 7002, 7010, 7020, 7068, 7074, 7292, 7300, 7301, 7309,

7313, 7321, 7322, 7330, 7344, 7349, 7353, 7356, 7360, 7361, 7378, 7385, 7401, 7406, 7410, 7411, 7414, 7415, 7430, 7437, 8088, 8101, 8114, 8201, 8332, 8344, 8357, 8397, 8478, 8489, 8501, 8539, 8623, 8635, 8648, 8688, 8772, 8784, 8797, 8837, 8921, 8933, 8946, 8986, 9070, 9082, 9095, 9135, 9219, 9231, 9244, 9284, 9368, 9380, 9393, 9433, 9517, 9529, 9542, 9582, 9608, 9676, 9688, 9700, 9718, 9726, 9732, 9740, 9746, 9754, 9789, 9796, 9803, 9847, 9855, 9868, 10144, 10177, 10264, 10269, 10292, 10305, 10319, 10603, 10616, 10629, 10647, 10771, 10784, 10808, 10889, 10905, 10933, 10949, 12553, 12614, 12652, 13180, 13339, 13433, 13456, 13461, 13463, 13471, 13489, 13494, 13531, 13554, 13559, 13561, 13569, 13587, 13592, 13621, 14188, 14189, 14202, 14206, 14211, 14215, 14227, 14238, 14253, 14255, 14257, 14260, 14265, 14300, 14307, 14308, 14315, 14411, 15887, 16466, 17148, 17453, 17488, 17493, 18899, 18902, 18907, 18911, 18915, 18919, 18923, 18927, 18931, 18935, 19325, 19332, 19333, 19340, 19472, 19477, 19585, 19602, 19646, 19661, 19689, 19704, 19839, 19875, 19905, 19906

\boxL 14308, 15423, 15468, 19333

\boxR 14300, 19325

\center 618, 1696, 6462, 17488, 19401, 19479, 19480, 19585

\eqno 329, 330

\erb 17501

\VerbBox 7627, 7629

\erse@i . 5502, 5533, 5539, 5547, 5588

\erse@ii 5513, 5534, 5540, 5542, 5548, 5550, 5588

\ersewidth 5465, 5475, 5567

\fil 640, 654, 847, 850, 965, 994, 1153, 1156, 1216, 1245, 1404, 1407, 1465, 1494, 5472, 5829, 5832, 5884, 5913, 6016, 6019, 6060, 6089, 6162, 6176, 7300, 7321, 7738, 7752, 7833, 7847, 9989, 10003, 14522, 14525, 14646, 14675, 14785, 14814, 14971, 14974, 15049, 15063, 15235, 15249, 19907

\fill 5252, 8262, 8266, 9902, 14253, 14258, 14259, 15433, 15448, 15480, 15497, 15625, 15647, 15652, 15658, 16173, 16195, 16200, 16206, 16871, 16893, 16898, 16904

\fuzz . 4526, 4529, 4530

\leftskip 13307, 13308

\offset 1929

\oidb@x 6363

\phantom 19062

\pic . 14178, 14188, 14189

\rightskip 13307, 13308

\rule 607, 1711, 4301, 4302, 5471, 5473, 6477, 6699, 6758, 6819, 6831, 6996, 10146, 10181, 10909, 10953, 12544, 12601, 12909, 13171, 13258, 13466, 13473, 13498, 13564, 13571, 13597, 13625, 13738, 13749, 17412, 17441, 17483, 19588, 19665, 19708, 19853

\size . . . 2324, 2344, 2352, 6877, 7042, 10284, 10736, 10787

\skip 311, 314, 641, 644, 650, 709, 715, 721, 725, 787, 865, 966, 975, 985, 1056, 1060, 1066, 1070, 1091, 1217, 1226, 1236, 1307, 1311, 1317, 1321,

1346, 1466, 1475,
1485, 1556, 1561,
1567, 1571, 1577,
1580, 2279, 5528,
5555, 5591, 5592,
5598, 5602, 5604,
5715, 5717, 5774,
5813, 5885, 5894,
5904, 5950, 5989,
6061, 6070, 6080,
6111, 6116, 6120,
6122, 6128, 6132,
6134, 6163, 6166,
6172, 6231, 6237,
6243, 6247, 6267,
6306, 6311, 6319,
6725, 6780, 6841,
6842, 6850, 6851,
6860, 6861, 6942,
7005, 7006, 7014,
7015, 7024, 7025,
7365, 7419, 7696,
7704, 7739, 7742,
7748, 7803, 7807,
7813, 7817, 7834,
7837, 7843, 7902,
7908, 7914, 7918,
7953, 7958, 7967,
8222, 8232, 8245,
9833, 9837, 9851,
9859, 9861, 9872,
9925, 9943, 9947,
9955, 9990, 9993,
9999, 10054,
10058, 10064,
10068, 10304,
10306, 10307,
10663, 10772,
10810, 10815,
12101, 12103,
12170, 12183,
12571, 12588,
12589, 12591,
12667, 13333,
13335, 13338,
13379, 13388,
13396, 13464,
13465, 13467,
13474, 13491,
13562, 13563,
13565, 13572,
13589, 13632,
13644, 13663,
13675, 13687,
14153, 14170,
14191, 14257,
14540, 14579,
14647, 14656,
14666, 14737,
14741, 14747,
14751, 14786,
14795, 14805,
14880, 14887,
14893, 14897,
14903, 14906,
14911, 14950,
15050, 15053,
15059, 15123,
15129, 15134,
15137, 15156,
15236, 15239,
15245, 15304,
15310, 15316,
15320, 15340,
15378, 15382,
15390, 15588,
15595, 15629,
15632, 15634,
15640, 15642,
15644, 15660,
15738, 15742,
15745, 15747,
15754, 15756,
15759, 15764,
15843, 15848,
15932, 15934,
15938, 15940,
15951, 15953,
15961, 15963,
16136, 16143,
16177, 16180,
16182, 16188,
16190, 16192,
16208, 16286,
16290, 16293,
16295, 16302,
16304, 16307,
16312, 16422,
16427, 16511,
16513, 16517,
16519, 16530,
16532, 16540,
16542, 16718,
16719, 16834,
16841, 16875,
16878, 16880,
16886, 16888,
16890, 16906,
16984, 16988,
16991, 16993,
17000, 17002,
17005, 17010,
17104, 17109,
17193, 17195,
17199, 17201,
17212, 17214,
17222, 17224,
17830, 17849,
17870, 17887,
17904, 17921,
17938, 17956,
17975, 17995,
18030, 18219,
18756, 18940,
19119, 19123,
19142, 19506,
19515, 19524,
19533, 19623,
19839, 19904,
19915, 19930, 19938
\vspace 2516,
3909, 3993,
4001, 4619, 4623,
4685, 4689, 4702,
4706, 4719, 4723,
4840, 4849, 4858,
4939, 4946, 4953,
4960, 4967, 5250,
5294, 5298, 6105,
6125, 6300, 6314,
7947, 7962, 8006,
8008, 8010, 9938,
9950, 12014,
12016, 12634,
12647, 15373,
15385, 16776,
16779, 16781,
16786, 17738,
17744, 17749,
17756, 17761, 17766

\vsplit 6638, 6639, 6656, 6660, 6681, 6740, 6802, 6808, 6813, 6968, 6970, 6979, 6991, 7071, 8271, 10131, 10163, 10780, 10890, 10934, 13434, 13532, 14159, 14162, 14181, 14182, 14200, 14204, 14209, 14213, 14225, 14236, 14263, 19647, 19690
\vss 308, 2337, 2349, 6711, 6766, 6802, 6808, 6813, 6821, 6824, 6829, 6834, 6969, 6979, 6991, 6994, 6998, 7072, 7357, 7367, 7412, 7421, 10320, 13181, 14188, 14189, 14260, 14411, 19482
\vtop 176, 618, 624, 1631, 1698, 4360, 4404, 4448, 6396, 6464, 12535, 17453, 17488, 17493, 19478, 19585, 19602, 19754, 19798

W

\waslice 14188, 14206, 14211, 14227, 14246, 14247, 14256
\wbslice 14189, 14202, 14215, 14238, 14245, 14247, 14248, 14252, 14253, 14260, 14265, 14266
\wd 5478, 5479, 5539, 5540, 5542, 5548, 5588, 5689, 5691, 5704, 5706, 6486, 7640, 7644, 9618, 10108, 10225, 10709, 10827, 10828, 11001, 11003, 11047, 11049, 11150, 11231, 11233, 11237, 11239, 11270, 11271, 11274, 11275, 11299, 11300, 11302, 11315, 11316, 11318, 11332, 11333, 11336, 11337, 11361, 11363, 11367, 11369, 12062, 12106, 12107, 12118, 12177, 12566, 12653, 13345, 13349, 13351, 13359, 13390, 13704, 14146, 14342, 14365, 14392, 15420, 15465, 15521, 15528, 15885, 16464, 16724, 16730, 16736, 16742, 16748, 16754, 16760, 16766, 16772, 17146, 17392, 17552, 17603, 17640, 17657, 18399, 18413, 19153, 19197, 19373, 19560, 19932
\WF@@everypar 19116
\WF@adjlw . . 19156, 19181
\WF@adjtlm . 19178, 19181
\WF@box 19153, 19186, 19187
\WF@floatfalse 19119, 19127, 19137, 19140
\WF@fltmes 19146
\WF@info 19126, 19136, 19139, 19148, 19183, 19185
\WF@ovh 19153
\WF@place . . 19151, 19157
\WF@putfigmaybe . . 19117
\WF@size . . . 19130, 19184
\WF@startwrapping 19189
\WF@wfname 19148, 19183, 19185
\WF@wrapil . 19177, 19180
\whiledo 10268
\widowpenalty 88, 297, 804, 935, 1197, 1446, 2595, 5576, 5845, 6032, 6343, 7718, 7991, 9977, 13904, 14616, 15009, 15205, 15407, 15814, 16393, 17075, 17717
\WIDTH 17603, 17611
\width . . 10730, 11069, 11071, 13218, 13231, 13233, 13257
\widthof 7495, 7500
\windowbox . 14255, 14261
\wlog 6803, 6809, 6811, 6972, 6980, 6987
\write 2310, 3676, 5461, 5464, 5675, 17540
\wstrutbox . 14165, 14167

X

\x . 3688, 3691, 11975, 11984, 11986, 11998
\XC@@tmp 19224, 19225, 19239, 19273, 19274, 19282, 19286
\XC@@tstfalse 19224, 19273
\XC@@tsttrue . . 19225, 19226, 19227, 19274, 19275, 19276
\XC@bidideclaredc@lor 19280, 19285
\XC@bidideclaredcolor 19279, 19281
\XC@bidiundeclaredcolor 19264, 19266
\XC@coremodel 19208, 19251
\XC@current@color 19236,

19239, 19240, 19270, 19286, 19287
\XC@declaredc@lor 19231, 19238
\XC@declaredcolor 19230
\XC@display . . 19237, 19241, 19271, 19288
\XC@edef . . . 19224, 19273
\XC@fbox 19292
\XC@getmodclr 19204, 19247
\XC@inflate 19218, 19261
\XC@let@Nc 19239, 19286
\XC@mclr . . . 19218, 19261
\XC@mmod 19216, 19217, 19259, 19260
\XC@mul 19219, 19262
\XC@split 19282
\XC@tgt@mod 19212, 19255
\XC@type . . . 19225, 19274
\XC@undeclaredcolor 19221, 19232
\xcolor@ . . 19236, 19270
\xdef 335, 443, 444, 450, 470, 473, 534, 549, 552, 613, 2005, 2304, 2719, 2799, 2877, 2878, 2881, 2882, 2899, 2900, 2903, 2904, 3567, 3722, 5479, 5481, 5562, 5564, 5566, 6683, 6685, 6742, 6744, 7310, 7331, 7376, 7382, 7383, 7428, 7434, 7435, 9668, 9780, 9840, 10133, 10135, 10165, 10167, 10511, 10892, 10894, 10936, 10938, 11585, 12055, 12551, 13436, 13438, 13534, 13536, 14109, 14116, 14123, 17657, 18781, 18785, 18806, 18810, 18872, 18876, 19151, 19156, 19177, 19178, 19180, 19181, 19649, 19651, 19692, 19694
\XeLaTeX 11967, 19377, 20092, 20093
\XeTeX . . 11966, 14344, 19375, 20090, 20091
\XeTeXcharclass 1844, 1845, 1846
\XeTeXinterchartokenstate 1841
\XeTeXinterchartoks 1847, 1848
\xyzzy 4507

Y

\y 11971, 11973, 11974, 11977, 11984
\yourmailname 16729
\yourrefname 16723

Z

\z@ . . . 12, 24, 45, 58, 73, 95, 99, 107, 124, 130, 132, 213, 225, 229, 254, 267, 281, 308, 316, 320, 406, 420, 445, 522, 523, 577, 581, 584, 595, 610, 615, 621, 622, 686, 733, 745, 750, 777, 815, 820, 821, 831, 835, 836, 865, 866, 869, 871, 884, 909, 960, 977, 1035, 1079, 1083, 1084, 1091, 1092, 1095, 1098, 1110, 1127, 1164, 1167, 1211, 1228, 1274, 1286, 1330, 1334, 1335, 1346, 1347, 1350, 1352, 1365, 1391, 1460, 1477, 1535, 1572, 1598, 1602, 1605, 1618, 1640, 1648, 1666, 1676, 1678, 1688, 1690, 1695, 1709, 1711, 1712, 2224, 2279, 2307, 2323, 2325, 2332, 2336, 2337, 2340, 2346, 3806, 3815, 4108, 4341, 4345, 4385, 4389, 4429, 4433, 5016, 5043, 5074, 5086, 5264, 5492, 5495, 5498, 5539, 5540, 5542, 5548, 5562, 5566, 5570, 5571, 5572, 5573, 5574, 5575, 5588, 5601, 5669, 5681, 5682, 5689, 5691, 5704, 5706, 5714, 5758, 5762, 5763, 5774, 5775, 5778, 5780, 5793, 5816, 5867, 5869, 5871, 5879, 5896, 5934, 5938, 5939, 5950, 5951, 5954, 5956, 5969, 5992, 6043, 6045, 6047, 6055, 6072, 6106, 6126, 6143, 6148, 6149, 6208, 6255, 6270, 6288, 6290, 6292, 6301, 6315, 6365, 6366, 6377, 6379, 6407, 6409, 6454, 6456, 6461, 6475, 6477, 6478, 6483, 6484, 6485, 6486, 6487, 6521, 6532, 6650, 6796, 6843, 6852, 6862, 6880, 6883, 6920, 6962, 7007, 7016, 7026, 7045, 7048, 7298, 7319, 7336, 7337, 7339, 7340, 7348, 7370, 7372,

7375, 7393, 7394,
7396, 7397, 7405,
7422, 7424, 7427,
7609, 7631, 7633,
7635, 7638, 7640,
7642, 7644, 7646,
7647, 7653, 7658,
7672, 7686, 7699,
7782, 7879, 7925,
7935, 7937, 7939,
7948, 7963, 8051,
8067, 8083, 8097,
8110, 8123, 8159,
8164, 8171, 8176,
8183, 8188, 8246,
8247, 8319, 8465,
8610, 8759, 8908,
9057, 9206, 9355,
9504, 9617, 9706,
9710, 9714, 9810,
9834, 9835, 9836,
9913, 9928, 9939,
9951, 10033,
10076, 10078,
10080, 10109,
10250, 10303,
10320, 10343,
10345, 10347,
10356, 10358,
10360, 10506,
10555, 10571,
10586, 10612,
10625, 10638,
10652, 10656,
10777, 10827,
10834, 10860,
10861, 10862,
10984, 10985,
10986, 10991,
10992, 10993,
10994, 10995,
10997, 10998,
11000, 11001,
11003, 11037,
11038, 11039,
11040, 11041,
11043, 11044,
11046, 11047,
11049, 12078,
12142, 12149,
12154, 12163,
12219, 12513,
12515, 12547,
12553, 12556,
12561, 12564,
12601, 12625,
12627, 12649,
12678, 13295,
13298, 13322,
13446, 13450,
13460, 13519,
13544, 13548,
13558, 13614,
13631, 13640,
13642, 13663,
13675, 13687,
13707, 13718,
13724, 13894,
13898, 13939,
13949, 13999,
14000, 14001,
14003, 14005,
14010, 14028,
14274, 14316,
14318, 14340,
14341, 14342,
14351, 14352,
14365, 14389,
14390, 14411,
14456, 14457,
14471, 14474,
14488, 14506,
14510, 14511,
14540, 14541,
14544, 14546,
14559, 14582,
14627, 14629,
14631, 14641,
14658, 14716,
14760, 14764,
14765, 14780,
14797, 14857,
14898, 14911,
14912, 14915,
14917, 14930,
14953, 14992,
14994, 14996,
15048, 15091,
15100, 15127,
15144, 15159,
15180, 15182,
15184, 15217,
15222, 15223,
15281, 15328,
15343, 15361,
15363, 15365,
15374, 15386,
15420, 15421,
15422, 15465,
15466, 15467,
15505, 15509,
15510, 15515,
15519, 15520,
15521, 15526,
15527, 15528,
15533, 15537,
15538, 15580,
15588, 15595,
15597, 15619,
15642, 15660,
15687, 15731,
15756, 15843,
15848, 15893,
15957, 16033,
16036, 16042,
16052, 16062,
16072, 16128,
16136, 16143,
16145, 16167,
16190, 16208,
16235, 16279,
16304, 16422,
16427, 16472,
16536, 16616,
16621, 16624,
16630, 16640,
16650, 16660,
16697, 16826,
16834, 16841,
16843, 16865,
16888, 16906,
16933, 16977,
17002, 17104,
17109, 17154,
17218, 17298,
17303, 17306,
17312, 17322,
17332, 17342,
17383, 17384,
17385, 17386,

17391, 17392, 17396, 17408, 17443, 17467, 17479, 17483, 17576, 17580, 17587, 17598, 17624, 17625, 17635, 17639, 17640, 17641, 17644, 17653, 17654, 17656, 17657, 17659, 17667, 17672, 17687, 17772, 17773, 17847, 17937, 17955, 18048, 18227, 18335, 18364, 18674, 18678, 18756, 18761, 18766, 18814, 18940, 19126, 19133, 19134, 19152, 19168, 19171, 19180, 19181, 19183, 19187, 19194, 19195, 19196, 19197, 19292, 19299, 19343, 19345, 19371, 19372, 19373, 19425, 19426, 19427, 19506, 19515, 19524, 19533, 19537, 19557, 19558, 19590, 19601, 19609, 19614, 19623, 19735, 19739, 19779, 19783, 19824, 19828, 19831, 19841, 19842, 19846, 19853, 19885, 19902, 19913, 19941, 19942
\z@skip . 2279, 10301, 10302, 12625, 12628, 14471, 14475, 14485, 17447, 17452, 17486, 17492, 19536, 19537, 19594, 19600, 19902
\zap@space 444, 3433, 3520, 3556
\zifrefundefined 10409, 10432
\zref@extractdefault 10414, 10435
\zref@labelbyprops 10380, 10455

\ 1846
\ 1846

9 Change History

v13.9
General: Added implementaion of the package. 0

v14.2
General: Fixed the wrong order of toc, lot, lof, etc with multicol package. 306

v14.3
General: Removed \leavevmode to avoid extra \par. 140